

Oxygen Benching

2016 GSA Price List

Informational Pages

Terms and Conditions	I-2
Statement of Line	I-12
Product Details	I-17
Specifying Grommets	I-19
Suggested Order of Specification	I-20
Typicals	I-20

Worksurface Kits

Bench Top Kits - Powered with Access Box	1
Bench Top Kits - Powered with Grommet	2
Bench Top Kits - Non-Powered with Grommet	3
Return Surfaces - Rectangular	5
Return Surfaces - Rectangular With Power Cut-Out	6
Return Surfaces - Slanted-Left	7
Return Surfaces - Slanted-Left With Power Cut Out	8
Return Surfaces - Slanted-Right	9
Return Surfaces - Slanted-Right With Power Cut-Out	10

Leg Kits

Straight Leg Kits - End-of-Run	11
Straight Leg Kits - Shared	12
Slim Leg Kits - End-of-Run	13
Slim Leg Kits - Shared	14
Slant Leg Kits - End-of-Run	15
Slant Leg Kits - Shared	16
Laminate End Panel - End-of-Run Kits - Single-Sided	17
Laminate End Panel - End-of-Run Kits - Double-Sided	18
Laminate End Panel - Mid-Run Kits	19
Laminate Modesty Panels - Full-Height	20
Stand-Alone Single Legs - Straight, Slant and Mobile	21
End-of-Run Covers	22
Gallery Panels (Type A) - Female One End	23
Gallery Panels (Type B) - Female One End (Handed)	24
Gallery Panels (Type C) - Male Both Ends	25
Gallery Panels (Type D) - Male Centered	26
Return Support Rail	27
Return Strip	28

Electrical & Data

Overview - Electrical Components (8 wire 4 circuit)	31
Duplex Outlets and USB Outlets - Covers	33
Duplex Outlets and USB Outlets - Hubble Data	34
Jumpers and In-Feeds	36
Base In-Feed and Ceiling In-Feed	37
Power Poles and Power Pole Extenders	38

Screens & Dividers

Glass Spine Screens	39
Spine Screens - Tackable Fabric / White Board	40
Territory Screens - Tackable Fabric / White Board	41
Glass Territory Screens	42
Side Mount Screens - Tackable Fabric / White Board	43

Shared Storage

20"H Shared Pencil Lateral Files	45
20"H Shared Floor Bookcases	46
20"H Shared Floor Bookcase with Sliding Door	47
26"H Shared Floor Bookcase	48
26"H Shared Floor Bookcases with Sliding Door	49
27"H Shared 2-Drawer Lateral Files	50
27"H Shared Floor Bookcases	51
27"H Shared Floor Bookcase with Sliding Door	52
42"H Shared Storage Towers with Bookcase or Sliding Door	53
50"H Shared Storage Towers with Bookcase or Sliding Door	54
Mini Hutch - Double-Sided	55
Mini Yin-Yang Shelf (Horizontal) - Desktop	56
Mini Yin-Yang Shelf (Vertical) - Desktop	57
Double-Sided Desktop Bookcases	58

Shared Storage (Continued)

Endcap Hutch	59
Bench End Worksurfaces	60
Shared Overheads with Sliding Doors	61
Spine Yin-Yang Desktop Bookcase Open	62
Spine Yin-Yang Desktop Bookcase Open Tackboards	63

Single-Sided Storage

20"H Floor Bookcases	65
20"H Sliding Door Credenza	66
20"H Cabinet Door Credenza	67
26"H Floor Bookcases	68
26"H Sliding Door Credenza	69
26"H Cabinet Door Credenza	70
26"H Single Door Cabinet	71
27"H Floor Bookcases	72
27"H Sliding Door Credenza	73
27"H Cabinet Door Credenza	74
27"H Single Door Cabinet	75
42"H Single Door Cabinet	76
42"H Single-Sided Lateral / Bookcases	77
50"H Single Door Cabinet	78
50"H Single-Sided Lateral / Bookcases	79
50"H Wardrobe Towers	80
58"H Single Door Cabinet	81
66"H Single Door Cabinet	82
66"H Wardrobe Towers	83
Mini Hutch - Single-Sided	84
Single-Sided Desktop Bookcases	85
Single-Sided Desktop Tackboards	86

Pedestals & Lateral Files

26"H Metal Pedestals and Mobile Pedestals	87
27"H Metal Structural Pedestals	88
20"H Box File Pedestal and Pencil Lateral Files	89
26"H Pedestals and Lateral Files	90
27"H Pedestals and Lateral Files	91

Accessories

Worksurface Rear Mounted Tool Rail	93
Front-to-Back Tool Bars	94
Plastic Tool Bar Accessories	95
Metal Tool Bar Accessories	96
Replacement Lock Cores, Keys and Pulls	97
Credenza & Pedestal Cushions	98
Keyboard Arms	99
Oxygen Spacer	101
Spin Out Pencil Drawer	102
Monitor Arms	103
CPU Holders	104
LED Desk Lamp	105
Power Data Solutions	106
Perimeter Electrical	108
Laminate Casegood Ganging Bolt	109

Bench Top Kits - Chicago Junction Box with Access Box	110
Bench Top Kits - Chicago Junction Box with Grommet	111
Mini-Touch with (2) USB	112
Surface Mount Data Housing Units	113

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories

Pricing & Discounts

Pricing is determined by size of order and other criteria. Refer to your Authorized AIS Dealer Pricing Program for complete guidelines.

Pricing & Discounts

- Purchase orders must be received by 12:00 noon EST in order for the following day to be considered start of ship date lead-time.
- The total net amount of order must be clearly indicated on all purchase orders.
- Account must be in good standing and have no past due balance for purchase order to be accepted.
- Only Authorized AIS Dealers may purchase from AIS.
- Special pricing taken on any order must reference AIS Special Pricing Authorization (SPA).
- If there are any discrepancies on purchase order, dealer will be required to "sign off" on final order detail. Signature by dealer constitutes acceptance of new purchase order amount and item details contained therein.

Order Changes & Cancellations

AIS understands that from time to time changes may be required on orders; however, as all AIS products are produced custom for each order, changes and cancellation costs will be assessed based on the following schedule. Review your acknowledgement thoroughly. All dates below are from time of acknowledgement.

- No fee for orders changed or cancelled within one day (24 hours).
- A fee of 50% of the net pretax total of affected product if order is changed or cancelled within two days (48 hours).
- A fee of 100% of the net pretax total of affected product if order is changed or cancelled after two days (48 hours).
- A fee of 100% of the net pretax total of all product on Rush Orders or orders with custom product if changed or cancelled after 24 hours.

Any non-standard worksurface sizes, panels, fabrics, laminates, paint colors, or product modifications are considered custom. **Important:** Changing a product size to another size is considered a "cancellation" of one product for another and falls under the above program.

Order Submission

Orders should be placed electronically through the AIS website using eOrders in DealerNet. Any questions on how to submit and track orders should be directed to your Customer Service Representative.

Orders may also be faxed or emailed to AIS Customer Service.

Fax: 978-567-5187

Email: orderentry@ais-inc.com

Orders can be tracked online at www.ais-inc.com -> Dealer Net -> Orders

Add On Orders

Refer to your AIS Dealer Pricing Program via AIS DealerNet for terms and conditions for add-on orders.

Payment Terms

A signed purchase order is required for all orders, unless waived by an officer of Affordable Interior Systems, Inc. (AIS). First time orders require a 50% deposit, unless waived by an officer of Affordable Interior Systems, Inc. (AIS). With approved credit, all balances are due within 30 days of invoice date.

Rush Orders

For orders requiring less than Quick Ship lead-time, AIS will determine feasibility of meeting required lead-time and will assess the following "rush fee" if request can be accommodated.

Add-on orders to original Quick Ship PO are considered separate orders and will incur the charges below if they require rush services as defined herein.

8-9 Day Lead-time - Minimum 10% of net

5-7 Day Lead-time - Minimum 15% of net

Credit

Three trade references (including bank and account number) are required. All accounts with balances beyond 30 days of invoice date will be put on credit hold until the balance is paid in full.

Acknowledgements

Every order is acknowledged via e-mail. Dealer must sign the acknowledgement and return to Customer Service within 24 hours. Orders will be manufactured and invoiced based upon the information on the acknowledgement. If there is any discrepancy, please notify AIS immediately. Orders are accepted by AIS per terms on the acknowledgement.

All acknowledgements contain a two day window estimated shipping date.

If you do not want the merchandise earlier than the specified date, please write "Do not ship for arrival before _____" on your purchase order.

Sales Tax

Affordable Interior Systems, Inc. is registered with multiple states. In this case, we are required by law to collect and remit sales tax to the states in which we are registered. Please download and complete the Multi-Jurisdictional Sales Tax Exemption Form from our website for all states which your company has a valid resale tax exemption certificate. Fax a completed form to our Accounting Department at (978) 562-0811.

Multi-Jurisdictional Sales Tax Exemption Forms are available on DealerNet.

Freight Policy

FOB origin, freight pre-paid. Delivery includes standard Monday through Friday 7am to 5pm deliveries.

Tracking Shipments

You will receive an email confirmation once your order has shipped that includes the following information: carrier, contact information and shipping reference number. AIS strongly encourages you to contact the carrier in order to track your shipments closely for an estimated delivery date.

Guaranteed Deliveries

AIS will gladly accept requests for delivery times and for dropshipments to job sites on full truckload shipments. AIS is not able to guarantee specific delivery times for any less than truckload (LTL) shipments. Please contact AIS Customer Service if you require delivery on a specific day during standard business hours and for a non-rushed shipment. We offer a guaranteed two hour window receipt on full truckload shipments for \$250 for one truckload, or two or more truckloads for \$500 during standard business hours. Your CSR must be notified a week prior to your ship date otherwise additional fees may apply. After-hours, holiday and weekend shipments may be arranged for an additional charge on full truckload shipments. Please contact AIS Customer Service for those rates. Please note that in the case of a missed guaranteed shipment the carrier is only liable for that additional charge, not for labor or other damages.

Call Before Deliveries

You may arrange a delivery with the carrier by noting "Call Before Delivery" on your order, which will typically delay receipt of the product to you by about one day. You cannot add a call before delivery on a truckload shipment if you also have a guaranteed delivery arranged. Please note that call before deliveries are estimates only and should not be used when shipping direct to a jobsite. AIS is not responsible for any damages incurred for any late deliveries, including labor or any other charges resulting from unforeseen delays by any AIS or dealer chosen carrier. AIS strongly urges dealers to take into consideration the risk that carriers typically allow for a 2 day delivery range.

Consolidating Orders

AIS acknowledges orders with a two day ship date range. We are committed to shipping your products within that acknowledged range. Shipments may be combined and consolidated in order to create a full truckload shipment. Shipments may also be hand loaded in order to avoid LTL spillover. Full truckload shipments have less variable transit times as well as significantly less freight damage. Our goal is always to provide you with the best possible delivery service. Transportation efforts are managed as part of an ongoing effort to improve AIS's transportation efficiency thereby saving fuel, reducing emissions, and reducing air pollution associated with AIS's transportation activities.

Please note

Dealer may incur additional carrier Accessorial Fees if not specified and quoted at the time of order for the following, which may include but are not limited to:

- | | |
|----------------------|---|
| -no loading dock | -special truck size (standard is 53" trailer) |
| -redirect of product | -street unloads |
| -refusal of product | -lift gate requirement |
| -storage | -detention charges after 2 hours of unload time for TL and 30 minutes for LTL |

Deductions

Deductions from invoices are not allowed, for any reason, without authorization from AIS.

Delay of Shipment

Acceptance of AIS acknowledgement confirms order ship date. If dealer requests delay of shipment for any period greater than one day from scheduled ship date, storage fees will be assessed. Dealer must submit purchase order for estimated storage costs.

Freight Claims

AIS will file freight claims for loss or damage if policy is followed. In order to make this policy maintainable, certain requirements must be met by the consignee in accordance with freight laws and carrier policies. These requirements are as follows:

All damage or lost freight should be reported to AIS within 72 hours of receipt. In the case of obvious damage, it must be noted in short detail on delivery receipt (i.e. scratched surfaces, dented cartons, missing pieces).

If missing or damaged freight is discovered after receipt is completed, consignee must notify Carrier or AIS within 72 hours and request a corrected delivery receipt acknowledging loss or damage.

A detailed list of missing or damaged pieces is required in order to assess the value of the claim. Upon receipt of this information, AIS will contact the carrier and request an inspection or waiver thereof.

In the case of concealed damage, AIS must be informed within 10 days of receipt of product. All damaged product and packaging must be preserved as received pending an inspection or waiver of inspection by the carrier. All product that has a claim pending against it must be available for carriers to salvage once the claim is paid.

It is highly encouraged that digital photos are taken of any suspected freight damage. Photographic evidence substantiating claims should be provided electronically to AIS.

Any failure to adhere to these policies and procedures will result in claim responsibility shifting from AIS to the consignee.

Force Majeure

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike, or any other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials, or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations or due to any cause beyond its reasonable control. In the event of delay in performance due to any such cause, Seller reserves the right to extend the date of delivery or time for completion by a period of time reasonably necessary to overcome the effect of such delay, to allocate any available supply of goods in a manner it deems reasonable, or to cancel any purchase order.

Liability

Seller, its contractors, authorized dealers and subcontractors or suppliers of any tier shall not be liable in contract, in tort (including negligence and/or strict liability) or otherwise for any special, indirect, incidental or consequential damages whatsoever, including, without limitations, damages or loss of other property or equipment, loss of profits or revenue or loss of use of equipment (including additional expenses incurred in using existing facilities).

The remedies set forth herein are exclusive, and the liability of Seller with respect to any contract or anything done in connection therewith, such as the performance or breach thereof, or from the manufacture, sale, delivery, resale or use of any Product covered by or furnished under the order, whether in contract, in tort (including negligence and/or strict liability) or otherwise shall not exceed the price of the Product or part on which such liability is based.

Local Codes

Seller considers its product to be office furniture and subject to all applicable local fire, electrical and building codes. Since local codes may vary, the purchaser is responsible for the proper application and installation of AIS product in accordance with the requirements of these local codes. Engineering, research and testing have been conducted to have electrical components of AIS products conform to national electrical codes. Only Underwriters Laboratories (UL) tested and approved electrical components are used in electrical devices. See www.UL.com for complete UL listing information. In addition, all panels and components used by AIS have been UL approved. Seller shall not be responsible for any damages or expenses resulting from Purchaser's specifications not conforming to the requirements of the law or local building codes, unless it specifically agrees in writing to do so. Since Seller has no control over the use to which others may put its Products, each user or specifier should determine the Products' suitability for the particular application.

Limited Lifetime Warranty

This warranty is given to the initial purchaser and is valid for as long as the product is owned by the original Buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to AIS within the applicable warranty period, AIS (at its option) will either repair or replace the defective product with a comparable component or product. The limited lifetime warranty applies to all products regardless of the numbers of shifts the product is used each day except as noted below.

Applicable Warranty Period	Products / Restrictions
Lifetime (as defined below)	All AIS branded products (except as noted below)
Ten (10) Years	Electrical products
Five (5) Years	Moving parts, which include keyboard mechanisms, locks, suspensions, casters as well as all AIS fabrics / upholstery.
Five (5) Years	Calibrate Laminate Storage / Caseloads, Caseload cushions (with upholstery fabric)

This warranty does not apply to "normal wear and tear", damage caused by carrier, damage caused by transport of product from one site or location to another, alterations to the product not expressly authorized by Seller, and products considered to be of a consumable nature such as bulbs and light ballast. It also does not apply to "customer's own material" (i.e. material specified by Buyer that is not a standard AIS product offering) used in the manufacture of AIS products. A product will not be considered defective, and Seller will not be obligated to replace it, if the product is not installed properly or is used in a "non-standard" fashion as prescribed by AIS. It is at the sole discretion of AIS to make a determination if a defect is due to improper product installation.

This warranty is presented in lieu of all other warranties, express or implied, including, but not limited to, any implied warranties of merchantability of fitness for a particular purpose. The customers exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be repair or replacement as specified above.

Seller (AIS) shall not be liable under any circumstances for consequential, economic, or incidental damages of any nature, including without limitation, damages for personal injury or damages to property, and however occasioned, whether alleged as resulting from breach of warranty or contract by AIS or negligence of AIS or otherwise.

International warranties may differ.

AIS Supported Specification Software

AIS provides (at no cost) symbols and data libraries for the following applications. Only Authorized AIS Dealers may purchase AIS products. AIS supported software libraries are:

20-20 GIZA

20-20 CAP

Project Matrix

Quick Ship - 10 Day Lead-time

The 10 day lead-time does not include a 24-hour order processing period.

Quick Ship items are noted throughout the catalog with a "Y" designation in the Quick Ship column of the pricing tables. Please see the table at the end of the Terms section for items not available on Quick Ship.

- Any Grade A fabric
- Any Grade A paint color
- Any Grade A laminate (except on Matrix tiles, DiVi inserts, laminate peds and overheads)
- Any Grade A 2mm edgeband color

Orders missing part numbers and corresponding required finish information are considered incomplete. These orders will not be processed until correct information is received.

Lead-time begins 24 hours after receipt of complete and processable order as defined in the purchase order requirement section of this program.

Orders over \$300k list may require additional lead-time based on factory or supply conditions. Please contact Customer Service to verify lead-time availability before placing order.

Quick Ship status is applied to certain products with certain finishes (see below). Quick Ship status will not be assigned unless all items on an order are available as Quick Ship items and are furnished with Quick Ship finishes. Customer must specifically request Quick Ship status on order or purchase order. If Quick Ship status is not indicated on order or purchase order, order will be placed with standard ship lead-time. AIS Customer Service will confirm ship date on AIS order acknowledgement.

Standard Ship - 15 Day Lead-time

A 15 - 20 day lead-time does not include 24-hour order processing period.

- Includes all above listed items from quick ship and approved Grade B fabric or approved Grade C fabric
- Any Grade A or Grade B paint color
- Any Grade A laminate or approved Grade B laminate
- Any Grade A 2mm edgeband color or approved Grade B 2mm edgeband color

Orders missing part numbers and corresponding required finish information are considered incomplete. These orders will not be processed until correct information is received.

Lead-time begins 24 hours after receipt of complete and processable order as defined in the purchase order requirement section of this program.

Orders over \$900,000 list may require additional lead-time based on factory or supply conditions. Please contact Customer Service to verify lead-time availability before placing order.

Calibrate - 30 Day Lead-time

Calibrate laminate construction casegood items require a 30 working day lead-time.

Grade A Fabrics by AIS

	<u>Style No.</u>	<u>Grade</u>
Avenue Dusk	2062	A
Avenue Park Place	2064	A
Cape Cod Chatham	2711	A
Cape Cod Falmouth	2712	A
Cape Cod Harwich	2713	A
Cape Cod Hyannis	2714	A
Cape Cod Martha's Vineyard	2715	A
Cape Cod Nantucket	2716	A
Cape Cod Provincetown	2717	A
Engage Denim	2066	A
Engage Neutral	2065	A
Engage Rain Cloud	2067	A
Engage Toffee	2068	A
New England Boston	2700	A
New England Cambridge	2701	A
New England Concord	2702	A
New England Dixville Notch	2703	A
New England Hartford	2704	A
New England Lexington	2705	A
New England Newton	2706	A
New England Providence	2707	A
New England Rockport	2708	A
New England Salem	2709	A
New England York	2710	A
Rainfall Bliss	2059	A
Rainfall Shore	2060	A
Rainfall Sundown	2057	A
Rainfall Twilight	2058	A
Simplicity Blue Smooth	2001	A
Simplicity Chamoise	2002	A
Simplicity Grey Blue	2004	A
Simplicity Sandy Pebble	2005	A
Simplicity Stone	2530	A
Simplicity Twizzle Tan	2008	A
Stream Light Sand	2501	A

Tackboard Fabrics by Guilford of Maine

	<u>Style No.</u>	<u>Grade</u>
Anchorage	2335	B
Bailey	2299	B
Bix	3008	B
Broadcast	2758	B
Coastline	3495	B
Drift	2539	B
FR701	2100	B
Lido	2858	B
Lido - select colors		B
Lido - full wrap		B
Mingle	2527	B
Open House	2334	B
Reeds	3078	B
Spinel	3582	B
Sprite	2671	B
Streetwise	2721	B
Tweed	2737	B
Auster	2537	C
Belgrade	4052	C
Birdseye	2748	C
Block Party	2538	C
Crosstown	2526	C
Groove	3497	C
Hopscotch	2823	C
Lily Pad	2318	C
Network	4158	C
Nitro	2317	C
Phone Tag	2314	C
Regatta	2400	C
Tempest	2120	C
Zirconia	3583	C
Cosmos	2655	D

Upholstery Fabrics by Guilford of Maine

	<u>Style No.</u>	<u>Grade</u>
Aquatint	9474	A
Diva	9860	A
Frolic	5000	A
Highbeams	9834	A
Lisbon	9477	A
Open House	2334	A
Outline	9468	A
Oxford	9914	A
Shiraz	9087	A
Ticker	9862	A
Timeless	9846	A
Xceed	5901	A
Beacon	9256	B
Beehave	3948	B
Blink	9098	B
Lifesaver	2877	B
Limelight	9480	B
Mainstream	9478	B
Moguls	2386	B
One. Two. Three.	3942	B
Pizzazz	9471	B
Playful	3400	B
Portofino	9467	B
Prism	9005	B
Revival	9217	B
Snazzy	9473	B
Soundbite	2879	B
Underground	2967	B
Wired	9263	B

Fabrics may be discontinued or obsolete without notice. Contact AIS Customer Service with any questions regarding fabric availability.

Panel Fabrics by Momentum

	<u>Grade</u>
Annex	B
Backdrop	B
Cameo	B
Encore	B
Extend	B
Footlights	B
Meander	B
Overture	B
Pact	B
Tenor	B
Universe	B
Verse	B
Edict	C
Saga	C

Upholstery Fabrics by Momentum

	<u>Grade</u>		<u>Grade</u>
Basis	B	Agora	E
Expo	B	Bravo	E
Insight	B	Candid	E
Origin	B	Gusto	E
Perk	B	Impact	E
Ace	C	Intermix	E
Axis	C	Lumiere	E
Cinch	C	Max	E
Fuse	C	Rein	E
Interval	C	Schema	E
Moda	C	Solo	E
Ratio	C	Solo2	E
Tangent	C	Stance	E
Cachet	D	Sublime	E
Canter	D	Tact	E
Cashmere	D	Vario	E
Gauge	D	Venue	E
Hue	D		
Knack	D		
Russo	D		
Sector	D		
Vox	D		

COM Fabric Policy

It is mandatory that a COM Fabric Dealer Form be completed and submitted to your AIS Customer Service representative. All COM fabrics must be tested and approved by AIS before an order can be processed by Customer Service.

- A three to five yard sample is required for testing and approval for use on all monolithic panel systems.
- A one yard sample is required for testing and approval on Divi Insert Tiles and Matrix Tiles.
- A one yard sample is required for testing and approval for use on all AIS flipper doors and tackboards.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Representative.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed from the AIS website.

Oxygen Paint Options

	Oxygen Legs/Feet	Spine Beam	Metal Storage	Screens & Accessories**
Black (BK)	A	A	A	A
Dark Tone (DT)	N/A	A	A	A
Grey Value 1 (GV1)	A	A	A	A
Innertone (HT)	N/A	A	A	A
Light Tone (LT)	A	A	A	A
Medium Tone (MT)	N/A	A	A	A
Satin White (SW)	A	A	A	A
Warm Brown 1 (WB)	N/A	A	A	A
Champagne Metallic (CHM)*	N/A	B	B	B
Dark Grey Metallic (DGM)*	N/A	B	B	B
Flint Grey Metallic (FGM)*	N/A	B	B	B
Metallic Silver (MS)	B	B	B	B
Light Grey (LG)*	N/A	B	B	B
Tan Value 1 (TV1)*	N/A	B	B	B
Warm White (WW)*	N/A	B	B	B
Woodrose (WR)*	N/A	B	B	B
Antique Gold (AG)*	N/A	C	C	C
Blue (BL)*	N/A	C	C	C
Graphite Sky (GS)*	N/A	C	C	C
Lite Silver Smooth (LSS)*	N/A	C	C	C
Orange (OG)*	N/A	C	C	C
Red (RD)*	N/A	C	C	C
Violet (VT)*	N/A	C	C	C
Yellow (YW)*	N/A	C	C	C

* Does not have a corresponding edgeband.

** Unless otherwise noted on the specific product page.

Custom Paints

Minimum order size for any custom color is \$75,000 list. Extended lead-time will apply.

Any color not shown on Quick Ship, Standard Grade A or Grade B will be considered custom.

A \$450 net paint match fee will be assessed following receipt of (2) 5"x5" samples of paint being matched.

Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

Additionally, Grade B paint up-charges will be applied to all applicable products on the order.

IMPORTANT CUSTOM PAINT NOTE:

Most paint match pricing can be covered by the Grade B up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

Worksurface Edgeband Options

<u>Color Name</u>	<u>Color Code</u>
Absolute Acajou	AA
Aimtoo Savatre	AS
Black	BK
Cabinet Almond	CA
Corporate Walnut	CT
Dark Rum Cherry	DR
Dark Tone	DT
Grand Cherry	GC
Grey Value 1	GV-1
Innertone	HT
Leave Likatre	LV
Light Tone	LT
Looks Likatre	LK
Medium Tone	MT
Midwest Maple	MM
Natural Oak	NO
Nightfall	NF
Satin White	SW
Storm	ST
Summer Drops	SD
True White	TW
Trytoo Savatre	TS
Warm Brown #1	WB-1
Woodrose	WR

Tempered Glass Availability Chart

	3/8" Thick
	Aloft
	Frameless
Clear	Y
Bronze Tint	N
Grey Tint	N
Pebble	N
Spraylight	N
Frosted	Y
Aqui	Y
Blue	Y

All glass is tempered

The etched side of Pebbled, Spraylight, or Frosted glass is only on one side of a screen, the opposite side is smooth.

Please see specific catalog pages on each type of glass for list pricing and up-charges.

Laminate	Worksurface Grade	Casegood Body / Case Grade	Casegood Door / Drawer Grade	Matching Edgeband
Absolute Acajou	A	A	A	Y
Aimtoo Savatre	A	A	A	Y
Black	A	A	A	Y
Cabinet Almond	A	A	A	Y
Corporate Walnut	A	A	A	Y
Dark Rum Cherry	A	A	A	Y
Grand Cherry	A	A	A	Y
Leave Likatre	A	A	A	Y
Looks Likatre	A	A	A	Y
Midwest Maple	A	A	A	Y
Natural Oak	A	A	A	Y
Nightfall	A	A	A	Y
Paris White Potteryware	A	N/A	N/A	N/A
Select Walnut	A	A	A	Y
Storm	A	A	A	Y
Summer Drops	A	A	A	Y
Titanium EV	A	N/A	N/A	N/A
True White	A	A	A	Y
Trytoo Savatre	A	A	A	Y
Asian Night	B	N/A	N/A	N/A
Asian Sand	B	N/A	N/A	N/A
Beige Granite	B	N/A	N/A	N/A
Carbon EV	B	N/A	N/A	N/A
Colombian Walnut	B	N/A	N/A	N/A
Desert Zephyr	B	N/A	N/A	N/A
Figured Mahogany	B	N/A	N/A	N/A
Fonthill Pear	B	N/A	N/A	N/A
Green Soapstone	B	N/A	N/A	N/A
Grey Mesh	B	N/A	N/A	N/A
Gridlock in L.A.	B	N/A	N/A	N/A
Hampton Walnut	B	N/A	N/A	N/A
Khaki Brown	B	N/A	N/A	N/A
Loden Zephyr	B	N/A	N/A	N/A
Madagascar	B	N/A	N/A	N/A
Mahogany Clove	B	N/A	N/A	N/A
Monterey Haze	B	N/A	N/A	N/A
Monticello Maple	B	N/A	N/A	N/A
Natural Tigris	B	N/A	N/A	N/A
Pearl Soapstone	B	N/A	N/A	N/A
Pewter Mesh	B	N/A	N/A	N/A
Satin Oxide	B	N/A	N/A	N/A
Satin Stainless	B	N/A	N/A	N/A
Shadow	B	N/A	N/A	N/A
Shadow Zephyr	B	N/A	N/A	N/A
Soft Gold Mesh	B	N/A	N/A	N/A
Streets of San Francisco	B	N/A	N/A	N/A
Sunset	B	N/A	N/A	N/A

Laminate	Worksurface	Casegood	Casegood	Matching Edgeband	Kits	Leg Kits	Electrical & Data	Screens & Dividers	Shared Storage	Single-Sided Storage	Pedestals & Lateral Files	Accessories
	Grade	Body / Case Grade	Door / Drawer Grade									
Tungsten EV	B	N/A	N/A	N/A								
White Spektrum	B	N/A	N/A	N/A								
White Tigris	B	N/A	N/A	N/A								
Windswept Pewter	B	N/A	N/A	N/A								
Yorkshire Chery	B	N/A	N/A	N/A								
Antique White	C	N/A	N/A	N/A								
Blue	C	N/A	N/A	N/A								
Ebony	C	N/A	N/A	N/A								
Frosty White	C	N/A	N/A	N/A								
Oiled Olivewood	C	N/A	N/A	N/A								
Orange	C	N/A	N/A	N/A								
Pecan Woodline	C	N/A	N/A	N/A								
Red	C	N/A	N/A	N/A								
Ribbonwood - Ashen	C	N/A	N/A	N/A								
Ribbonwood - Ebony	C	N/A	N/A	N/A								
Ribbonwood - Myriad	C	N/A	N/A	N/A								
Ribbonwood - Natural	C	N/A	N/A	N/A								
Strand - Burnt	C	N/A	N/A	N/A								
Strand - Wenge	C	N/A	N/A	N/A								
Strand - Wheat	C	N/A	N/A	N/A								
Twill - Earthen	C	N/A	N/A	N/A								
Twill - Graphite	C	N/A	N/A	N/A								
Twill - Neutral	C	N/A	N/A	N/A								
Twill - Sarum	C	N/A	N/A	N/A								
Violet	C	N/A	N/A	N/A								
Warm White	C	N/A	N/A	N/A								
Yellow	C	N/A	N/A	N/A								
Zebrano	C	N/A	N/A	N/A								


Oxygen - 30 Day Lead-time

Calibrate laminate construction casegood items require a 30 working day lead-time.

Bench Top Kits - Single-Sided - Powered & Non-Powered


Depths: 24, 30 Widths: 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96

Note: Widths 36 and 42 accommodate (2) duplex outlets per seat. Widths 48 - 96 accommodate (4) duplex outlets.


**Bench Top Kits - Double Sided - Powered & Non-Powered**

Depths: 48, 60 Widths: 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96

Note: Widths 36 and 42 accommodate (2) duplex outlets per seat. Widths 48 - 96 accommodate (4) duplex outlets.

**Straight Legs - Post Legs, End-of-Run, Shared & Mobile**


Widths: 24, 30, 36, 48, 60

**Slim Legs - Post Legs, End-of-Run, Shared & Mobile**


Widths: 24, 30, 36, 48, 60

**Slanted Legs - Post Legs, End-of-Run & Shared**

Widths: 24, 30, 36, 48, 60

**Laminate End Panels, Single-Sided - End-of-Run**


Widths: 24, 30 Heights: 28, 42, 46, 50

**Important Notes**

- Not all above size combinations are available in all products, please see individual catalog pages for specific sizes.
- Wood grain on bench tops runs parallel to spine beam. Wood grain on end panels, modesty panels, and gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.
- Leg heights are 27.5H minimum with 1.5" glide range.
- Bench top kits widths 36 and 42 accommodate (2) duplex outlets per seat. Widths 48 - 96 accommodate (4) duplex outlets.


Laminate End Panels, Double Sided - End-of-Run

Widths: 48, 60 Heights: 28, 42, 46, 50


**Mid-Run Laminate Panels & Modesty Panels**

Mid-Run Laminate Panels - Widths: 24, 30 Heights: 28, 42, 46, 50


Modesty Panels - Widths: 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96 Heights: 10, 28, 42, 46, 50

**End-of-Run Covers - Flat & Tapered**


Widths: 24, 30, 48, 60

**Gallery Panels**


Widths: 12, 18, 20, 24, 30, 36, 42, 48, 54, 60 Heights: 28, 42, 46, 50

**Return Surface Support & Return Surfaces - Straight & Slanted**

Depths: 18, 22, 24, 30 Widths: 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96

**Spine Screens - Glass & Tackable Fabric / White Board**

Glass Widths: 36, 42, 48, 54, 60, 66, 72, 78, 84 Tackable Fabric / White Board Widths: 36, 42, 48, 54, 60, 66, 72, 78, 84 Heights: 12, 16, 20

**Important Notes**


- Not all above size combinations are available in all products, please see individual catalog pages for specific sizes.
- Wood grain on bench tops runs parallel to spine beam. Wood grain on end panels, modesty panels, and gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.
- Fabric screens 24"W – 60"W, fabric runs vertically while screens 66"W – 72"W run horizontally (railroaded).
- Tackable Fabric / White Board screens may be specified with any combination of the two types front and back on the screen.

Glass Territory Screens - Right, Left & Centered


Depths: 24, 30 Heights: 12, 16, 20

**Side Mount Territory Screens - Tackable Fabric or Whiteboard**


Widths: 24, 30, 36, 42, 48, 54, 60 Heights: 26, 34

**Laminate Pencil Lateral Files - Single-Sided or Shared**


Depths: 18, 36 Widths: 30, 36, 42 Heights: 20

**Laminate Floor Bookcases - Single-Sided or Shared**


Depths: 18 Widths: 36, 42, 48, 60, 66, 72 Heights: 20, 26, 27

**Laminate Floor Bookcases with Sliding Door - Single-Sided or Shared**

Depths: 18 Widths: 36, 42, 48, 60, 66, 72 Heights: 20, 26, 27

**Laminate Cabinet Door Credenza**


Depths: 18 Widths: 24, 30, 36, 42, 48, 54, 60, 66, 72 Heights: 20, 26, 27

**Important Notes**


- Not all above size combinations are available in all products, please see individual catalog pages for specific sizes.
- Fabric screens 24"W – 60"W, fabric runs vertically while screens 66"W – 72"W run horizontally (railroaded).
- Tackable Fabric / White Board screens may be specified with any combination of the two types front and back on the screen.
- 20"H & 26"H storage is designed to fit under the bench while 27"H storage is designed for returns. 27"H storage will not fit under the bench.

Laminate Lateral Files (Single or Shared) and Pedestals


Depths: 18 Widths: 15, 30, 36, 42 Heights: 26, 27 Pedestal Configurations: BF, BBF, FF, Cabinet

**Laminate Single Door Cabinets**


Depths: 18, 24, 30 Widths: 12 Heights: 27, 42, 50, 58, 66

**Laminate Lateral / Bookcase Combination - Single-Sided or Shared - With or Without Sliding Door**


Depths: 18 Widths: 30, 36, 42 Heights: 42, 50

**Laminate Wardrobe Towers**


Depths: 24 Widths: 24 Heights: 50, 66 Configurations: BBF, FF, Side Access Bookcase

**Laminate Mini Hutch - Single-Sided or Shared**

Depths: 18 Widths: 24, 30 Heights: 12, 16, 20

**Laminate Mini Yin-Yang Shelf - Horizontal or Vertical**


Depths: 18 Widths: 24, 30 Heights: 12, 16, 20

**Important Notes**


- Not all above size combinations are available in all products, please see individual catalog pages for specific sizes.
- 20"H & 26"H storage is designed to fit under the bench while 27"H storage is designed for returns. 27"H storage will not fit under the bench.

Laminate Mini Yin-Yang Shelf - Horizontal or Vertical


Depths: 18 Widths: 24, 30 Heights: 12, 16, 20

**Laminate Open Desktop Bookcases - Single-Sided or Shared**


Depths: 16, 24 Widths: 34, 40, 46, 52, 58, 64, 70 Heights: 08, 12, 16

**Laminate Yin-Yang Desktop Bookcase - With or Without Sliding Door**


Depths: 16 Widths: 34, 40, 46, 52, 58, 64, 70 Heights: 08, 12, 16

**Laminate Bench End Worksurfaces and Endcap Hutches**

Depths: 16, 18, 20 Widths: 48, 60 Heights: 08, 12, 16, 30

**Metal Pedestals - Mobile, Freestanding & Structural**

Depths: 22, 28 Widths: 14.75 Heights: 20, 26, 27 Configuraton: BF, BBF, FF Fronts: Paint or Laminate

**Surface Mounted Tool Rails - Rear Mounted or Territory Mounted & Paper Flow Elements & Accessories**

AIS has a variety of keyboard arms, monitor arms, pencil drawers, lights and a number of other items. Please see the accessories section for details.

**Important Notes**

- Not all above size combinations are available in all products, please see individual catalog pages for specific sizes.
- 20"H & 26"H storage is designed to fit under the bench while 27"H storage is designed for returns. 27H storage will not fit under the bench.

Product Detail #1 - Bench Top Kit Dimensions

Actual width on bench top kits is the same as the nominal width.


Actual depth on double-sided bench top kits is the same as nominal.

Actual depth on single-sided kits is nominal plus 1.25", to allow for the spine beam.

* Modesty would add 1.25" to the depth

Spine beam allows for clamping accessories with a .25" space between the work-surface and spine beam.


Each of the 4 "basket" locations allow for .85" x .95" of cable space before overflowing.



Product Detail #2 - Power and Data Details

Power / Data Poles come in Double-Sided, Single-Sided and Base In-Feed configurations. The single-sided poles are handed. Pole extenders are also available in 28" and 48" lengths.

Note: Widths 36 and 42 accommodate (2) duplex outlets per seat. Widths 48 - 96 accommodate (4) duplex outlets.





Product Detail #3 - Access Box and Storage Placement



The access box location should be taken into consideration when placing 26" high storage elements. See below for examples and cautionary configurations. Note: where the access box can inhibit storage placement, the bench top kits with a grommet will not.

24"D x 48"W Single Bench



Access box will not allow for storage to be fully located under the bench surface.

**24"D x 60"W Single Bench**



Access box will allow for storage to be located under the bench surface, however the wire trough will have the storage placed with a 1" overhang to the surface.

**30"D x 48"W Single Bench**

Access box will not allow for storage to be fully located under the bench surface.

**30"D x 60"W Single Bench**


Access box will allow for storage to be fully located under the bench surface.






Product Detail #4 - Laminate End Panels and Creep

Laminate End Panels will add 1.1" of creep for each end panel used.

Metal Legs = No Creep



Laminate End Panels = 1.1" Creep each





- Grommet holes are 2 3/4" outside diameter with a 2 5/8" inside diameter (inside sleeve). Grommet covers are available in either grey or black and are included with grommet options.

Important: Grommets are always 3.5" from the rear of the surface and 6" from the end of the surface.

Bench Top Kits with Access Box

Option A	No additional grommets	--
Option C	Location 1	+38
Option D	Location 2	+38
Option E	Location 1 + 2	+76





Note: All bench top kits with access box automatically include the access box cut out and box.

Note: Double-Sided kits maintain left / right hand placement.

Bench Top Kits with Grommet

Option B	Center Only (Included)	--
Option C	Location 1 + Center	+38
Option D	Location 2 + Center	+38
Option E	Location 1 + 2 + Center	+76



Note: All bench top kits with grommet automatically include the center grommet.

Note: Double-Sided kits maintain left / right hand placement.

Suggested Order of Specification

Bench Top

- Single-Sided 24" or 30" deep (from 36" to 96" wide in 6" increments)
- Double-Sided 48" or 60" deep (from 36" to 96" wide in 6" increments)
- Powered with Access Box
- Powered or Non-Powered with Grommet Only

Screens

- Spine Tackable, Whiteboard, or Frameless Glass
- Territory Tackable, Whiteboard or Frameless Glass
- Side Mount Tackable or Whiteboard

End-of-Run Base

- Straight Leg
- Slant Leg
- Laminate Ends

Modesties and Gallery Panels

- Half Modesty
- Full Modesty
- Gallery Panels 28"H to 50"H

Shared Base

- Straight Leg
- Slant Leg

Storage

- Shared Laminate Credenzas, Bookcases and Towers
- Single-Sided Laminate Credenzas, Bookcases and Towers
- Freestanding and Mobile Peds
- 2 Drawer Lateral Files
- Desktop Storage
- Endcap Hutches and Worksurfaces

Electrical and Data

- Duplex Outlets
- Jumpers
- Base and Ceiling Infeeds
- Power and Data Poles
- Data Jack Housings

Accessories

- Monitor Arms
- LED Lights
- Paperflow Elements
- Keyboard Arms
- CPU Holders
- Pencil Trays

Return Surfaces

- Rectangular (with or without power module)
- Slant (with or without power module)

Typical 1

(1) Double Bench Top Kit, PWR w / Access Box

Page 1

(2) Double Bench Slant Leg Kit - End-of-Run

Page 13

(3) Double Bench Slant Leg Kit - Shared

Page 14

(4) End-of-Run Cover for Slant Leg (Tapered)

Page 21

(5) Glass Spine Screen


Page 35

(6) Front-to-Back Toolbar

Page 90

(7) Mobile Box / File Ped w / Cushion

Page 83



Typical 2

(1) Double Bench Straight Leg Kit - End-of-Run
Page 11

(2) Double Bench Straight Leg Kit - Shared
Page 12


(3) End-of-Run Cover for Straight Leg (Flat)
Page 21

(4) 42"H Shared Tower w / Sliding Door
Page 49

(5) Mini Hutch - Double-Sided
Page 51

(6) Mini Hutch - Double-Sided Tackboard
Page 51

(7) Glass Writing Surface
Page 49



Typical 3

(1) Laminate End Panel - Mid-Run Kit - Left Hand
Page 17

(2) Laminate Modesty Panel - Full Height
Page 19


(3) Gallery Panel (Type B) - Female 1 End
Page 23

(4) Gallery Panel (Type C) - Male 2 Ends
Page 24

(5) 27"H Laminate Floor Bookcase
Page 68

(6) 18X30 Standard Worksurface
Page: AIS Main Catalog

(7) 27"H Laminate Lateral File - Freestanding
Page 87



Typical 4

(1) Laminate End Panel, End, Single-Sided - Left Handed
Page 15


(2) Single Bench Top Kit, PWR w / Access Box
Page 1

(3) 50"H Single Door Cabinet
Page 74

(4) Territory Screen Shared - Tack / WB
Page 37

(5) Clamp On LED Desk Lamp
Page 102

(6) Territory Screen End-of-Run - Right
Page 37




Typical 5

(1) Return Surface - Rectangle (No Cut Out)
Page 5

(2) Stand Alone Leg - Slant
Page 20

(3) Mobile Box / File Ped w/Cushion
Page 83

(4) Return Strip
Page 27




Typical 6

(1) Single Bench Top Kit, PWR w/Grommet Only
Page 2

(2) Single-Sided Power Pole
Page 34

(3) Laminate Modesty Panel - Half Height
Page 18

(4) Single Economy Plus Monitor Arm
Page 95



Typical 7

(1) Gallery Panel (Type B) - Female 1 End, 42"H
Page 23

(2) Gallery Panel (Type C) - Male 2 Ends, 42"H
Page 24

(3) Stand-Alone Post Leg - Straight
Page 20

(4) Worksurface, 24X60
Page: AIS Main Catalog


(5) Rectangular Worksurface - 36X48
Page: AIS Main Catalog

(6) 26"H Laminate Pedestal
Page 86

(7) Worksurface Mounted Tool Rail
Page 89

(8) Double-Sided Power Pole
Page 34

(9) Return Surface - Rectangular - 24X48
Page 5



Typical 8

(1) Side Mounted Screens

Page 39

(2) Stand-Alone Post Leg - Straight

Page 20

(3) Return Surface - Rectangle with cut out

Page 6

(4) Surface Access Desktop Power Module


Page 105

(5) 20"H Pencil Lateral File

Page 85

(6) Double Bench Top Kit, PWR w/Grommet

Page 2



Typical 9

(1) Spine Screen - Tackable Fabric / WB

Page 36

(2) Glass Territory Screen (Right)

Page 38

(3) Glass Territory Screen (Left)

Page 38

(4) Double Bench End Panel - End-of-Run

Page 16

(5) 20"H Laminate Box / File Pedestal


Page 85

(6) Mini Yin-Yang Shelf (Horizontal)

Page 52

(7) Double Monitor Arm

Page 99



Typical 10

(1) Endcap Hutch


Page 55

(2) 26"H Laminate Pedestal

Page 86

(3) Double-Sided Desktop Bookcase

Page 54



Typical 11

(1) Bench End Worksurface, 18"D

Page 56

(2) Spine Yin-Yang Desktop Bookcase


Page 58

(3) Spine Yin-Yang Desktop BC Tackboard

Page 59

(4) Shared Territory Glass Screens

Page 38





Bench Top Kits - Powered with Access Box

• **Bench Top Kits - Powered with Access Box** are designed for use with any Oxygen leg type. Power is accessed through access box with flip door centered on the surface. Includes powerway, wire trough and spine beam for mounting screens. Order outlets and jumpers separately. Wood grain on bench tops runs parallel to spine beam. Width 42" accommodate (2) duplex outlets per seat. Widths 48" - 96" accommodate (4) duplex outlets.

Specify



- Paint for Spine Beam
- Paint for Access Box
- Laminate
- Edge

Bench Top Kits - Powered with Access Box - Single-Sided



Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	24"	42"	O-SBP2442	1544	+10	+30
Y	24"	48"	O-SBP2448	2048	+10	+33
Y	24"	54"	O-SBP2454	2139	+10	+41
Y	24"	60"	O-SBP2460	2227	+10	+41
Y	24"	66"	O-SBP2466	2320	+10	+46
Y	24"	72"	O-SBP2472	2408	+10	+51
Y	24"	78"	O-SBP2478	2847	+10	+58
Y	24"	84"	O-SBP2484	2961	+10	+58
Y	24"	90"	O-SBP2490	3143	+10	+68
Y	24"	96"	O-SBP2496	3258	+10	+68
Y	30"	42"	O-SBP3042	1601	+10	+39
Y	30"	48"	O-SBP3048	2112	+10	+42
Y	30"	54"	O-SBP3054	2212	+10	+50
Y	30"	60"	O-SBP3060	2308	+10	+50
Y	30"	66"	O-SBP3066	2409	+10	+56
Y	30"	72"	O-SBP3072	2506	+10	+61
Y	30"	78"	O-SBP3078	2953	+10	+87
Y	30"	84"	O-SBP3084	3075	+10	+87
Y	30"	90"	O-SBP3090	3270	+10	+96
Y	30"	96"	O-SBP3096	3384	+10	+96

Bench Top Kits - Powered with Access Box - Double-Sided



Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	48"	42"	O-DBP4842	2001	+10	+30
Y	48"	48"	O-DBP4848	2551	+10	+33
Y	48"	54"	O-DBP4854	2688	+10	+41
Y	48"	60"	O-DBP4860	2821	+10	+41
Y	48"	66"	O-DBP4866	2958	+10	+46
Y	48"	72"	O-DBP4872	3092	+10	+51
Y	48"	78"	O-DBP4878	3860	+10	+58
Y	48"	84"	O-DBP4884	4030	+10	+58
Y	48"	90"	O-DBP4890	4188	+10	+68
Y	48"	96"	O-DBP4896	4346	+10	+68
Y	60"	42"	O-DBP6042	2115	+10	+39
Y	60"	48"	O-DBP6048	2682	+10	+42
Y	60"	54"	O-DBP6054	2835	+10	+50
Y	60"	60"	O-DBP6060	2984	+10	+50
Y	60"	66"	O-DBP6066	3138	+10	+56
Y	60"	72"	O-DBP6072	3287	+10	+61
Y	60"	78"	O-DBP6078	4071	+10	+87
Y	60"	84"	O-DBP6084	4258	+10	+87
Y	60"	90"	O-DBP6090	4433	+10	+96
Y	60"	96"	O-DBP6096	4607	+10	+96


Bench Top Kits - Powered with Grommet

• **Bench Top Kits - Powered Grommet** are designed for use with any Oxygen leg type. Power is accessed through a grommet centered on the surface. Includes powerway, wire trough and spine beam for mounting screens. Order outlets and jumpers separately. Wood grain on bench tops runs parallel to spine beam. Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 96" accommodate (4) duplex outlets.

Specify


- Paint for Spine Beam
- Grommet Color
- Laminate
- Edge

Bench Top Kits - Powered with Grommet - Single-Sided



Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	24"	36"	O-SBG2436	1220	+10	+28
Y	24"	42"	O-SBG2442	1319	+10	+30
Y	24"	48"	O-SBG2448	1822	+10	+33
Y	24"	54"	O-SBG2454	1914	+10	+41
Y	24"	60"	O-SBG2460	2002	+10	+41
Y	24"	66"	O-SBG2466	2095	+10	+46
Y	24"	72"	O-SBG2472	2183	+10	+51
Y	24"	78"	O-SBG2478	2621	+10	+58
Y	24"	84"	O-SBG2484	2735	+10	+58
Y	24"	90"	O-SBG2490	2913	+10	+68
Y	24"	96"	O-SBG2496	3028	+10	+68
Y	30"	36"	O-SBG3036	1268	+10	+33
Y	30"	42"	O-SBG3042	1376	+10	+39
Y	30"	48"	O-SBG3048	1887	+10	+42
Y	30"	54"	O-SBG3054	1987	+10	+50
Y	30"	60"	O-SBG3060	2083	+10	+50
Y	30"	66"	O-SBG3066	2185	+10	+56
Y	30"	72"	O-SBG3072	2281	+10	+61
Y	30"	78"	O-SBG3078	2727	+10	+87
Y	30"	84"	O-SBG3084	2849	+10	+87
Y	30"	90"	O-SBG3090	3044	+10	+96
Y	30"	96"	O-SBG3096	3158	+10	+96

Bench Top Kits - Powered with Grommet - Double-Sided



Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	48"	36"	O-DBPG4836	1478	+10	+28
Y	48"	42"	O-DBPG4842	1610	+10	+30
Y	48"	48"	O-DBPG4848	2161	+10	+33
Y	48"	54"	O-DBPG4854	2298	+10	+41
Y	48"	60"	O-DBPG4860	2430	+10	+41
Y	48"	66"	O-DBPG4866	2568	+10	+46
Y	48"	72"	O-DBPG4872	2701	+10	+51
Y	48"	78"	O-DBPG4878	3468	+10	+58
Y	48"	84"	O-DBPG4884	3639	+10	+58
Y	48"	90"	O-DBPG4890	3797	+10	+68
Y	48"	96"	O-DBPG4896	3956	+10	+68
Y	60"	36"	O-DBPG6036	1576	+10	+33
Y	60"	42"	O-DBPG6042	1724	+10	+39
Y	60"	48"	O-DBPG6048	2292	+10	+42
Y	60"	54"	O-DBPG6054	2444	+10	+50
Y	60"	60"	O-DBPG6060	2593	+10	+50
Y	60"	66"	O-DBPG6066	2747	+10	+56
Y	60"	72"	O-DBPG6072	2897	+10	+61
Y	60"	78"	O-DBPG6078	3680	+10	+87
Y	60"	84"	O-DBPG6084	3867	+10	+87
Y	60"	90"	O-DBPG6090	4041	+10	+96
Y	60"	96"	O-DBPG6096	4216	+10	+96



Bench Top Kits - Non-Powered with Grommet

• **Bench Top Kits - Non-Powered with Grommet** are designed for use with any Oxygen leg type. Includes wire trough and spine beam only for mounting screens (no powerway). Wood grain on bench tops runs parallel to spine beam. Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 96" accommodate (4) duplex outlets.

Specify



- Paint for Spine Beam
- Grommet Color
- Laminate
- Edge

Bench Top Kits - Non-Powered with Grommet - Single-Sided



Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	24"	36"	O-SBN2436	895	+10	+28
Y	24"	42"	O-SBN2442	994	+10	+30
Y	24"	48"	O-SBN2448	1498	+10	+33
Y	24"	54"	O-SBN2454	1590	+10	+41
Y	24"	60"	O-SBN2460	1678	+10	+41
Y	24"	66"	O-SBN2466	1771	+10	+46
Y	24"	72"	O-SBN2472	1858	+10	+51
Y	24"	78"	O-SBN2478	2297	+10	+58
Y	24"	84"	O-SBN2484	2411	+10	+58
Y	24"	90"	O-SBN2490	2597	+10	+68
Y	24"	96"	O-SBN2496	2704	+10	+68
Y	30"	36"	O-SBN3036	944	+10	+33
Y	30"	42"	O-SBN3042	1051	+10	+39
Y	30"	48"	O-SBN3048	1562	+10	+42
Y	30"	54"	O-SBN3054	1662	+10	+50
Y	30"	60"	O-SBN3060	1758	+10	+50
Y	30"	66"	O-SBN3066	1860	+10	+56
Y	30"	72"	O-SBN3072	1957	+10	+61
Y	30"	78"	O-SBN3078	2403	+10	+87
Y	30"	84"	O-SBN3084	2525	+10	+87
Y	30"	90"	O-SBN3090	2720	+10	+96
Y	30"	96"	O-SBN3096	2835	+10	+96

Bench Top Kits - Non-Powered with Grommet - Double-Sided



Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	48"	36"	O-DBNG4836	1186	+10	+28
Y	48"	42"	O-DBNG4842	1318	+10	+30
Y	48"	48"	O-DBNG4848	1869	+10	+33
Y	48"	54"	O-DBNG4854	2006	+10	+41
Y	48"	60"	O-DBNG4860	2139	+10	+41
Y	48"	66"	O-DBNG4866	2275	+10	+46
Y	48"	72"	O-DBNG4872	2409	+10	+51
Y	48"	78"	O-DBNG4878	3177	+10	+58
Y	48"	84"	O-DBNG4884	3348	+10	+58
Y	48"	90"	O-DBNG4890	3591	+10	+68
Y	48"	96"	O-DBNG4896	3753	+10	+68
Y	60"	36"	O-DBNG6036	1284	+10	+33
Y	60"	42"	O-DBNG6042	1432	+10	+39
Y	60"	48"	O-DBNG6048	2000	+10	+42
Y	60"	54"	O-DBNG6054	2152	+10	+50
Y	60"	60"	O-DBNG6060	2301	+10	+50
Y	60"	66"	O-DBNG6066	2455	+10	+56
Y	60"	72"	O-DBNG6072	2605	+10	+61
Y	60"	78"	O-DBNG6078	3388	+10	+87
Y	60"	84"	O-DBNG6084	3575	+10	+87
Y	60"	90"	O-DBNG6090	3750	+10	+96
Y	60"	96"	O-DBNG6096	3924	+10	+96

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories

Return Surfaces - Rectangular


• **Return Surfaces - Rectangular** are standard return surfaces designed to work with Oxygen. Wood grain on return runs the width of the surface.

Specify

- Laminate
- Edge



Return Surfaces - Rectangular





Quick Ship	D	Actual W	Model Number	List	Laminate Grade C
Y	18"	23.75"	W-OSR1824	234	+21
Y	18"	29.75"	W-OSR1830	281	+25
Y	18"	35.75"	W-OSR1836	305	+28
Y	18"	41.75"	W-OSR1842	332	+30
Y	18"	47.75"	W-OSR1848	360	+33
Y	18"	53.75"	W-OSR1854	444	+41
Y	18"	59.75"	W-OSR1860	444	+41
Y	18"	65.75"	W-OSR1866	504	+46
Y	18"	71.75"	W-OSR1872	551	+51
Y	22"	23.75"	W-OSR2224	234	+21
Y	22"	29.75"	W-OSR2230	281	+25
Y	22"	35.75"	W-OSR2236	305	+28
Y	22"	41.75"	W-OSR2242	332	+30
Y	22"	47.75"	W-OSR2248	360	+33
Y	22"	53.75"	W-OSR2254	444	+41
Y	22"	59.75"	W-OSR2260	444	+41
Y	22"	65.75"	W-OSR2266	504	+46
Y	22"	71.75"	W-OSR2272	551	+51
Y	24"	23.75"	W-OSR2424	234	+21
Y	24"	29.75"	W-OSR2430	281	+25
Y	24"	35.75"	W-OSR2436	305	+28
Y	24"	41.75"	W-OSR2442	332	+30
Y	24"	47.75"	W-OSR2448	360	+33
Y	24"	53.75"	W-OSR2454	444	+41
Y	24"	59.75"	W-OSR2460	444	+41
Y	24"	65.75"	W-OSR2466	504	+46
Y	24"	71.75"	W-OSR2472	551	+51
Y	30"	23.75"	W-OSR3024	281	+25
Y	30"	29.75"	W-OSR3030	331	+30
Y	30"	35.75"	W-OSR3036	371	+34
Y	30"	41.75"	W-OSR3042	427	+39
Y	30"	47.75"	W-OSR3048	463	+42
Y	30"	53.75"	W-OSR3054	539	+50
Y	30"	59.75"	W-OSR3060	539	+50
Y	30"	65.75"	W-OSR3066	609	+56
Y	30"	71.75"	W-OSR3072	662	+61

Return Surfaces - Rectangular With Power Cut-Out

• **Return Surfaces - Rectangular With Power Cut-Out** are standard return surfaces designed to work with Oxygen and can accommodate Power Flush Mount units. See accessories for optional power units. Wood grain on return runs the width of the surface.

Specify

- Laminate
- Edge
- Type of Power Unit Cut Out



Return Surfaces - Rectangular With Power Cut-Out

Quick Ship	D	Actual W	Model Number	List	Laminate Grade C
Y	18"	23.75"	W-OSR1824P	234	+21
Y	18"	29.75"	W-OSR1830P	281	+25
Y	18"	35.75"	W-OSR1836P	305	+28
Y	18"	41.75"	W-OSR1842P	332	+30
Y	18"	47.75"	W-OSR1848P	360	+33
Y	18"	53.75"	W-OSR1854P	444	+41
Y	18"	59.75"	W-OSR1860P	444	+41
Y	18"	65.75"	W-OSR1866P	504	+46
Y	18"	71.75"	W-OSR1872P	551	+51
Y	22"	23.75"	W-OSR2224P	234	+21
Y	22"	29.75"	W-OSR2230P	281	+25
Y	22"	35.75"	W-OSR2236P	305	+28
Y	22"	41.75"	W-OSR2242P	332	+30
Y	22"	47.75"	W-OSR2248P	360	+33
Y	22"	53.75"	W-OSR2254P	444	+41
Y	22"	59.75"	W-OSR2260P	444	+41
Y	22"	65.75"	W-OSR2266P	504	+46
Y	22"	71.75"	W-OSR2272P	551	+51
Y	24"	23.75"	W-OSR2424P	234	+21
Y	24"	29.75"	W-OSR2430P	281	+25
Y	24"	35.75"	W-OSR2436P	305	+28
Y	24"	41.75"	W-OSR2442P	332	+30
Y	24"	47.75"	W-OSR2448P	360	+33
Y	24"	53.75"	W-OSR2454P	444	+41
Y	24"	59.75"	W-OSR2460P	444	+41
Y	24"	65.75"	W-OSR2466P	504	+46
Y	24"	71.75"	W-OSR2472P	551	+51
Y	30"	23.75"	W-OSR3024P	281	+25
Y	30"	29.75"	W-OSR3030P	331	+30
Y	30"	35.75"	W-OSR3036P	371	+34
Y	30"	41.75"	W-OSR3042P	427	+39
Y	30"	47.75"	W-OSR3048P	463	+42
Y	30"	53.75"	W-OSR3054P	539	+50
Y	30"	59.75"	W-OSR3060P	539	+50
Y	30"	65.75"	W-OSR3066P	609	+56
Y	30"	71.75"	W-OSR3072P	662	+61

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files


Accessories

Return Surfaces - Slanted-Left


• **Return Surfaces - Slanted-Left** are standard return surfaces designed to work with Oxygen. Wood grain on return runs the width of the surface.

Specify

- Laminate
- Edge



Return Surfaces - Slanted-Left





Quick Ship	R	L	Actual W	Model Number	List	Laminate Grade C
Y	18"	R/24"L	23.75"	W-OSRL1824	234	+21
Y	18"	R/24"L	29.75"	W-OSRL1830	281	+25
Y	18"	R/24"L	35.75"	W-OSRL1836	305	+28
Y	18"	R/24"L	41.75"	W-OSRL1842	332	+30
Y	18"	R/24"L	47.75"	W-OSRL1848	360	+33
Y	18"	R/24"L	53.75"	W-OSRL1854	444	+41
Y	18"	R/24"L	59.75"	W-OSRL1860	444	+41
Y	18"	R/24"L	65.75"	W-OSRL1866	504	+46
Y	18"	R/24"L	71.75"	W-OSRL1872	551	+51
Y	24"	R/30"L	23.75"	W-OSRL2424	234	+21
Y	24"	R/30"L	29.75"	W-OSRL2430	281	+25
Y	24"	R/30"L	35.75"	W-OSRL2436	305	+28
Y	24"	R/30"L	41.75"	W-OSRL2442	332	+30
Y	24"	R/30"L	47.75"	W-OSRL2448	360	+33
Y	24"	R/30"L	53.75"	W-OSRL2454	444	+41
Y	24"	R/30"L	59.75"	W-OSRL2460	444	+41
Y	24"	R/30"L	65.75"	W-OSRL2466	504	+46
Y	24"	R/30"L	71.75"	W-OSRL2472	551	+51
Y	30"	R/36"L	23.75"	W-OSRL3024	281	+25
Y	30"	R/36"L	29.75"	W-OSRL3030	331	+30
Y	30"	R/36"L	35.75"	W-OSRL3036	371	+34
Y	30"	R/36"L	41.75"	W-OSRL3042	427	+39
Y	30"	R/36"L	47.75"	W-OSRL3048	463	+42
Y	30"	R/36"L	53.75"	W-OSRL3054	539	+50
Y	30"	R/36"L	59.75"	W-OSRL3060	539	+50
Y	30"	R/36"L	65.75"	W-OSRL3066	609	+56
Y	30"	R/36"L	71.75"	W-OSRL3072	662	+61

Return Surfaces - Slanted-Left With Power Cut Out

• **Return Surfaces - Slanted-Left With Power Cut Out** are standard return surfaces designed to work with Oxygen and can accommodate Power Flush Mount units. See accessories for optional power units. Wood grain on return runs the width of the surface.

Specify

- Laminate
- Edge
- Type of Power Unit Cut Out



Return Surfaces - Slanted-Left With Power Cut Out


Quick Ship	R	L	Actual W	Model Number	List	Laminate Grade C
Y	18"	R/24"L	23.75"	W-OSRL1824P	234	+21
Y	18"	R/24"L	29.75"	W-OSRL1830P	281	+25
Y	18"	R/24"L	35.75"	W-OSRL1836P	305	+28
Y	18"	R/24"L	41.75"	W-OSRL1842P	332	+30
Y	18"	R/24"L	47.75"	W-OSRL1848P	360	+33
Y	18"	R/24"L	53.75"	W-OSRL1854P	444	+41
Y	18"	R/24"L	59.75"	W-OSRL1860P	444	+41
Y	18"	R/24"L	65.75"	W-OSRL1866P	504	+46
Y	18"	R/24"L	71.75"	W-OSRL1872P	551	+51
Y	24"	R/30"L	23.75"	W-OSRL2424P	234	+21
Y	24"	R/30"L	29.75"	W-OSRL2430P	281	+25
Y	24"	R/30"L	35.75"	W-OSRL2436P	305	+28
Y	24"	R/30"L	41.75"	W-OSRL2442P	332	+30
Y	24"	R/30"L	47.75"	W-OSRL2448P	360	+33
Y	24"	R/30"L	53.75"	W-OSRL2454P	444	+41
Y	24"	R/30"L	59.75"	W-OSRL2460P	444	+41
Y	24"	R/30"L	65.75"	W-OSRL2466P	504	+46
Y	24"	R/30"L	71.75"	W-OSRL2472P	551	+51
Y	30"	R/36"L	23.75"	W-OSRL3024P	281	+25
Y	30"	R/36"L	29.75"	W-OSRL3030P	331	+30
Y	30"	R/36"L	35.75"	W-OSRL3036P	371	+34
Y	30"	R/36"L	41.75"	W-OSRL3042P	427	+39
Y	30"	R/36"L	47.75"	W-OSRL3048P	463	+42
Y	30"	R/36"L	53.75"	W-OSRL3054P	539	+50
Y	30"	R/36"L	59.75"	W-OSRL3060P	539	+50
Y	30"	R/36"L	65.75"	W-OSRL3066P	609	+56
Y	30"	R/36"L	71.75"	W-OSRL3072P	662	+61

Return Surfaces - Slanted-Right


• **Return Surfaces - Slanted-Right** are standard return surfaces designed to work with Oxygen. Wood grain on return runs the width of the surface.

Specify

- Laminate
- Edge



Return Surfaces - Slanted-Right




Quick Ship	L	R	Actual W	Model Number	List	Laminate Grade C
Y	18"L/24"R		23.75"	W-OSRR1824	234	+21
Y	18"L/24"R		29.75"	W-OSRR1830	281	+25
Y	18"L/24"R		35.75"	W-OSRR1836	305	+28
Y	18"L/24"R		41.75"	W-OSRR1842	332	+30
Y	18"L/24"R		47.75"	W-OSRR1848	360	+33
Y	18"L/24"R		53.75"	W-OSRR1854	444	+41
Y	18"L/24"R		59.75"	W-OSRR1860	444	+41
Y	18"L/24"R		65.75"	W-OSRR1866	504	+46
Y	18"L/24"R		71.75"	W-OSRR1872	551	+51
Y	24"L/30"R		23.75"	W-OSRR2424	234	+21
Y	24"L/30"R		29.75"	W-OSRR2430	281	+25
Y	24"L/30"R		35.75"	W-OSRR2436	305	+28
Y	24"L/30"R		41.75"	W-OSRR2442	332	+30
Y	24"L/30"R		47.75"	W-OSRR2448	360	+33
Y	24"L/30"R		53.75"	W-OSRR2454	444	+41
Y	24"L/30"R		59.75"	W-OSRR2460	444	+41
Y	24"L/30"R		65.75"	W-OSRR2466	504	+46
Y	24"L/30"R		71.75"	W-OSRR2472	551	+51
Y	30"L/36"R		23.75"	W-OSRR3024	281	+25
Y	30"L/36"R		29.75"	W-OSRR3030	331	+30
Y	30"L/36"R		35.75"	W-OSRR3036	371	+34
Y	30"L/36"R		41.75"	W-OSRR3042	427	+39
Y	30"L/36"R		47.75"	W-OSRR3048	463	+42
Y	30"L/36"R		53.75"	W-OSRR3054	539	+50
Y	30"L/36"R		59.75"	W-OSRR3060	539	+50
Y	30"L/36"R		65.75"	W-OSRR3066	609	+56
Y	30"L/36"R		71.75"	W-OSRR3072	662	+61

Return Surfaces - Slanted-Right With Power Cut-Out

• **Return Surfaces - Slanted-Right With Power Cut-Out** are standard return surfaces designed to work with Oxygen and can accommodate Power Flush Mount units. See accessories for optional power units. Wood grain on return runs the width of the surface.

Specify

- Laminate
- Edge
- Type of Power Unit Cut Out



Return Surfaces - Slanted-Right With Power Cut-Out

Quick Ship	L	R	Actual W	Model Number	List	Laminate Grade C
Y	18"L/24"R		23.75"	W-OSRR1824P	234	+21
Y	18"L/24"R		29.75"	W-OSRR1830P	281	+25
Y	18"L/24"R		35.75"	W-OSRR1836P	305	+28
Y	18"L/24"R		41.75"	W-OSRR1842P	332	+30
Y	18"L/24"R		47.75"	W-OSRR1848P	360	+33
Y	18"L/24"R		53.75"	W-OSRR1854P	444	+41
Y	18"L/24"R		59.75"	W-OSRR1860P	444	+41
Y	18"L/24"R		65.75"	W-OSRR1866P	504	+46
Y	18"L/24"R		71.75"	W-OSRR1872P	551	+51
Y	24"L/30"R		23.75"	W-OSRR2424P	234	+21
Y	24"L/30"R		29.75"	W-OSRR2430P	281	+25
Y	24"L/30"R		35.75"	W-OSRR2436P	305	+28
Y	24"L/30"R		41.75"	W-OSRR2442P	332	+30
Y	24"L/30"R		47.75"	W-OSRR2448P	360	+33
Y	24"L/30"R		53.75"	W-OSRR2454P	444	+41
Y	24"L/30"R		59.75"	W-OSRR2460P	444	+41
Y	24"L/30"R		65.75"	W-OSRR2466P	504	+46
Y	24"L/30"R		71.75"	W-OSRR2472P	551	+51
Y	30"L/36"R		23.75"	W-OSRR3024P	281	+25
Y	30"L/36"R		29.75"	W-OSRR3030P	331	+30
Y	30"L/36"R		35.75"	W-OSRR3036P	371	+34
Y	30"L/36"R		41.75"	W-OSRR3042P	427	+39
Y	30"L/36"R		47.75"	W-OSRR3048P	463	+42
Y	30"L/36"R		53.75"	W-OSRR3054P	539	+50
Y	30"L/36"R		59.75"	W-OSRR3060P	539	+50
Y	30"L/36"R		65.75"	W-OSRR3066P	609	+56
Y	30"L/36"R		71.75"	W-OSRR3072P	662	+61

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files


Accessories

Straight Leg Kits - End-of-Run

• **Straight Leg Kits - End-of-Run** are designed for use at the end-of-run of a bench layout.

Specify

• Paint



Right Hand Shown


Straight Leg Kits - End-of-Run - Single-Sided Bench - Left Hand

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-STLBSB24L	528	+25
Y	27"	30"	All	O-STLBSB30L	544	+25

Straight Leg Kits - End-of-Run - Single-Sided Bench - Right Hand

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-STLBSB24R	528	+25
Y	27"	30"	All	O-STLBSB30R	544	+25

Straight Leg Kits - End-of-Run - Double-Sided Bench




Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	36"	All	O-STLBDB36	742	+25
Y	27"	48"	All	O-STLBDB48	742	+25
Y	27"	60"	All	O-STLBDB60	781	+25

Straight Leg Kits - Shared


• **Straight Leg Kits - Shared** are designed for use in shared applications in a bench layout.

Specify

• Paint

**Straight Leg Kits - Shared - Single-Sided Bench**

Quick Ship	H	D	Use With Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-STBSBSK24	678	+25
Y	27"	30"	All	O-STBSBSK30	693	+25

**Straight Leg Kits - Shared - Double-Sided Bench**


Quick Ship	H	D	Use With Top Width	Model Number	List	Paint Grade C
Y	27"	36"	All	O-STBDBSK36	1,009	+25
Y	27"	48"	All	O-STBDBSK48	1,043	+25
Y	27"	60"	All	O-STBDBSK60	1,081	+25

Slim Leg Kits - End-of-Run

- **Slim Leg Kits - End-of-Run** are designed for use at the end-of-run of a bench layout.

Specify

- Paint for Top Support Hardware
- Paint for Leg



Right Hand Shown


Slim Leg Kits - End-of-Run - Single-Sided Bench - Left Hand

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-SMLBSB24L	614	+25
Y	27"	30"	All	O-SMLBSB30L	657	+25

Slim Leg Kits - End-of-Run - Single-Sided Bench - Right Hand

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-SMLBSB24R	614	+25
Y	27"	30"	All	O-SMLBSB30R	657	+25

Slim Leg Kits - End-of-Run - Double-Sided Bench



Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	36"	All	O-SMLBDB36	855	+25
Y	27"	48"	All	O-SMLBDB48	855	+25
Y	27"	60"	All	O-SMLBDB60	894	+25


SlimLeg Kits - Shared

- **Slim Leg Kits - Shared** are designed for use in shared applications in a bench layout.

Specify


- Paint for Top Support Hardware
- Paint for Leg

Slim Leg Kits - Shared - Single-Sided Bench



Quick Ship	H	D	Use With Top Width	Model Number	List	Paint Grade B
Y	27"	24"	All	O-SMBSBSK24	791	+25
Y	27"	30"	All	O-SMBSBSK30	806	+25

Slim Leg Kits - Shared - Double-Sided Bench



Quick Ship	H	D	Use With Top Width	Model Number	List	Paint Grade B
Y	27"	36"	All	O-SMBDBSK36	1,122	+25
Y	27"	48"	All	O-SMBDBSK48	1,156	+25
Y	27"	60"	All	O-SMBDBSK60	1,194	+25


Slant Leg Kits - End-of-Run

• **Slant Leg Kits - End-of-Run** are designed for use at the end-of-run of a bench layout.

Specify

• Paint

Slant Leg Kits - End-of-Run - Single-Sided Bench - Left Hand




Right Hand Shown

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-SLLBSBK24L	1,221	+25
Y	27"	30"	All	O-SLLBSBK30L	1,259	+25

Slant Leg Kits - End-of-Run - Single-Sided Bench - Right Hand

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-SLLBSBK24R	1,221	+25
Y	27"	30"	All	O-SLLBSBK30R	1,259	+25

Slant Leg Kits - End-of-Run - Double-Sided Bench




Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	36"	All	O-SLLBDBK36	1,370	+25
Y	27"	48"	All	O-SLLBDBK48	1,370	+25
Y	27"	60"	All	O-SLLBDBK60	1,409	+25

Slant Leg Kits - Shared


• **Slant Leg Kits - Shared** are designed for use in shared applications in a bench layout.

Specify

• Paint

Slant Leg Kits - Shared - Single-Sided Bench

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	24"	All	O-SLLDBSK24	1,370	+25
Y	27"	30"	All	O-SLLDBSK30	1,409	+25

Slant Leg Kits - Shared - Double-Sided Bench

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	36"	All	O-SLLDBSK36	1,637	+25
Y	27"	48"	All	O-SLLDBSK48	1,670	+25
Y	27"	60"	All	O-SLLDBSK60	1,708	+25



Laminate End Panel - End-of-Run Kits - Single-Sided

• **Laminate End Panel - End-of-Run Kits - Single-Sided** are designed for use at the end of run of a bench layout. Laminate end of run kits sit beside the bench layout with the edgeband at worksurface height. Laminate end panels add 1" to the bench length. Wood grain on end panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Specify

- Laminate
- Edge

Laminate End Panel - End-of-Run Kits - Single-Sided Bench




Quick Ship	H	D	Top Width	Hand	Model Number	List	Laminate Grade C
Y	28"	24"	36" - 72"	Left	O-LBSB2824L	531	+60
Y	28"	30"	36" - 72"	Left	O-LBSB2830L	570	+64
Y	28"	24"	36" - 72"	Right	O-LBSB2824R	531	+60
Y	28"	30"	36" - 72"	Right	O-LBSB2830R	570	+64
Y	42"	24"	36" - 72"	Left	O-LBSB4224L	589	+56
Y	42"	30"	36" - 72"	Left	O-LBSB4230L	641	+68
Y	42"	24"	36" - 72"	Right	O-LBSB4224R	589	+56
Y	42"	30"	36" - 72"	Right	O-LBSB4230R	641	+68
Y	46"	24"	36" - 72"	Left	O-LBSB4624L	608	+74
Y	46"	30"	36" - 72"	Left	O-LBSB4630L	665	+86
Y	46"	24"	36" - 72"	Right	O-LBSB4624R	608	+74
Y	46"	30"	36" - 72"	Right	O-LBSB4630R	665	+86
Y	50"	24"	36" - 72"	Left	O-LBSB5024L	629	+76
Y	50"	30"	36" - 72"	Left	O-LBSB5030L	689	+84
Y	50"	24"	36" - 72"	Right	O-LBSB5024R	629	+76
Y	50"	30"	36" - 72"	Right	O-LBSB5030R	689	+84

Laminate End Panel - End-of-Run Kits - Double-Sided

• **Laminate - End-of-Run Kits - Double-Sided** - are designed for use at the end-of-run of a bench layout. Laminate end -of-run kits sit beside the bench layout with the edgeband at worksurface height. Laminate end panels add 1" to the bench length. Wood grain on end panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Specify

- Laminate
- Edge

**Laminate End Panel - End-of-Run Kits - Double-Sided Bench**

Quick Ship	H	D	Top Width	Model Number	List	Laminate Grade C
Y	28"	48"	36" - 72"	O-LBDB2848	867	+84
Y	28"	60"	36" - 72"	O-LBDB2860	944	+100
Y	42"	48"	36" - 72"	O-LBDB4248	983	+106
Y	42"	60"	36" - 72"	O-LBDB4260	1088	+136
Y	46"	48"	36" - 72"	O-LBDB4648	1020	+114
Y	46"	60"	36" - 72"	O-LBDB4660	1136	+134
Y	50"	48"	36" - 72"	O-LBDB5048	1059	+120
Y	50"	60"	36" - 72"	O-LBDB5060	1184	+134

Laminate End Panel - Mid-Run Kits


• **Laminate End Panel - Mid-Run Kits** - are designed for use at a mid-run bench location. Laminate mid-run kits sit beside the bench layout with the edgeband at worksurface height. Wood grain on end panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Specify


- Laminate
- Edge

Laminate End Panel - Mid-Run Kits

Left Hand



Right Hand



Quick Ship	H	D	Top Width	Model Number	List	Hand	Laminate Grade C
Y	28"	24"	36" - 72"	O-LMREP2824L	730	Left	+50
Y	28"	30"	36" - 72"	O-LMREP2830L	768	Left	+30
Y	28"	24"	36" - 72"	O-LMREP2824R	730	Right	+50
Y	28"	30"	36" - 72"	O-LMREP2830R	768	Right	+30
Y	42"	24"	36" - 72"	O-LMREP4224L	788	Left	+60
Y	42"	30"	36" - 72"	O-LMREP4230L	840	Left	+78
Y	42"	24"	36" - 72"	O-LMREP4224R	788	Right	+30
Y	42"	30"	36" - 72"	O-LMREP4230R	840	Right	+78
Y	46"	24"	36" - 72"	O-LMREP4624L	807	Left	+66
Y	46"	30"	36" - 72"	O-LMREP4630L	863	Left	+84
Y	46"	24"	36" - 72"	O-LMREP4624R	807	Right	+66
Y	46"	30"	36" - 72"	O-LMREP4630R	863	Right	+84
Y	50"	24"	36" - 72"	O-LMREP5024L	825	Left	+82
Y	50"	30"	36" - 72"	O-LMREP5030L	888	Left	+100
Y	50"	24"	36" - 72"	O-LMREP5024R	825	Right	+82
Y	50"	30"	36" - 72"	O-LMREP5030R	888	Right	+100


Laminate Modesty Panels - Full-Height

• **Laminate Modesty Panels - Full-Height** provide visual privacy for bench layouts. Full-height modesties may only be used with straight legs. Laminate modesty panels sit beside the bench layout with the edgeband at worksurface height, and add 1" to the bench depth. Modesty panels cover the back of the electrical and data troughs where exposed on an aisle. Modesty panels are not needed for structural support. Wood grain on end panels modesty panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Specify

- Laminate
- Edge

Laminate Modesty Panels - Full-Height




Quick Ship	H	D	Model Number	List	Laminate Grade C
Y	28"	36"	O-MLSTSB2836	443	+66
Y	28"	42"	O-MLSTSB2842	503	+78
Y	28"	48"	O-MLSTSB2848	591	+84
Y	28"	54"	O-MLSTSB2854	652	+100
Y	28"	60"	O-MLSTSB2860	718	+100
Y	28"	66"	O-MLSTSB2866	741	+112
Y	28"	72"	O-MLSTSB2872	794	+123
Y	28"	78"	O-MLSTSB2878	845	+146
Y	28"	84"	O-MLSTSB2884	896	+152
Y	28"	90"	O-MLSTSB2890	971	+161
Y	28"	96"	O-MLSTSB2896	1032	+169
Y	42"	36"	O-MLSTSB4236	752	+66
Y	42"	42"	O-MLSTSB4242	887	+78
Y	42"	48"	O-MLSTSB4248	1002	+84
Y	42"	54"	O-MLSTSB4254	1107	+100
Y	42"	60"	O-MLSTSB4260	1221	+100
Y	42"	66"	O-MLSTSB4266	1271	+112
Y	42"	72"	O-MLSTSB4272	1363	+123
Y	42"	78"	O-MLSTSB4278	1454	+146
Y	42"	84"	O-MLSTSB4284	1545	+152
Y	42"	90"	O-MLSTSB4290	1672	+161
Y	42"	96"	O-MLSTSB4296	1778	+169
Y	46"	36"	O-MLSTSB4636	780	+66
Y	46"	42"	O-MLSTSB4642	890	+78
Y	46"	48"	O-MLSTSB4648	1040	+84
Y	46"	54"	O-MLSTSB4654	1150	+100
Y	46"	60"	O-MLSTSB4660	1269	+100
Y	46"	66"	O-MLSTSB4666	1324	+112
Y	46"	72"	O-MLSTSB4672	1420	+123
Y	46"	78"	O-MLSTSB4678	1516	+146
Y	46"	84"	O-MLSTSB4684	1612	+152
Y	46"	90"	O-MLSTSB4690	1745	+161
Y	46"	96"	O-MLSTSB4696	1854	+169
Y	50"	36"	O-MLSTSB5036	809	+66
Y	50"	42"	O-MLSTSB5042	923	+78
Y	50"	48"	O-MLSTSB5048	1079	+84
Y	50"	54"	O-MLSTSB5054	1193	+100
Y	50"	60"	O-MLSTSB5060	1317	+100
Y	50"	66"	O-MLSTSB5066	1376	+112
Y	50"	72"	O-MLSTSB5072	1478	+123
Y	50"	78"	O-MLSTSB5078	1578	+146
Y	50"	84"	O-MLSTSB5084	1680	+152
Y	50"	90"	O-MLSTSB5090	1817	+161
Y	50"	96"	O-MLSTSB5096	1931	+169

Stand-Alone Single Legs - Straight, Slant and Mobile

- Stand-Alone Single Legs are used to support returns and end tables.


Specify

- Paint



Stand-Alone Leg - Straight

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	N/A	ANY	O-PL2525	157	+25



Stand-Alone Leg - Straight - Mobile

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	N/A	ANY	O-PL2525M	214	+25



Stand-Alone Leg - Slim

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	N/A	ANY	O-SMSG	400	+25



Stand-Alone Leg - Slim - Mobile

Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	N/A	ANY	O-SMSC	400	+25



Stand-Alone Leg - Slant



Quick Ship	H	D	Top Width	Model Number	List	Paint Grade C
Y	27"	N/A	ANY	O-SL	400	+25

End-of-Run Covers

• **End-of-Run Covers** are designed to give the leg kits a finished look at the end of a bench run. Straight end-of-run covers are 3.6" high. Tapered end-of-run covers are 3.6" high at the end and angle down to 5.1" in the center.

Specify


• Paint



End-of-Run Covers - Straight Legs



Quick Ship	H	D	Cover Type	Model Number	List	Paint Grade C
Y	3.6" - 5.1"	24"	Tapered for Straight Legs	O-ECSTSB24	95	+10
Y	3.6" - 5.1"	30"	Tapered for Straight Legs	O-ECSTSB30	104	+10
Y	3.6" - 5.1"	48"	Tapered for Straight Legs	O-ECSTDB48	133	+10
Y	3.6" - 5.1"	60"	Tapered for Straight Legs	O-ECSTDB60	145	+10
Y	3.6"	24"	Flat for Straight Legs	O-ECSFSB24	95	+10
Y	3.6"	30"	Flat for Straight Legs	O-ECSFSB30	104	+10
Y	3.6"	48"	Flat for Straight Legs	O-ECSFDB48	133	+10
Y	3.6"	60"	Flat for Straight Legs	O-ECSFDB60	145	+10

End-of-Run Covers - Slim Legs



Quick Ship	H	D	Cover Type	Model Number	List	Paint Grade C
Y	3.6"	24"	Flat for Slim Legs	O-ECSL24	98	+10
Y	3.6"	30"	Flat for Slim Legs	O-ECSL30	107	+10
Y	3.6"	48"	Flat for Slim Legs	O-ECSL48	136	+10
Y	3.6"	60"	Flat for Slim Legs	O-ECSL60	149	+10

End-of-Run Covers - Slant Legs




Quick Ship	H	D	Cover Type	Model Number	List	Paint Grade C
Y	3.6" - 5.1"	24"	Tapered for Slant Legs	O-ECSLSB24	95	+10
Y	3.6" - 5.1"	30"	Tapered for Slant Legs	O-ECSLSB30	104	+10
Y	3.6" - 5.1"	48"	Tapered for Slant Legs	O-ECSLDB48	133	+10
Y	3.6" - 5.1"	60"	Tapered for Slant Legs	O-ECSLDB60	145	+10
Y	3.6"	24"	Flat for Slant Legs	O-ECSLFDB24	95	+10
Y	3.6"	30"	Flat for Slant Legs	O-ECSLFDB30	104	+10
Y	3.6"	48"	Flat for Slant Legs	O-ECSLFDB48	133	+10
Y	3.6"	60"	Flat for Slant Legs	O-ECSLFDB60	145	+10

Gallery Panels (Type A) - Female One End

• **Gallery Panels (Type A) - Female One End** are used with male gallery panels to support return surfaces and create privacy. Female one end gallery panels are positioned under the worksurface for support. Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Specify

- Laminate
- Edge



Gallery Panels (Type A) - Female One End

Quick Ship	H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
Y	27"	12"	Under Desk	O-GPF1E2712	264	+20	Universal
Y	27"	18"	Under Desk	O-GPF1E2718	353	+24	Universal


Gallery Panels (Type B) - Female One End (Handed)

• **Gallery Panels (Type B) - Female One End (Handed)** are used with male gallery panels to support return surfaces and create privacy. Female one end gallery panels are positioned adjacent to the worksurface for support. Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W - 96"W run horizontally.

Specify

- Laminate
- Edge

Gallery Panels (Type B) - Female One End (Left Handed)




Left

42"H Shown

Quick Ship	H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
Y	28"	18"	Desktop	O-GPF1E2818L	264	+36	Left
Y	28"	20"	Desktop	O-GPF1E2820L	353	+41	Left
Y	28"	24"	Desktop	O-GPF1E2824L	442	+46	Left
Y	42"	18"	42"H Horizon	O-GPF1E4218L	308	+46	Left
Y	42"	20"	42"H Horizon	O-GPF1E4220L	401	+51	Left
Y	42"	24"	42"H Horizon	O-GPF1E4224L	500	+56	Left
Y	46"	18"	46"H Horizon	O-GPF1E4618L	322	+61	Left
Y	46"	20"	46"H Horizon	O-GPF1E4620L	417	+67	Left
Y	46"	24"	46"H Horizon	O-GPF1E4624L	519	+73	Left
Y	50"	18"	50"H Horizon	O-GPF1E5018L	337	+78	Left
Y	50"	20"	50"H Horizon	O-GPF1E5020L	434	+84	Left
Y	50"	24"	50"H Horizon	O-GPF1E5024L	538	+90	Left

Gallery Panels (Type B) - Female One End (Right Handed)



Right

42"H Shown


Quick Ship	H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
Y	28"	18"	Desktop	O-GPF1E2818R	264	+36	Right
Y	28"	20"	Desktop	O-GPF1E2820R	353	+41	Right
Y	28"	24"	Desktop	O-GPF1E2824R	442	+46	Right
Y	42"	18"	42"H Horizon	O-GPF1E4218R	308	+46	Right
Y	42"	20"	42"H Horizon	O-GPF1E4220R	401	+51	Right
Y	42"	24"	42"H Horizon	O-GPF1E4224R	500	+56	Right
Y	46"	18"	46"H Horizon	O-GPF1E4618R	322	+61	Right
Y	46"	20"	46"H Horizon	O-GPF1E4620R	417	+67	Right
Y	46"	24"	46"H Horizon	O-GPF1E4624R	519	+73	Right
Y	50"	18"	50"H Horizon	O-GPF1E5018R	337	+78	Right
Y	50"	20"	50"H Horizon	O-GPF1E5020R	434	+84	Right
Y	50"	24"	50"H Horizon	O-GPF1E5024R	538	+90	Right

Gallery Panels (Type C) - Male Both Ends

• **Gallery Panels (Type C) - Male Both Ends** are used with female gallery panels to support returns and create privacy. Male both end gallery panels are positioned adjacent to the worksurface for support. **Actual width is nominal plus 1 1/8" to accommodate female gallery panel on one end.** Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Specify

- Laminate
- Edge



42"H Shown

Gallery Panels (Type C) - Male Both Ends


Quick Ship	H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handling
Y	28"	24"	Desktop	O-GPM2E2824	442	+46	Non-Handed
Y	28"	30"	Desktop	O-GPM2E2830	576	+51	Non-Handed
Y	28"	36"	Desktop	O-GPM2E2836	665	+56	Non-Handed
Y	28"	42"	Desktop	O-GPM2E2842	755	+61	Non-Handed
Y	28"	48"	Desktop	O-GPM2E2848	887	+67	Non-Handed
Y	28"	54"	Desktop	O-GPM2E2854	978	+71	Non-Handed
Y	28"	60"	Desktop	O-GPM2E2860	1077	+76	Non-Handed
Y	42"	24"	42"H Horizon	O-GPM2E4224	486	+58	Non-Handed
Y	42"	30"	42"H Horizon	O-GPM2E4230	620	+61	Non-Handed
Y	42"	36"	42"H Horizon	O-GPM2E4236	709	+65	Non-Handed
Y	42"	42"	42"H Horizon	O-GPM2E4242	799	+68	Non-Handed
Y	42"	48"	42"H Horizon	O-GPM2E4248	931	+71	Non-Handed
Y	42"	54"	42"H Horizon	O-GPM2E4254	1021	+76	Non-Handed
Y	42"	60"	42"H Horizon	O-GPM2E4260	1121	+80	Non-Handed
Y	46"	24"	46"H Horizon	O-GPM2E4624	500	+73	Non-Handed
Y	46"	30"	46"H Horizon	O-GPM2E4630	634	+76	Non-Handed
Y	46"	36"	46"H Horizon	O-GPM2E4636	723	+80	Non-Handed
Y	46"	42"	46"H Horizon	O-GPM2E4642	813	+83	Non-Handed
Y	46"	48"	46"H Horizon	O-GPM2E4648	931	+87	Non-Handed
Y	46"	54"	46"H Horizon	O-GPM2E4654	1036	+90	Non-Handed
Y	46"	60"	46"H Horizon	O-GPM2E4660	1135	+94	Non-Handed
Y	50"	24"	50"H Horizon	O-GPM2E5024	515	+90	Non-Handed
Y	50"	30"	50"H Horizon	O-GPM2E5030	648	+94	Non-Handed
Y	50"	36"	50"H Horizon	O-GPM2E5036	737	+97	Non-Handed
Y	50"	42"	50"H Horizon	O-GPM2E5042	827	+102	Non-Handed
Y	50"	48"	50"H Horizon	O-GPM2E5048	959	+105	Non-Handed
Y	50"	54"	50"H Horizon	O-GPM2E5054	1050	+109	Non-Handed
Y	50"	60"	50"H Horizon	O-GPM2E5060	1149	+115	Non-Handed

Gallery Panels (Type D) - Male Centered

• **Gallery Panels (Type D) - Male Centered** are used with female gallery panels to support returns and create privacy. Male centered gallery panels are positioned adjacent to the worksurface for support. Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Specify

- Laminate
- Edge



28"H Shown

Gallery Panels (Type D) - Male Centered


Quick Ship	H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
Y	28"	24"	Under Desk	O-GPMC2824	442	+46	Non-Handed
Y	28"	30"	Under Desk	O-GPMC2830	576	+51	Non-Handed
Y	28"	36"	Under Desk	O-GPMC2836	665	+56	Non-Handed
Y	28"	42"	Under Desk	O-GPMC2842	755	+61	Non-Handed
Y	28"	48"	Under Desk	O-GPMC2848	887	+67	Non-Handed
Y	42"	24"	42"H Horizon	O-GPMC4224	486	+58	Non-Handed
Y	42"	30"	42"H Horizon	O-GPMC4230	620	+61	Non-Handed
Y	42"	36"	42"H Horizon	O-GPMC4236	709	+65	Non-Handed
Y	42"	42"	42"H Horizon	O-GPMC4242	799	+68	Non-Handed
Y	42"	48"	42"H Horizon	O-GPMC4248	931	+71	Non-Handed
Y	46"	24"	46"H Horizon	O-GPMC4624	500	+73	Non-Handed
Y	46"	30"	46"H Horizon	O-GPMC4630	634	+76	Non-Handed
Y	46"	36"	46"H Horizon	O-GPMC4636	723	+80	Non-Handed
Y	46"	46"	46"H Horizon	O-GPMC4642	813	+83	Non-Handed
Y	46"	48"	46"H Horizon	O-GPMC4648	945	+87	Non-Handed
Y	50"	24"	50"H Horizon	O-GPMC5024	515	+90	Non-Handed
Y	50"	30"	50"H Horizon	O-GPMC5030	648	+94	Non-Handed
Y	50"	36"	50"H Horizon	O-GPMC5036	737	+97	Non-Handed
Y	50"	42"	50"H Horizon	O-GPMC5042	827	+102	Non-Handed
Y	50"	48"	50"H Horizon	O-GPMC5048	958	+105	Non-Handed

Return Support Rail

• **Return Support Rail** is used as a structural support when attaching a return surface to an Oxygen bench. Specify the rail to match the surface width, unless a structural pedestal is used on the return. Return length with structural pedestal detail is below.

Specify

• N/A



Return Support Rail - Returns Without Structural Pedestal

Quick Ship	L	Model Number	List	Return Length
Y	36"	O-RSR36	329	36"W Return
Y	42"	O-RSR42	341	42"W Return
Y	48"	O-RSR48	353	48"W Return
Y	54"	O-RSR54	365	54"W Return
Y	60"	O-RSR60	377	60"W Return
Y	66"	O-RSR66	389	66"W Return
Y	72"	O-RSR72	401	72"W Return

Return Support Rail - Returns With Structural Pedestal

Quick Ship	L	Model Number	List	Return Length
		N/A		36"W Return
		N/A		42"W Return
		N/A		48"W Return
Y	36"	O-RSR36	329	54"W Return
Y	42"	O-RSR42	341	60"W Return
Y	48"	O-RSR48	353	66"W Return
Y	54"	O-RSR54	365	72"W Return


Return Strip

• **Return Strip** is needed when mounting return surfaces adjacent to territory screen/toolbar to fill gap created by screen mounting brackets.

Specify

• N/A

Return Strips - No Screen Clamp




Quick Ship	Length	Actual Length	Model Number	List
Y	18"	18"	O-RSF18	26
Y	20"	20"	O-RSF20	29
Y	22"	22"	O-RSF22	32
Y	24"	24"	O-RSF24	35
Y	30"	30"	O-RSF30	43
Y	36"	36"	O-RSF36	52
Y	42"	42"	O-RSF42	60
Y	48"	48"	O-RSF48	68

Return Strips - Screen Clamp - End of Return

Quick Ship	Length	Actual Length	Model Number	List
Y	18"	15.25"	O-RSF15	26
Y	20"	17.25"	O-RSF17	29
Y	22"	19.25"	O-RSF19	32
Y	24"	21.25"	O-RSF21	35
Y	30"	27.25"	O-RSF27	43
Y	36"	33.25"	O-RSF33	52
Y	42"	39.25"	O-RSF39	60
Y	48"	45.25"	O-RSF45	68

Return Strips - Screen Clamp - Center of Return

Quick Ship	Length	Actual Length	Model Number	List
Y	18"	15.25"	O-RSF15S	26
Y	20"	17.25"	O-RSF17S	29
Y	22"	19.25"	O-RSF19S	32
Y	24"	21.25"	O-RSF21S	35
Y	30"	27.25"	O-RSF27S	43
Y	36"	33.25"	O-RSF33S	52
Y	42"	39.25"	O-RSF39S	60
Y	48"	45.25"	O-RSF45S	68



Worksurface
Kits

Leg Kits

Electrical &
Data

Screens &
Dividers

Shared
Storage

Single-Sided
Storage

Pedestals &
Lateral Files

Accessories


Worksurface
Kits

Leg Kits


Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories


• AIS Oxygen 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



• Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



• **Duplex Outlets** are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service. Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 96" accommodate (4) duplex outlets.



• **Common Equipment Amperages**

Personal Computer.....	2.00 - 4.00
Laser Printer.....	5.00 - 8.00
Desktop Plotter.....	1.50
Fan.....	1.00
Heater.....	8.50 - 12.50
Tasklight.....	1.00
Slide Projector.....	2.00 - 6.00
Fan.....	1.00
Coffee Pot.....	15.00
Paper Shredder.....	4.40 - 13.00
Radio.....	0.05
Pencil Sharpener.....	1.00
Calculator.....	0.25
Answering Machine.....	0.08

Duplex Outlets and USB Outlets - Covers and Hubble Data

• **Black Duplex Outlets**, designated circuits 1 through 4, contain two single receptacles (places to plug into) of the same circuit and are specified separately. Outlets are screw-mounted to powerway. Duplex outlets are standard 15amp outlets. 2+2 Power with Line 5 outlets available upon request. 20amp outlets available upon request.

• **Duplex Outlets - California Title Controlled** - In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting. Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4. If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5. Outlets must have the "controlled" symbol for identification purposes.


• **USB Outlets**, bring USB charging options to panel power distribution systems. The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle. The USB Outlets offer a total of 2 Amps between two USB charging ports. The outlets are UL and FCC Part 15A approved.

• **Outlet Covers** are ordered only when extra covers are required. One cover is included with every surface kit.

• **Single Gang Plate Adapter (1)** provided with each access box to adapt single gang plates to box. Single gang plates cannot be used with "grommet only" option.


Specify

- Duplex Outlet Cover Color



Duplex Outlets


Quick Ship	Line	Model Number	List
Y	1	E-MW8W4DO1	48
Y	2	E-MW8W4DO2	48
Y	3	E-MW8W4DO3	48
Y	4	E-MW8W4DO4	48



"Controlled" Symbol


Duplex Outlets - California Title 24 Controlled

Quick Ship	Line	Model Number	List
N	1	E-MW8W4T24DO1	58
N	2	E-MW8W4T24DO2	58
N	3	E-MW8W4T24DO3	58
N	4	E-MW8W4T24DO4	58




USB Outlets

Quick Ship	Line	Model Number	List
N	1	E-UN8W4USB01	308
N	2	E-UN8W4USB02	308
N	3	E-UN8W4USB03	308
N	4	E-UN8W4USB04	308



Duplex Outlet Cover

Quick Ship	Model Number	List
Y	E-UNWC	18



Single Gang Plate Adapter


Quick Ship	Model Number	List
Y	E-DJA	29

Duplex Outlets - Covers and Data

- **Single Data Plate Kit** has six ports for modular jacks.

Specify




- N/A



Data Plate Kit

Quick Ship	Item	Model Number	List
Y	6 Port Data Gang Plate	E-HDP6B-SM	22
Y	Cat 5e Jack	E-HRJ45-SM	80
Y	Cat 6 Data Jack	E-HXJ6BK-SM	89
Y	RJ 11 Voice Jack	E-HRJ11	60
Y	Hole Black (10 Pack)	E-SFBB10-SM	52

1. Plate, Flush, 6"P, w/Labels (1)
2. Screw, 6-32 Pan HD-Special (2)
3. Card, Paper, .40 x 1.92, Blank (2)
4. Cover Label, Clear (2)
5. Cover Label, Matching Color (2)



Worksurface
Kits

Leg Kits

Electrical &
Data

Screens &
Dividers

Shared
Storage

Single-Sided
Storage

Pedestals &
Lateral Files

Accessories

Jumpers and In-Feeds

• **Electrical Jumpers** are used for connecting powered bench top kits to each other in a plan. Electrical jumpers are listed in actual lengths to assist with specification. Jumper use is explained at the bottom of the page.

Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hard wired. All electrical components need to be supplied by the electrician.

Specify

• N/A

Electrical Jumpers



Quick Ship	Actual Length	Model Number	List
Y	18"	E-MX8W4PTPC18	145
Y	21"	E-MX8W4PTPC21	153
Y	24"	E-UN8W4VT16	189
Y	30"	E-UN8W4J30	189
Y	33"	E-HM8W4PJ24	189
Y	37"	E-MW8W4PJ18	194
Y	39"	E-HM8W4PJ30	189
Y	43"	E-MW8W4PJ24	207
Y	45"	E-MW8W4PJ24E	216
Y	48"	E-UN8W4J48	219
Y	49"	E-MW8W4PJ30	224
Y	51"	E-MW8W4PJ30E	228
Y	55"	E-MW8W4PJ36	231
Y	57"	E-MW8W4PJ36E	234
Y	61"	E-MW8W4PJ42	237
Y	63"	E-MW8W4PJ42E	241
Y	67"	E-MW8W4PJ48	257
Y	69"	E-MW8W4PJ48E	263
Y	79"	E-MW8W4PJ60	275
Y	81"	E-MW8W4PJ60E	290
Y	86"	E-MW8W4PJ86	316

OXYGEN ONLY

Jumper Specification Grid (Jumper length when joining powered bench top kits together) (rev. 9-1-16)

Bench Width	To 36"	To 42"	To 48"	To 54"	To 60"	To 66"	To 72"	To 78"	To 84"	To 90"	To 96"
From 36"	30	30	30	30	33	37	39	43	45	48	51
From 42"	30	33	30	33	37	39	43	45	48	51	55
From 48"	30	30	30	30	33	37	39	43	45	48	51
From 54"	30	33	30	33	37	39	43	45	48	51	55
From 60"	33	37	33	37	39	43	45	48	51	55	57
From 66"	37	39	37	39	43	45	48	51	55	57	61
From 72"	39	43	39	43	45	48	51	55	57	61	63
From 78"	43	45	43	45	48	51	55	57	61	63	67
From 84"	45	48	45	48	51	55	57	61	63	67	69
From 90"	48	51	48	51	55	57	61	63	67	69	79
From 96"	51	55	51	55	57	61	63	67	69	79	79

Base In-Feed, Power Pole and Ceiling In-Feed

• **Ceiling In-Feeds** provide interface with building power from a suspended ceiling through a power pole shell. Each ceiling feed is 12' long. Power pole shells are ordered separately.

• **Side Mounted Base In-Feeds** provide interface with building power at the end of the power units and mounts to the powerway at jumper location. Each base in-feed is 6' in length, encased in "liquid tight".


Note: New York City code requires the use of a special base feed with an in-line junction box. See New York In-Feed part number below.

• **Side Mounted Base In-Feed with Pole** includes a wire management pole with the above mentioned in-feed.

• **Expandable Cable Management Strip** may be used to dress cable and base in-feed bundle running from wall to trough. Capable of accommodating 1" to 4" diameter bundles.


Specify

- Paint (vertical wire manager only)




Ceiling In-Feed

Quick Ship	Actual Length	Model Number	List
Y	120"	E-UN8W4CIF	398



Side Mount Base In-Feeds

Quick Ship	Actual Length	Model Number	List	Use
Y	72"	E-UN8W4BIFS	328	Standard
Y	72"	E-HM8W4BIFSNY	656	New York City




Side Mount Base In-Feeds With Pole

Quick Ship	Actual Length	Model Number	List	Use
Y	72"	O-8W4BIFS	679	Standard
Y	72"	O-8W4BIFSNY	1007	New York City

Base In-Feed - Pole Only

Quick Ship	Actual Length	Model Number	List
Y	72"	O-VWM	365

Expandable Cable Management Strip



Quick Ship	Actual Length	Model Number	List
Y	72"	O-CMS72	58

Power Poles and Power Pole Extenders


- **Power / Data Pole Kit** includes two 68" pole sections, two 68" covers, one pole coupler, two 68" dividers, mounting brackets, one ceiling shroud, one 72" perforated strip for attaching pole to ceiling grid, and mounting hardware. Order ceiling feeds separately. Designed for an 11' ceiling.
- **Power / Data Pole Extender** includes one pole section, one cover, one pole coupler and one divider. Order ceiling feeds separately.

Specify

- Paint



Double-Sided




Single-Sided

Pole for Double-Sided Bench

Quick Ship	Actual Height	Model Number	List	Paint Grade C	Hand
Y	136"	O-PPMD	563	+20	None

Pole for Single-Sided Bench

Quick Ship	Actual Height	Model Number	List	Paint Grade C	Hand
Y	136"	O-PPMSL	563	+20	Left Hand
Y	136"	O-PPMSR	563	+20	Right Hand



Single-Sided Power Poles require the use of a modesty panel (half or full height) to properly hide wires / cables. Left hand unit shown.



Power / Data Pole Extender

Quick Ship	Actual Height	Model Number	List	Paint Grade C	Hand
Y	28"	A-PPEX28	218	+10	None
Y	48"	A-PPEX48	317	+10	None




Glass Spine Screens

• **Glass Spine Screens** are designed to up-mount in the spine beam of an Oxygen layout. Glass spine screens are listed with nominal dimensions, as well as horizon planning, for the overall bench height. Glass is tempered with polished edges and is 3/8" thick. Frosted glass is etched on one side.

Specify

• Glass Type

Glass Spine Screens



Quick Ship	H	W	Horizon Planning	Model Number	Clear Glass	Frosted Upcharge	Aqui Upcharge	Blue Upcharge
N	12"	36"	42"H Horizon	O-SGH1236	505	+137	+237	+527
N	12"	42"	42"H Horizon	O-SGH1242	578	+166	+283	+622
N	12"	48"	42"H Horizon	O-SGH1248	652	+194	+329	+716
N	12"	54"	42"H Horizon	O-SGH1254	724	+224	+375	+810
N	12"	60"	42"H Horizon	O-SGH1260	798	+252	+420	+903
N	12"	66"	42"H Horizon	O-SGH1266	870	+282	+466	+999
N	12"	72"	42"H Horizon	O-SGH1272	944	+310	+512	+1093
N	12"	78"	42"H Horizon	O-SGH1278	1016	+339	+558	+1187
N	12"	84"	42"H Horizon	O-SGH1284	1090	+368	+603	+1281
N	16"	36"	46"H Horizon	O-SGH1636	633	+178	+309	+687
N	16"	42"	46"H Horizon	O-SGH1642	726	+214	+367	+808
N	16"	48"	46"H Horizon	O-SGH1648	819	+249	+424	+929
N	16"	54"	46"H Horizon	O-SGH1654	911	+286	+483	+1050
N	16"	60"	46"H Horizon	O-SGH1660	1004	+322	+541	+1171
N	16"	66"	46"H Horizon	O-SGH1666	1097	+358	+598	+1292
N	16"	72"	46"H Horizon	O-SGH1672	1190	+393	+656	+1413
N	16"	78"	46"H Horizon	O-SGH1678	1283	+429	+713	+1534
N	16"	84"	46"H Horizon	O-SGH1684	1376	+465	+771	+1655
N	20"	36"	50"H Horizon	O-SGH2036	761	+219	+381	+846
N	20"	42"	50"H Horizon	O-SGH2042	873	+262	+451	+994
N	20"	48"	50"H Horizon	O-SGH2048	986	+305	+521	+1142
N	20"	54"	50"H Horizon	O-SGH2054	1098	+348	+591	+1290
N	20"	60"	50"H Horizon	O-SGH2060	1212	+390	+660	+1437
N	20"	66"	50"H Horizon	O-SGH2066	1324	+433	+730	+1585
N	20"	72"	50"H Horizon	O-SGH2072	1436	+476	+800	+1733
N	20"	78"	50"H Horizon	O-SGH2078	1549	+519	+870	+1881
N	20"	84"	50"H Horizon	O-SGH2084	1662	+562	+939	+2028




Spine Screens - Tackable Fabric / White Board

• **Spine Screens - Tackable Fabric / White Board** are designed to up-mount in the spine beam of an Oxygen benching layout. Framed spine screens may be fabric or white board (either side), with different fabric grades available. Upcharges for Grade C and D fabric are listed per side. White boards are standard list and have no upcharge.

Specify

- Paint
- Fabric or White Board

Spine Screens - Tackable Fabric / White Board



Quick Ship	H	W	Horizon Planning	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
N	12"	36"	42"H Horizon	O-SSH1236	424	+15	+7	+14
N	12"	42"	42"H Horizon	O-SSH1242	447	+15	+7	+14
N	12"	48"	42"H Horizon	O-SSH1248	471	+15	+7	+14
N	12"	54"	42"H Horizon	O-SSH1254	494	+15	+7	+14
N	12"	60"	42"H Horizon	O-SSH1260	518	+15	+7	+14
N	12"	66"	42"H Horizon	O-SSH1266	672	+15	+7	+14
N	12"	72"	42"H Horizon	O-SSH1272	715	+15	+7	+14
N	16"	36"	46"H Horizon	O-SSH1636	475	+15	+11	+22
N	16"	42"	46"H Horizon	O-SSH1642	500	+15	+11	+22
N	16"	48"	46"H Horizon	O-SSH1648	526	+15	+11	+22
N	16"	54"	46"H Horizon	O-SSH1654	552	+15	+11	+22
N	16"	60"	46"H Horizon	O-SSH1660	578	+15	+11	+22
N	16"	66"	46"H Horizon	O-SSH1666	710	+15	+11	+22
N	16"	72"	46"H Horizon	O-SSH1672	755	+15	+11	+22
N	20"	36"	50"H Horizon	O-SSH2036	525	+15	+15	+30
N	20"	42"	50"H Horizon	O-SSH2042	553	+15	+15	+30
N	20"	48"	50"H Horizon	O-SSH2048	582	+15	+15	+30
N	20"	54"	50"H Horizon	O-SSH2054	610	+15	+15	+30
N	20"	60"	50"H Horizon	O-SSH2060	638	+15	+15	+30
N	20"	66"	50"H Horizon	O-SSH2066	747	+15	+15	+30
N	20"	72"	50"H Horizon	O-SSH2072	794	+15	+15	+30

Note:

66" and 72" wide screens are only available with non-directional fabrics. Directional fabrics may be used on these widths if rail roading the fabric during application is allowed.


Territory Screens - Tackable Fabric / White Board

• **Territory Screens - Tackable Fabric / White Board** are designed to up-mount to work surfaces. Territory screens may be fabric or white board (either side). Upcharges for Grade C and D fabric are listed per side. White boards are standard and have no upcharge. Specify screens perpendicular to the spine of the bench. Order screens that correspond to work surface depth.

Specify


- Paint
- Fabric or White Board

Territory Screens - Tackable Fabric / White Board (Shared)




Quick Ship	H	D	Horizon Planning	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
N	12"	24"	42"H Horizon	O-TSHC1224	393	+15	+7	+14
N	12"	30"	42"H Horizon	O-TSHC1230	458	+15	+7	+14
N	16"	24"	46"H Horizon	O-TSHC1624	427	+15	+11	+22
N	16"	30"	46"H Horizon	O-TSHC1630	506	+15	+11	+22
N	20"	24"	50"H Horizon	O-TSHC2024	459	+15	+15	+30
N	20"	30"	50"H Horizon	O-TSHC2030	555	+15	+15	+30

Territory Screens - Tackable Fabric / White Board (Left)



Quick Ship	H	D	Horizon Planning	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
N	12"	24"	42"H Horizon	O-TSHL1224	393	+15	+7	+14
N	12"	30"	42"H Horizon	O-TSHL1230	458	+15	+7	+14
N	16"	24"	46"H Horizon	O-TSHL1624	427	+15	+11	+22
N	16"	30"	46"H Horizon	O-TSHL1630	506	+15	+11	+22
N	20"	24"	50"H Horizon	O-TSHL2024	459	+15	+15	+30
N	20"	30"	50"H Horizon	O-TSHL2030	555	+15	+15	+30

Territory Screens - Tackable Fabric / White Board (Right)



Quick Ship	H	D	Horizon Planning	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
N	12"	24"	42"H Horizon	O-TSHR1224	393	+15	+7	+14
N	12"	30"	42"H Horizon	O-TSHR1230	458	+15	+7	+14
N	16"	24"	46"H Horizon	O-TSHR1624	427	+15	+11	+22
N	16"	30"	46"H Horizon	O-TSHR1630	506	+15	+11	+22
N	20"	24"	50"H Horizon	O-TSHR2024	459	+15	+15	+30
N	20"	30"	50"H Horizon	O-TSHR2030	555	+15	+15	+30


Glass Territory Screens

• **Glass Territory Screens** are designed to up-mount to the worksurfaces. Specify screens perpendicular to the spine of the bench. Order screens that correspond to worksurface depth. Glass is tempered with polished edges and is 3/8" thick. Frosted glass is etched on one side.

Specify

- Glass Type
- Paint


Glass Territory Screens (Shared)



Shared

Quick Ship	H	D	Horizon Planning	Model Number	Clear Glass	Paint Grade C	Frosted Upcharge	Aqui Upcharge	Blue Upcharge
N	12"	24"	42"H	O-TGHC1224	667	+10	+120	+150	+333
N	12"	30"	42"H	O-TGHC1230	778	+10	+150	+191	+422
N	16"	24"	46"H	O-TGHC1624	755	+10	+158	+195	+433
N	16"	30"	46"H	O-TGHC1630	886	+10	+197	+248	+549
N	20"	24"	50"H	O-TGHC2024	843	+10	+197	+240	+533
N	20"	30"	50"H	O-TGHC2030	994	+10	+247	+305	+675


Glass Territory Screens (Left)



Left Hand

Quick Ship	H	D	Horizon Planning	Model Number	Clear Glass	Paint Grade C	Frosted Upcharge	Aqui Upcharge	Blue Upcharge
N	12"	24"	42"H	O-TGHL1224	667	+10	+120	+150	+333
N	12"	30"	42"H	O-TGHL1230	778	+10	+150	+191	+422
N	16"	24"	46"H	O-TGHL1624	755	+10	+158	+195	+433
N	16"	30"	46"H	O-TGHL1630	886	+10	+197	+248	+549
N	20"	24"	50"H	O-TGHL2024	843	+10	+197	+240	+533
N	20"	30"	50"H	O-TGHL2030	994	+10	+247	+305	+675

Glass Territory Screens (Right)



Right Hand

Quick Ship	H	D	Horizon Planning	Model Number	Clear Glass	Paint Grade C	Frosted Upcharge	Aqui Upcharge	Blue Upcharge
N	12"	24"	42"H	O-TGHR1224	667	+10	+120	+150	+333
N	12"	30"	42"H	O-TGHR1230	778	+10	+150	+191	+422
N	16"	24"	46"H	O-TGHR1624	755	+10	+158	+195	+433
N	16"	30"	46"H	O-TGHR1630	886	+10	+197	+248	+549
N	20"	24"	50"H	O-TGHR2024	843	+10	+197	+240	+533
N	20"	30"	50"H	O-TGHR2030	994	+10	+247	+305	+675


Side Mount Screens - Tackable Fabric / White Board

• **Side Mount Screens - Tackable Fabric / White Board** are designed to side mount to the return worksurfaces. Side mount screens do not attach to the spine beam as a modesty. Side mount screens may be fabric or white board (either side). Upcharges for Grade C and D fabric are listed per side. White boards are standard and have no upcharge.


Note: Side Mount Screens may be installed at variable heights.

Specify

- Paint
- Fabric or White Board



26"H



34"H

Side Mount Screens - Tackable Fabric / White Board

Quick Ship	H	W	Horizon Planning	Model Number	List	Paint Grade C	Fabric Grade C	Fabric Grade D
N	26"	24"	42"H Horizon	O-SMH2624	729	+15	+25	+50
N	26"	30"	42"H Horizon	O-SMH2630	761	+15	+25	+50
N	26"	36"	42"H Horizon	O-SMH2636	793	+15	+25	+50
N	26"	42"	42"H Horizon	O-SMH2642	824	+15	+25	+50
N	26"	48"	42"H Horizon	O-SMH2648	857	+15	+25	+50
N	26"	54"	42"H Horizon	O-SMH2654	889	+15	+25	+50
N	26"	60"	42"H Horizon	O-SMH2660	920	+15	+25	+50
N	34"	24"	46"H Horizon	O-SMH3424	821	+15	+25	+50
N	34"	30"	46"H Horizon	O-SMH3430	858	+15	+25	+50
N	34"	36"	46"H Horizon	O-SMH3436	894	+15	+25	+50
N	34"	42"	46"H Horizon	O-SMH3442	931	+15	+25	+50
N	34"	48"	46"H Horizon	O-SMH3448	967	+15	+25	+50
N	34"	54"	46"H Horizon	O-SMH3454	1004	+15	+25	+50
N	34"	60"	46"H Horizon	O-SMH3460	1041	+15	+25	+50

Note:

66" and 72" wide screens are only available with non-directional fabrics. Directional fabrics may be used on these widths if rail roading the fabric during application is allowed.

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories


20"H Shared Pencil Lateral Files

• **20"H Shared Pencil Lateral Files** have a 3/4" laminate case construction with 1mm edgeband. Each unit has 2 drawers per side, with the top drawer face measuring 6" nominal and the bottom drawer measuring 12.5" nominal in height. Lockable. Overall unit height is 20" nominal and is available in 30" - 42" wide. Letter filing is lateral and legal filing is only available front-to-back. Designed to fit under a bench. May be keyed alike with all AIS storage. Comes standard with bar pulls.



Specify

- Laminate - Case and Drawer Face
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

20"H Shared Pencil Lateral Files



Quick Ship	W	D	Model Number	List
N	30"	36"	C-DPLAT2D30	3415
N	36"	36"	C-DPLAT2D36	3622
N	42"	36"	C-DPLAT2D42	3829




20"H Shared Floor Bookcases


• **20"H Shared Floor Bookcases** have a 3/4" laminate case construction with 1mm edgeband. Each unit is handed to allow for left or right hand access. Overall unit height is 20" nominal and is available in 36" - 72" wide. Designed to fit under a bench.

Specify


• Laminate - Back and Case




Left Hand
36" - 48" Wide



Left Hand
60" - 72" Wide



Right Hand
36" - 48" Wide



Right Hand
60" - 72" Wide

20H Shared Floor Bookcases - Left Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCL2036	1424
N	42"	18"	C-YFBCL2042	1471
N	48"	18"	C-YFBCL2048	1530
N	60"	18"	C-YFBCL2060	2180
N	66"	18"	C-YFBCL2066	2228
N	72"	18"	C-YFBCL2072	2275

20H Shared Floor Bookcases - Right Hand


Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCR2036	1424
N	42"	18"	C-YFBCR2042	1471
N	48"	18"	C-YFBCR2048	1530
N	60"	18"	C-YFBCR2060	2180
N	66"	18"	C-YFBCR2066	2228
N	72"	18"	C-YFBCR2072	2275

20"H Shared Floor Bookcases with Sliding Door


• **20"H Shared Floor Bookcases with Sliding Door** have a 3/4" laminate case construction with 1mm edgeband. Each unit is handed to allow for left or right hand access. Lockable. Overall unit height is 20" nominal and is available in 36" - 72" wide. Designed to fit under a bench. May be keyed alike with all AIS storage. Comes standard with bar pulls.

Specify


- Laminate - Case and Door




Left Hand
36" - 48" Wide



Left Hand
60" - 72" Wide



Right Hand
36" - 48" Wide



Right Hand
60" - 72" Wide

20"H Shared Floor Bookcases with Sliding Door - Left Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCSDL2036	2278
N	42"	18"	C-YFBCSDL2042	2340
N	48"	18"	C-YFBCSDL2048	2391
N	60"	18"	C-YFBCSDL2060	2973
N	66"	18"	C-YFBCSDL2066	3037
N	72"	18"	C-YFBCSDL2072	3087

20"H Shared Floor Bookcases with Sliding Door - Right Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCSDR2036	2278
N	42"	18"	C-YFBCSDR2042	2340
N	48"	18"	C-YFBCSDR2048	2391
N	60"	18"	C-YFBCSDR2060	2973
N	66"	18"	C-YFBCSDR2066	3037
N	72"	18"	C-YFBCSDR2072	3087


26"H Shared Floor Bookcases

• **26"H Shared Floor Bookcases** have a 3/4" laminate case construction with 1mm edgeband. Each unit is handed to allow for left or right hand access. Overall unit height is 26" nominal and is available in 36" - 72" wide. Designed to fit under a bench.


Note: 26" high storage is engineered to use glides for optimal fit.

Specify


- Laminate - Case and Back




Left Hand
36" - 48" Wide



Left Hand
60" - 72" Wide



Right Hand
36" - 48" Wide



Right Hand
60" - 72" Wide

26"H Shared Floor Bookcases - Left Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCL2736G	1495
N	42"	18"	C-YFBCL2742G	1565
N	48"	18"	C-YFBCL2748G	1623
N	60"	18"	C-YFBCL2760G	2287
N	66"	18"	C-YFBCL2766G	2335
N	72"	18"	C-YFBCL2772G	2381

26"H Shared Floor Bookcases - Right Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCR2736G	1495
N	42"	18"	C-YFBCR2742G	1565
N	48"	18"	C-YFBCR2748G	1623
N	60"	18"	C-YFBCR2760G	2287
N	66"	18"	C-YFBCR2766G	2335
N	72"	18"	C-YFBCR2772G	2381

26"H Shared Floor Bookcases with Sliding Door

• **26"H Shared Floor Bookcases with Sliding Door** have a 3/4" laminate case construction with 1mm edgeband. Each unit is handed to allow for left or right hand access. Lockable. Overall unit height is 26" nominal and is available in 36" - 72" wide. Designed to fit under a bench. Comes standard with bar pulls.


Note: 26" high storage is engineered to use glides for optimal fit.

Specify

• Laminate - Case and Door


• Key Alike information is listed in the accessories section

• Alternate Pulls are listed in the accessories section




Left Hand

36" - 48" Wide




Left Hand

60" - 72" Wide



Right Hand

36" - 48" Wide



Right Hand

60" - 72" Wide

26"H Shared Floor Bookcases with Sliding Door - Left Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCSDL2736G	2560
N	42"	18"	C-YFBCSDL2742G	2634
N	48"	18"	C-YFBCSDL2748G	2698
N	60"	18"	C-YFBCSDL2760G	3480
N	66"	18"	C-YFBCSDL2766G	3543
N	72"	18"	C-YFBCSDL2772G	3616

26"H Shared Floor Bookcases with Sliding Door - Right Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCSDR2736G	2560
N	42"	18"	C-YFBCSDR2742G	2634
N	48"	18"	C-YFBCSDR2748G	2698
N	60"	18"	C-YFBCSDR2760G	3480
N	66"	18"	C-YFBCSDR2766G	3543
N	72"	18"	C-YFBCSDR2772G	3616


27"H Shared 2-Drawer Lateral Files

• **27"H Shared 2-Drawer Lateral Files** have a square front with bar pulls. File drawers have full depth, smooth riding ball bearing suspensions. All lateral files are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Lateral files come equipped for front-to-back letter-size filing and include one side-to-side/legal filing bar per file drawer. Designed to be used adjacent to a bench. Includes work surface attachment bracket.


Note: 27" high storage ship with feet in place of glides.

Specify


- Laminate - Case and Drawer Front
- **Important - Cannot be used as freestanding, must be attached to the bench.**
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section




30"W



36"W



42"W




Worksurface Attachment
bracket (Included)

27"H 2 Drawer Lateral Files

Quick Ship	W	D	Model Number	List
N	30"	18"	C-YLAT2D30	2449
N	36"	18"	C-YLAT2D36	2587
N	42"	18"	C-YLAT2D42	2725

27" High storage will not fit under the main bench due to crossbar interference.



27"H Shared Floor Bookcases

• **27"H Shared Floor Bookcases** have a 3/4" laminate case construction with 1mm edgeband. Each unit is handed to allow for left or right hand access. Overall unit height is 27" nominal and is available in 36" - 72" wide. Designed to be used adjacent to a bench.

Note: 27" high storage ships with feet in place of glides.

Specify


- Laminate - Back and Case

27"H Shared Floor Bookcases - Left Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCL2736	1495
N	42"	18"	C-YFBCL2742	1565
N	48"	18"	C-YFBCL2748	1623
N	60"	18"	C-YFBCL2760	2287
N	66"	18"	C-YFBCL2766	2335
N	72"	18"	C-YFBCL2772	2381


27"H Shared Floor Bookcases - Right Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCR2736	1495
N	42"	18"	C-YFBCR2742	1565
N	48"	18"	C-YFBCR2748	1623
N	60"	18"	C-YFBCR2760	2287
N	66"	18"	C-YFBCR2766	2335
N	72"	18"	C-YFBCR2772	2381




Left Hand

36" - 48" Wide




Left Hand

60" - 72" Wide



Right Hand


36" - 48" Wide



Right Hand

60" - 72" Wide

27" High storage will not fit under the main bench due to crossbar interference.




27"H Shared Floor Bookcases with Sliding Door

• **27"H Shared Floor Bookcases with Sliding Door** have a 3/4" laminate case construction with 1mm edgeband. Each unit is handed to allow for left or right hand access. Overall unit height is 27" nominal and is available in 36" - 72" wide. Designed to be used adjacent to a bench. Lockable. Comes standard with bar pulls.


Note: 27" high storage ships with feet in place of glides.

Specify


- Laminate - Case and Door
 - Edge
-
- Key Alike information is listed in the accessories section
 - Alternate Pulls are listed in the accessories section




Left Hand
36" - 48" Wide



Left Hand
60" - 72" Wide



Right Hand
36" - 48" Wide



Right Hand
60" - 72" Wide


27"H Shared Floor Bookcases with Sliding Door - Left Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCSDL2736	2560
N	42"	18"	C-YFBCSDL2742	2634
N	48"	18"	C-YFBCSDL2748	2698
N	60"	18"	C-YFBCSDL2760	3480
N	66"	18"	C-YFBCSDL2766	3543
N	72"	18"	C-YFBCSDL2772	3616

27"H Shared Floor Bookcases with Sliding Door - Right Hand

Quick Ship	W	D	Model Number	List
N	36"	18"	C-YFBCSDR2736	2560
N	42"	18"	C-YFBCSDR2742	2634
N	48"	18"	C-YFBCSDR2748	2698
N	60"	18"	C-YFBCSDR2760	3480
N	66"	18"	C-YFBCSDR2766	3543
N	72"	18"	C-YFBCSDR2772	3616

27" High storage will not fit under the main bench due to crossbar interference.



42"H Shared Storage Towers with Bookcase or Sliding Door

• **42"H Shared Storage Towers** have a 3/4" laminate case construction with 1mm edgeband. Each unit has one file drawer per user with a bookcase or sliding door cabinet above. Overall unit height is 42" nominal and is available in 30" wide - 42" wide. Lockable. Includes worksurface attachment bracket.

Note: 42" high storage ships with feet in place of glides. Comes standard with bar pulls.

Units can be ordered with a glass writing surface over white or any standard laminate.



Specify

- Laminate - Case, Divider and Drawer Front
- With or without writable surface

• **Important - Cannot be used as freestanding, must be attached to the bench.**



- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

42"H Shared Storage with Open Bookcase

Bookcase
LeftBookcase
Right

Quick Ship	W	D	Model Number	List	Writable Surface	Bookcase Side	Writable Surface
N	30"	18"	C-YLTT42BCL30	3312	+246	Left	Right
N	36"	18"	C-YLTT42BCL36	3588	+283	Left	Right
N	42"	18"	C-YLTT42BCL42	3864	+321	Left	Right
N	30"	18"	C-YLTT42BCR30	3312	+246	Right	Left
N	36"	18"	C-YLTT42BCR36	3588	+283	Right	Left
N	42"	18"	C-YLTT42BCR42	3864	+321	Right	Left

42"H Shared Storage with Sliding Door

Sliding Door
LeftSliding Door
Right

Quick Ship	W	D	Model Number	List	Writable Surface	Bookcase Side	Writable Surface
N	30"	18"	C-YLTT42SDL30	3576	+246	Left	Right
N	36"	18"	C-YLTT42SDL36	3776	+283	Left	Right
N	42"	18"	C-YLTT42SDL42	3974	+321	Left	Right
N	30"	18"	C-YLTT42SDR30	3576	+246	Right	Left
N	36"	18"	C-YLTT42SDR36	3776	+283	Right	Left
N	42"	18"	C-YLTT42SDR42	3974	+321	Right	Left

50"H Shared Storage Towers with Bookcase or Sliding Door

• **50"H Shared Storage Towers with Bookcase or Sliding Door** have a 3/4" laminate case construction with 1mm edgeband. Each unit has one file drawer per user with a bookcase or sliding door cabinet above. Overall unit height is 50" nominal and is available in 30" - 42" wide. Lockable. Includes work surface attachment bracket. Comes standard with bar pulls. Note: 50" high storage ships with feet in place of glides.



Units can be ordered with a glass writing surface over white or any standard laminate.

Specify



- Laminate - Case, Divider and Drawer Front
- With or without writable surface

• **Important - Cannot be used as freestanding, must be attached to the bench.**

- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

50"H Shared Storage with Open BookcaseBookcase
LeftBookcase
Right

Quick Ship	W	D	Model Number	List	Writable Surface	Bookcase Side	Writable Surface
N	30"	18"	C-YLTT50BCL30	3415	+356	Left	Right
N	36"	18"	C-YLTT50BCL36	3691	+408	Left	Right
N	42"	18"	C-YLTT50BCL42	3967	+460	Left	Right
N	30"	18"	C-YLTT50BCR30	3415	+356	Right	Left
N	36"	18"	C-YLTT50BCR36	3691	+408	Right	Left
N	42"	18"	C-YLTT50BCR42	3967	+460	Right	Left

50"H Shared Storage with Sliding DoorSliding Door
LeftSliding Door
Right

Quick Ship	W	D	Model Number	List	Writable Surface	Bookcase Side	Writable Surface
N	30"	18"	C-YLTT50SDL30	3742	+356	Left	Right
N	36"	18"	C-YLTT50SDL36	3941	+408	Left	Right
N	42"	18"	C-YLTT50SDL42	4140	+460	Left	Right
N	30"	18"	C-YLTT50SDR30	3742	+356	Right	Left
N	36"	18"	C-YLTT50SDR36	3941	+408	Right	Left
N	42"	18"	C-YLTT50SDR42	4140	+460	Right	Left

Mini Hutch - Double-Sided

• **Mini Hutch - Double-Sided** is designed to sit on top of the surface and allow for open plan storage. All Mini Hutch units are 16.314"D. Mini Hutch units are sized for worksurface depth.

• **Mini Hutch - Double-Sided Tackboards** fill the inside rear of a Mini Hutch - Double-Sided unit to provide the user with a tackable surface. Tackboards are sold individually.


Note: Units shorter than 16"H will not accept a standing binder.

Note: Desktop units will not mar the surface.


Specify

- Laminate - Case and Divider


Mini Hutch - Double-Sided



12"H





16"H



20"H

Quick Ship	H	W	D	Horizon Planning	Model Number	List	Type
N	12"	22.5"	16"	42"H Horizon	C-MHD1224	920	Shared
N	16"	22.5"	16"	46"H Horizon	C-MHD1624	982	Shared
N	20"	22.5"	16"	50"H Horizon	C-MHD2024	1043	Shared
N	12"	28.5"	16"	42"H Horizon	C-MHD1230	1043	Shared
N	16"	28.5"	16"	46"H Horizon	C-MHD1630	1104	Shared
N	20"	28.5"	16"	50"H Horizon	C-MHD2030	1166	Shared

Mini Hutch - Double-Sided Tackboards



Side View
Tackboard Placement

Quick Ship	H	W	For Use With	Model Number	List	Fabric Grade C	Fabric Grade D
N	12"	22.5"	C-MHD1224	C-MHTK1224	210	+19	+38
N	16"	22.5"	C-MHD1624	C-MHTK1624	235	+19	+38
N	20"	22.5"	C-MHD2024	C-MHTK2024	286	+27	+54
N	12"	28.5"	C-MHD1230	C-MHTK1230	229	+19	+38
N	16"	28.5"	C-MHD1630	C-MHTK1630	261	+19	+38
N	20"	28.5"	C-MHD2030	C-MHTK2030	318	+27	+54

Mini Yin-Yang Shelf (Horizontal) - Desktop


• **Mini Yin-Yang Shelf (Horizontal)** is designed to sit on top of the surface and allow for open plan storage. All Yin-Yang units are 16.314" deep. Yin-Yang is sized for worksurface depth.

• **Mini Yin-Yang Shelf (Horizontal) - Desktop Tackboards** fill the outside rear of a Mini Yin-Yang Shelf (Horizontal) Desk Top unit to provide the user with a tackable surface. Tackboards are sold individually.


Note: Desktop units will not mar the surface.

Specify


- Laminate - Case and Divider



12"H



16"H




20"H

Mini Yin-Yang Shelf (Horizontal) - Desktop

Quick Ship	H	W	D	Horizon Planning	Model Number	List
N	12"	22.5"	16"	42"H Horizon	C-MSYYH122418	1166
N	16"	22.5"	16"	46"H Horizon	C-MSYYH162418	1227
N	20"	22.5"	16"	50"H Horizon	C-MSYYH202418	1288
N	12"	28.5"	16"	42"H Horizon	C-MSYYH123018	1288
N	16"	28.5"	16"	46"H Horizon	C-MSYYH163018	1350
N	20"	28.5"	16"	50"H Horizon	C-MSYYH203018	1411

Mini Yin-Yang Shelf (Horizontal) - Desktop Tackboards

Quick Ship	H	W	For Use With	Model Number	List	Fabric Grade C	Fabric Grade D
N	12"	22.5"	C-MSYYH122418	C-MSYYHTK122418	148	+19	+38
N	16"	22.5"	C-MSYYH162418	C-MSYYHTK162418	160	+19	+38
N	20"	22.5"	C-MSYYH202418	C-MSYYHTK202418	198	+27	+54
N	12"	28.5"	C-MSYYH123018	C-MSYYHTK123018	157	+19	+38
N	16"	28.5"	C-MSYYH163018	C-MSYYHTK163018	172	+19	+38
N	20"	28.5"	C-MSYYH203018	C-MSYYHTK203018	214	+27	+54



Mini Yin-Yang Shelf (Vertical) - Desktop

• **Mini Yin-Yang Shelf (Vertical) - Desktop** is designed to sit on top of the surface and allow for open plan storage. All Yin-Yang units are 16.314" deep. Yin-Yang is sized for worksurface depth.

• **Mini Yin-Yang Shelf (Vertical) Desktop Tackboards** mount to mini hutch to provide a tackable surface.


Note: Units shorter than 16"H will not accept a standing binder.

Note: Desktop units will not mar the surface.


Specify

• Laminate - Case and Divider


Mini Yin-Yang Shelf (Vertical) - Desktop



12"H




16"H



20"H

Quick Ship	H	W	D	Horizon Planning	Model Number	List
N	12"	22.5"	16"	42"H Horizon	C-MSYYV122418	1166
N	16"	22.5"	16"	46"H Horizon	C-MSYYV162418	1227
N	20"	22.5"	16"	50"H Horizon	C-MSYYV202418	1288
N	12"	28.5"	16"	42"H Horizon	C-MSYYV123018	1288
N	16"	28.5"	16"	46"H Horizon	C-MSYYV163018	1350
N	20"	28.5"	16"	50"H Horizon	C-MSYYV203018	1411

Mini Yin-Yang Shelf (Vertical) - Desktop Tackboards



Quick Ship	H	W	For Use With	Model Number	List	Fabric Grade C	Fabric Grade D
N	12"	22.5"	C-MSYYV122418	C-MSYYVTK122418	148	+11	+22
N	16"	22.5"	C-MSYYV162418	C-MSYYVTK162418	160	+11	+22
N	20"	22.5"	C-MSYYV202418	C-MSYYVTK202418	198	+19	+38
N	12"	28.5"	C-MSYYV123018	C-MSYYVTK123018	157	+11	+22
N	16"	28.5"	C-MSYYV163018	C-MSYYVTK163018	172	+11	+22
N	20"	28.5"	C-MSYYV203018	C-MSYYVTK203018	214	+19	+38

Double-Sided Desktop Bookcases

• **Double-Sided Desktop Bookcases** sit on feet that are 4" above the surface to provide access to the power / data along the spine beam. Units are designed to straddle the spine beam / worksurface seams.


Note: Units are 2" shorter than nominal to allow for territory screens.

Note: Units shorter than 16"H will not accept a standing binder.


Note: Desktop units will not mar the surface.

Specify


- Laminate - Case and Divider
- Paint



8"H




12"H



16"H

Double-Sided Desktop Bookcases on 4" Feet

Quick Ship	H	W	D	Horizon Planning	Model Number	List
N	8"	34"	24"	42"H Horizon	C-DSODT083624	1339
N	8"	40"	24"	42"H Horizon	C-DSODT084224	1401
N	8"	46"	24"	42"H Horizon	C-DSODT084824	1462
N	8"	52"	24"	42"H Horizon	C-DSODT085424	1805
N	8"	58"	24"	42"H Horizon	C-DSODT086024	1854
N	8"	64"	24"	42"H Horizon	C-DSODT086624	1903
N	8"	70"	24"	42"H Horizon	C-DSODT087224	1953
N	12"	34"	24"	46"H Horizon	C-DSODT123624	1376
N	12"	40"	24"	46"H Horizon	C-DSODT124224	1437
N	12"	46"	24"	46"H Horizon	C-DSODT124824	1499
N	12"	52"	24"	46"H Horizon	C-DSODT125424	1842
N	12"	58"	24"	46"H Horizon	C-DSODT126024	1891
N	12"	64"	24"	46"H Horizon	C-DSODT126624	1940
N	12"	70"	24"	46"H Horizon	C-DSODT127224	1989
N	16"	34"	24"	50"H Horizon	C-DSODT163624	1413
N	16"	40"	24"	50"H Horizon	C-DSODT164224	1474
N	16"	46"	24"	50"H Horizon	C-DSODT164824	1536
N	16"	52"	24"	50"H Horizon	C-DSODT165424	1877
N	16"	58"	24"	50"H Horizon	C-DSODT166024	1928
N	16"	64"	24"	50"H Horizon	C-DSODT166624	1977
N	16"	70"	24"	50"H Horizon	C-DSODT167224	2026



16"H

Double-Sided Desktop Bookcases on 8" Feet

Quick Ship	H	W	D	Horizon Planning	Model Number	List
N	8"	34"	24"	46"H Horizon	C-DSODT8083624	1339
N	8"	40"	24"	46"H Horizon	C-DSODT8084224	1401
N	8"	46"	24"	46"H Horizon	C-DSODT8084824	1462
N	8"	52"	24"	46"H Horizon	C-DSODT8085424	1805
N	8"	58"	24"	46"H Horizon	C-DSODT8086024	1854
N	8"	64"	24"	46"H Horizon	C-DSODT8086624	1903
N	8"	70"	24"	46"H Horizon	C-DSODT8087224	1953


Endcap Hutch

- **Endcap Hutch**es mount to the end of run legs with cantilevers. Endcap Hutches must be used on a bench that is at least 48" wide, or any combination of 2 benches or more. Weight capacity is 150lbs.
 - **Endcap Hutch Tackboards** fill the rear (aisle side) of an Endcap Hutch to provide the user with a tackable surface. Tackboards are sold separately.
- Note:** Units shorter than 16"H will not accept a standing binder.


Specify

- Laminate - Case, Back and Bottom
- Paint
- Edge


Endcap Hutch




8"H



12"H




16"H



20"H

Quick Ship	H	W	D	Horizon Planning	Model Number	List
N	8"	48"	16"	38"H Horizon	C-EHSM084816	1693
N	8"	60"	16"	38"H Horizon	C-EHSM086016	1840
N	12"	48"	16"	42"H Horizon	C-EHSM124816	1742
N	12"	60"	16"	42"H Horizon	C-EHSM126016	1901
N	16"	48"	16"	46"H Horizon	C-EHSM164816	1791
N	16"	60"	16"	46"H Horizon	C-EHSM166016	1963
N	20"	48"	16"	50"H Horizon	C-EHSM204816	1840
N	20"	60"	16"	50"H Horizon	C-EHSM206016	2024

Endcap Hutch - Outside Tackboards






Quick Ship	H	W	For Use With	Model Number	List	Fabric Grade C	Fabric Grade D
N	8"	48"	C-EHSM084816	C-EHSMTK084816	237	+11	+22
N	8"	60"	C-EHSM086016	C-EHSMTK086016	257	+19	+38
N	12"	48"	C-EHSM124816	C-EHSMTK124816	278	+19	+38
N	12"	60"	C-EHSM126016	C-EHSMTK126016	310	+19	+38
N	16"	48"	C-EHSM164816	C-EHSMTK164816	320	+19	+38
N	16"	60"	C-EHSM166016	C-EHSMTK166016	362	+27	+54
N	20"	48"	C-EHSM204816	C-EHSMTK204816	405	+27	+54
N	20"	60"	C-EHSM206016	C-EHSMTK206016	457	+27	+54

Bench End Worksurfaces

• **Bench End Worksurfaces** mount to the end-of-run legs with cantilevers. Bench End Worksurfaces must be used on a bench that is at least 48" wide, or any combination of two benches or more. Weight capacity is 150lbs.

Specify

- Laminate
- Paint
- Edge

**Bench End Worksurface**

Quick Ship	W	D	Model Number	List
Y	48"	16"	C-EBWS1648	307
Y	60"	16"	C-EBWS1660	346
Y	48"	18"	C-EBWS1848	327
Y	60"	18"	C-EBWS1860	369
Y	48"	20"	C-EBWS2048	346
Y	60"	20"	C-EBWS2060	393

Shared Overheads with Sliding Doors


• **Shared Overheads with Sliding Doors** sit on feet that are 4" above the surface to provide access to the power / data along the spine beam. Units are designed to straddle the spine beam / worksurface seams. Lockable.

Note: Units are 2" shorter than nominal to allow for territory screens. Units can be ordered with a glass writing surface over white or any standard laminate. Comes standard with bar pulls.


Note: Desktop units will not mar the surface.

Specify

- Laminate Case, Divider and Door
 - Paint
 - With or without writable surface
-
- Key Alike information is listed in the accessories section
 - Alternate Pulls are listed in the accessories section



16"H



Shared Overheads with Sliding Doors

Quick Ship	H	W	D	Horizon Planning	Model Number	List	Writable Surface
N	16"	34"	16"	50"H Horizon	C-SOSDDT163615	2112	+301
N	16"	40"	16"	50"H Horizon	C-SOSDDT164215	2173	+342
N	16"	46"	16"	50"H Horizon	C-SOSDDT164815	2235	+383
N	16"	52"	16"	50"H Horizon	C-SOSDDT165415	2296	+424
N	16"	58"	16"	50"H Horizon	C-SOSDDT166015	2357	+465
N	16"	64"	16"	50"H Horizon	C-SOSDDT166615	2419	+507
N	16"	70"	16"	50"H Horizon	C-SOSDDT167215	2480	+548

Spine Yin-Yang Desktop Bookcase Open

• **Spine Yin-Yang Desktop Bookcase Open** sits on feet that are 4" above the surface to provide access to the power / data along the spine beam. Units are designed to straddle the spine beam / worksurface seams. Units provide shared storage.


Note: Units are 2" shorter than nominal to allow for territory screens.

Note: Units shorter than 16"H will not accept a standing binder.


Note: Desktop units will not mar the surface.

Specify


- Laminate Case and Divider
- Paint
- With or without writable surface

Spine Yin-Yang Desktop Bookcase Open

8"H




12"H



16"H

Quick Ship	H	W	D	Horizon Planning	Model Number	List	Writable Surface
N	8"	34"	16"	42"H Horizon	C-YYODT083616	1008	+181
N	8"	40"	16"	42"H Horizon	C-YYODT084216	1070	+208
N	8"	46"	16"	42"H Horizon	C-YYODT084816	1131	+234
N	8"	52"	16"	42"H Horizon	C-YYODT085416	1192	+260
N	8"	58"	16"	42"H Horizon	C-YYODT086016	1253	+287
N	8"	64"	16"	42"H Horizon	C-YYODT086616	1315	+313
N	8"	70"	16"	42"H Horizon	C-YYODT087216	1376	+340
N	12"	34"	16"	46"H Horizon	C-YYODT123616	1070	+241
N	12"	40"	16"	46"H Horizon	C-YYODT124216	1131	+275
N	12"	46"	16"	46"H Horizon	C-YYODT124816	1192	+308
N	12"	52"	16"	46"H Horizon	C-YYODT125416	1253	+342
N	12"	58"	16"	46"H Horizon	C-YYODT126016	1315	+376
N	12"	64"	16"	46"H Horizon	C-YYODT126616	1376	+410
N	12"	70"	16"	46"H Horizon	C-YYODT127216	1437	+444
N	16"	34"	16"	50"H Horizon	C-YYODT163616	1131	+301
N	16"	40"	16"	50"H Horizon	C-YYODT164216	1192	+342
N	16"	46"	16"	50"H Horizon	C-YYODT164816	1253	+383
N	16"	52"	16"	50"H Horizon	C-YYODT165416	1315	+424
N	16"	58"	16"	50"H Horizon	C-YYODT166016	1376	+465
N	16"	64"	16"	50"H Horizon	C-YYODT166616	1437	+507
N	16"	70"	16"	50"H Horizon	C-YYODT167216	1499	+548

Spine Yin-Yang Desktop Bookcase Open on 8" Feet

16"H


Quick Ship	H	W	D	Horizon Planning	Model Number	List	Writable Surface
N	8"	34"	16"	42"H Horizon	C-YYODT80836	1008	+181
N	8"	40"	16"	42"H Horizon	C-YYODT80842	1070	+208
N	8"	46"	16"	42"H Horizon	C-YYODT80848	1131	+234
N	8"	52"	16"	42"H Horizon	C-YYODT80854	1192	+260
N	8"	58"	16"	42"H Horizon	C-YYODT80860	1253	+287
N	8"	64"	16"	42"H Horizon	C-YYODT80866	1315	+313
N	8"	70"	16"	42"H Horizon	C-YYODT80872	1376	+340

Spine Yin-Yang Desktop Bookcase Open Tackboards

• **Spine Yin-Yang Desktop Bookcase Open Tackboards** fill the unused side of an Yin-Yang Overhead - Desk Top to provide the user with a tackable surface. Tackboards are sold individually.

Specify

• Fabric



Spine Yin-Yang Desktop Bookcase Open Tackboards

Quick Ship	H	W	For Use With	Model Number	List	Fabric Grade C	Fabric Grade D
N	8"	36"	C-YYODT083616	C-YYODTTK083616	121	+11	+22
N	8"	42"	C-YYODT084216	C-YYODTTK084216	126	+11	+22
N	8"	48"	C-YYODT084816	C-YYODTTK084816	131	+11	+22
N	8"	54"	C-YYODT085416	C-YYODTTK085416	136	+19	+38
N	8"	60"	C-YYODT086016	C-YYODTTK086016	163	+19	+38
N	8"	66"	C-YYODT086616	C-YYODTTK086616	168	+19	+38
N	8"	72"	C-YYODT087216	C-YYODTTK087216	173	+27	+54
N	12"	36"	C-YYODT123616	C-YYODTTK123616	136	+19	+38
N	12"	42"	C-YYODT124216	C-YYODTTK124216	145	+19	+38
N	12"	48"	C-YYODT124816	C-YYODTTK124816	152	+19	+38
N	12"	54"	C-YYODT125416	C-YYODTTK125416	160	+27	+54
N	12"	60"	C-YYODT126016	C-YYODTTK126016	189	+27	+54
N	12"	66"	C-YYODT126616	C-YYODTTK126616	197	+27	+54
N	12"	72"	C-YYODT127216	C-YYODTTK127216	205	+34	+68
N	16"	36"	C-YYODT163616	C-YYODTTK163616	163	+19	+38
N	16"	42"	C-YYODT164216	C-YYODTTK164216	163	+19	+38
N	16"	48"	C-YYODT164816	C-YYODTTK164816	183	+19	+38
N	16"	54"	C-YYODT165416	C-YYODTTK165416	195	+27	+54
N	16"	60"	C-YYODT166016	C-YYODTTK166016	237	+27	+54
N	16"	66"	C-YYODT166616	C-YYODTTK166616	247	+27	+54
N	16"	72"	C-YYODT167216	C-YYODTTK167216	257	+34	+68

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories

20"H Floor Bookcase




• **20"H Floor Bookcases** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8" high and glides are adjustable by 1 1/2".
24" - 30" wide units have full open storage slots.
36" - 48" wide units have center upright divider creating four storage slots.
54" - 72" wide units have three evenly spaced upright dividers creating eight storage slots.

Specify

• Laminate - Back and Case

20"H Floor Bookcase - 14"D

Quick Ship	W	D	Model Number	List
N	24"	14"	C-BC202414	1021
N	30"	14"	C-BC203014	1072
N	36"	14"	C-BC203614	1356
N	42"	14"	C-BC204214	1403
N	48"	14"	C-BC204814	1451
N	54"	14"	C-BC205414	2013
N	60"	14"	C-BC206014	2061
N	66"	14"	C-BC206614	2109
N	72"	14"	C-BC207214	2155



20"H Floor Bookcase - 18"D

Quick Ship	W	D	Model Number	List
N	24"	18"	C-BC202418	1082
N	30"	18"	C-BC203018	1129
N	36"	18"	C-BC203618	1438
N	42"	18"	C-BC204218	1486
N	48"	18"	C-BC204818	1546
N	54"	18"	C-BC205418	2144
N	60"	18"	C-BC206018	2203
N	66"	18"	C-BC206618	2251
N	72"	18"	C-BC207218	2299

20"H Sliding Door Credenza

• **Sliding Door Credenzas** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8" h and glides are adjustable by 1 1/2". Sliding door features straight bar pull, is lockable and available in laminate or frosted acrylic. Sliding door is also reversible from left to right.


30" - 48" width units have center upright divider creating two storage slots. **54" - 72"** width units have three evenly spaced upright dividers creating four storage slots. Units may be keyed alike with all AIS storage.

Specify


- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver

- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

20"H Sliding Door Credenza - Laminate Fronts




Left
Hand




Quick Ship	W	D	Model Number	List	Hand
N	30"	18"	C-CS203018LL	2250	Left
N	36"	18"	C-CS203618LL	2301	Left
N	42"	18"	C-CS204218LL	2363	Left
N	48"	18"	C-CS204818LL	2415	Left
N	54"	18"	C-CS205418LL	2953	Left
N	60"	18"	C-CS206018LL	3004	Left
N	66"	18"	C-CS206618LL	3068	Left
N	72"	18"	C-CS207218LL	3119	Left
N	30"	18"	C-CS203018RL	2250	Right
N	36"	18"	C-CS203618RL	2301	Right
N	42"	18"	C-CS204218RL	2363	Right
N	48"	18"	C-CS204818RL	2415	Right
N	54"	18"	C-CS205418RL	2953	Right
N	60"	18"	C-CS206018RL	3004	Right
N	66"	18"	C-CS206618RL	3068	Right
N	72"	18"	C-CS207218RL	3119	Right

20"H Sliding Door Credenza - Acrylic Door



Left
Hand



Quick Ship	W	D	Model Number	List	Hand
N	30"	18"	C-CS203018LG	2458	Left
N	36"	18"	C-CS203618LG	2523	Left
N	42"	18"	C-CS204218LG	2610	Left
N	48"	18"	C-CS204818LG	2671	Left
N	54"	18"	C-CS205418LG	3213	Left
N	60"	18"	C-CS206018LG	3286	Left
N	66"	18"	C-CS206618LG	3362	Left
N	72"	18"	C-CS207218LG	3436	Left
N	30"	18"	C-CS203018RG	2458	Right
N	36"	18"	C-CS203618RG	2523	Right
N	42"	18"	C-CS204218RG	2610	Right
N	48"	18"	C-CS204818RG	2671	Right
N	54"	18"	C-CS205418RG	3213	Right
N	60"	18"	C-CS206018RG	3286	Right
N	66"	18"	C-CS206618RG	3362	Right
N	72"	18"	C-CS207218RG	3436	Right

20"H Cabinet Door Credenza

• **20"H Cabinet Door Credenzas** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8" high and glides are adjustable by 1 1/2". Cabinet doors feature straight bar pull, are lockable and available in laminate or frosted acrylic. Only the center doors are lockable on 54" - 72" wide credenzas.

24" - 48" wide units have center upright divider creating two cabinet slots.


54" - 72" wide units have three center upright dividers creating four cabinet slots. Units may be keyed alike with all AIS storage.

Specify


- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver

- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

20"H Cabinet Door Credenza - Laminate Fronts




30" - 48"W




54" - 72"W

Quick Ship	W	D	Model Number	List
N	24"	18"	C-CC202418L	1647
N	30"	18"	C-CC203018L	1720
N	36"	18"	C-CC203618L	2101
N	42"	18"	C-CC204218L	2172
N	48"	18"	C-CC204818L	2243
N	54"	18"	C-CC205418L	2873
N	60"	18"	C-CC206018L	2933
N	66"	18"	C-CC206618L	3004
N	72"	18"	C-CC207218L	3063

20"H Cabinet Door Credenza - Acrylic Door



30" - 48"W



54" - 72"W

Quick Ship	W	D	Model Number	List
N	24"	18"	C-CC202418G	1939
N	30"	18"	C-CC203018G	2038
N	36"	18"	C-CC203618G	2447
N	42"	18"	C-CC204218G	2546
N	48"	18"	C-CC204818G	2633
N	54"	18"	C-CC205418G	3925
N	60"	18"	C-CC206018G	4071
N	66"	18"	C-CC206618G	4123
N	72"	18"	C-CC207218G	3663

26"H Floor Bookcases

• **26"H Floor Bookcases** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Comes standard with bar pulls.

24"- 30" wide units have full open storage slots.


36"- 48" wide units have center upright divider creating four storage slots.

54"- 72" wide units have three evenly spaced upright dividers creating eight storage slots.


Note: 26" high storage is engineered to use glides for optimal fit. Designed to sit under bench.

Specify


- Laminate - Back and Case

26"H Floor Bookcase - 14"D

24" - 30"W



36" - 48"W



54" - 72"W

Quick Ship	W	D	Model Number	List
N	24"	14"	C-BC272414G	1072
N	30"	14"	C-BC273014G	1129
N	36"	14"	C-BC273614G	1475
N	42"	14"	C-BC274214G	1521
N	48"	14"	C-BC274814G	1569
N	54"	14"	C-BC275414G	2120
N	60"	14"	C-BC276014G	2167
N	66"	14"	C-BC276614G	2215
N	72"	14"	C-BC277214G	2262

26"H Floor Bookcase - 18"D

Quick Ship	W	D	Model Number	List
N	24"	18"	C-BC272418G	1129
N	30"	18"	C-BC273018G	1178
N	36"	18"	C-BC273618G	1510
N	42"	18"	C-BC274218G	1582
N	48"	18"	C-BC274818G	1640
N	54"	18"	C-BC275418G	2251
N	60"	18"	C-BC276018G	2310
N	66"	18"	C-BC276618G	2358
N	72"	18"	C-BC277218G	2405

26"H Sliding Door Credenza

• **26"H Sliding Door Credenzas** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Sliding door features straight bar pull, is lockable and available in laminate or frosted acrylic. Sliding door is also reversible from left to right.

30"- 48" wide units have center upright divider creating two storage slots. **54"- 72"** wide units have three evenly spaced upright dividers creating four storage slots. Units may be keyed alike with all AIS storage.


Note: 26" high storage is engineered to use glides for optimal fit. Designed to sit under bench.

Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver


- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

26"H Sliding Door Credenza - Laminate Fronts



30" - 48"W


Left Hand



54" - 72"W


Quick Ship	W	D	Model Number	List	Hand
N	30"	18"	C-CS273018LLG	2513	Left
N	36"	18"	C-CS273618LLG	2586	Left
N	42"	18"	C-CS274218LLG	2661	Left
N	48"	18"	C-CS274818LLG	2725	Left
N	54"	18"	C-CS275418LLG	3441	Left
N	60"	18"	C-CS276018LLG	3516	Left
N	66"	18"	C-CS276618LLG	3579	Left
N	72"	18"	C-CS277218LLG	3653	Left
N	30"	18"	C-CS273018RLG	2513	Right
N	36"	18"	C-CS273618RLG	2586	Right
N	42"	18"	C-CS274218RLG	2661	Right
N	48"	18"	C-CS274818RLG	2725	Right
N	54"	18"	C-CS275418RLG	3441	Right
N	60"	18"	C-CS276018RLG	3516	Right
N	66"	18"	C-CS276618RLG	3579	Right
N	72"	18"	C-CS277218RLG	3653	Right

26"H Sliding Door Credenza - Acrylic Door



30" - 48"W

Left Hand



54" - 72"W

Quick Ship	W	D	Model Number	List	Hand
N	30"	18"	C-CS273018LGG	2776	Left
N	36"	18"	C-CS273618LGG	2858	Left
N	42"	18"	C-CS274218LGG	2964	Left
N	48"	18"	C-CS274818LGG	3058	Left
N	54"	18"	C-CS275418LGG	3783	Left
N	60"	18"	C-CS276018LGG	3948	Left
N	66"	18"	C-CS276618LGG	3971	Left
N	72"	18"	C-CS277218LGG	4064	Left
N	30"	18"	C-CS273018RGG	2776	Right
N	36"	18"	C-CS273618RGG	2858	Right
N	42"	18"	C-CS274218RGG	2964	Right
N	48"	18"	C-CS274818RGG	3058	Right
N	54"	18"	C-CS275418RGG	3783	Right
N	60"	18"	C-CS276018RGG	3948	Right
N	66"	18"	C-CS276618RGG	3971	Right
N	72"	18"	C-CS277218RGG	4064	Right

26"H Cabinet Door Credenza

• **26"H Cabinet Door Credenzas** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Cabinet doors features straight bar pull, are lockable and available in laminate or frosted acrylic. Only the center doors are lockable on 54" - 72" wide credenzas. Units may be keyed alike with all AIS storage.

24" - 48" wide units have center upright divider creating two cabinet slots. **54" - 72"** wide units have three center upright dividers creating four cabinet slots.



Note: 26" high storage ship with glides in place of feet. Designed to fit under bench.

Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver



- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

26"H Cabinet Door Credenza - Laminate Fronts



Quick Ship	W	D	Model Number	List
N	24"	18"	C-CC272418LG	1732
N	30"	18"	C-CC273018LG	1804
N	36"	18"	C-CC273618LG	2064
N	42"	18"	C-CC274218LG	2135
N	48"	18"	C-CC274818LG	2243
N	54"	18"	C-CC275418LG	3028
N	60"	18"	C-CC276018LG	3110
N	66"	18"	C-CC276618LG	3170
N	72"	18"	C-CC277218LG	3562

26"H Cabinet Door Credenza - Acrylic Door



Quick Ship	W	D	Model Number	List
N	24"	18"	C-CC272418GG	1948
N	30"	18"	C-CC273018GG	2050
N	36"	18"	C-CC273618GG	2198
N	42"	18"	C-CC274218GG	2335
N	48"	18"	C-CC274818GG	2471
N	54"	18"	C-CC275418GG	3623
N	60"	18"	C-CC276018GG	3760
N	66"	18"	C-CC276618GG	3862
N	72"	18"	C-CC277218GG	3997

26"H Single Door Cabinet

• **26"H Single Door Cabinets** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Single Door Cabinets are 12" wide and are available 24", 30", or 36" deep. Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.


Note: 26" high storage ship with glides in place of feet. Designed to sit under Bench.

Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver


- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

26"H Single Door Cabinet - Laminate Door



Quick Ship	W	D	Model Number	List	Hinge
N	15"	18"	C-SDC271518LLG	1318	Right
N	15"	24"	C-SDC271524LLG	1366	Right
N	15"	30"	C-SDC271530LLG	1424	Right
N	15"	18"	C-SDC271518RLG	1318	Left
N	15"	24"	C-SDC271524RLG	1366	Left
N	15"	30"	C-SDC271530RLG	1424	Left

26"H Single Door Cabinet - Acrylic Door




Quick Ship	W	D	Model Number	List	Hinge
N	15"	18"	C-SDC271518LGG	1571	Right
N	15"	24"	C-SDC271524LGG	1571	Right
N	15"	30"	C-SDC271530LGG	1678	Right
N	15"	18"	C-SDC271518RGG	1571	Left
N	15"	24"	C-SDC271524RGG	1631	Left
N	15"	30"	C-SDC271530RGG	1678	Left

27"H Floor Bookcase


- **27"H Floor Bookcases** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2".
- 24"- 30"** wide units have full open storage slots.
- 36"- 48"** wide units have center upright divider creating four storage slots.
- 54"- 72"** wide units have three evenly spaced upright dividers creating eight storage slots.
- Note:** 27" high storage ships with feet in place of glides. Cannot be used under Oxygen bench.

Specify


- Laminate - Back, and Case

27"H Floor Bookcase - 14D

24" - 30"W



36" - 48"W




54" - 72"W

Quick Ship	W	D	Model Number	List
N	24"	14"	C-BC272414	1072
N	30"	14"	C-BC273014	1129
N	36"	14"	C-BC273614	1475
N	42"	14"	C-BC274214	1521
N	48"	14"	C-BC274814	1569
N	54"	14"	C-BC275414	2120
N	60"	14"	C-BC276014	2167
N	66"	14"	C-BC276614	2215
N	72"	14"	C-BC277214	2262

27"H Floor Bookcase - 18D

Quick Ship	W	D	Model Number	List
N	24"	18"	C-BC272418	1129
N	30"	18"	C-BC273018	1178
N	36"	18"	C-BC273618	1510
N	42"	18"	C-BC274218	1582
N	48"	18"	C-BC274818	1640
N	54"	18"	C-BC275418	2251
N	60"	18"	C-BC276018	2310
N	66"	18"	C-BC276618	2358
N	72"	18"	C-BC277218	2405

27" High storage will not fit under the main bench due to crossbar interference.



27"H Sliding Door Credenza

• 27"H Sliding Door Credenzas have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Sliding door features straight bar pull, is lockable and available in laminate or frosted acrylic. Sliding door is also reversible from left to right.

30"- 48" wide units have center upright divider creating two storage slots. 54"- 72" wide units have three evenly spaced upright dividers creating four storage slots.


Note: 27" high storage ships with feet in place of glides. Cannot be used under Oxygen bench.

Specify


- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver

- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

27"H Sliding Door Credenza - Laminate Front




Left
Hand




Quick Ship	W	D	Model Number	List	Hand
N	30"	18"	C-CS273018LL	2513	Left
N	36"	18"	C-CS273618LL	2586	Left
N	42"	18"	C-CS274218LL	2661	Left
N	48"	18"	C-CS274818LL	2725	Left
N	54"	18"	C-CS275418LL	3441	Left
N	60"	18"	C-CS276018LL	3516	Left
N	66"	18"	C-CS276618LL	3579	Left
N	72"	18"	C-CS277218LL	3653	Left
N	30"	18"	C-CS273018RL	2513	Right
N	36"	18"	C-CS273618RL	2586	Right
N	42"	18"	C-CS274218RL	2661	Right
N	48"	18"	C-CS274818RL	2725	Right
N	54"	18"	C-CS275418RL	3441	Right
N	60"	18"	C-CS276018RL	3516	Right
N	66"	18"	C-CS276618RL	3579	Right
N	72"	18"	C-CS277218RL	3653	Right

27"H Sliding Door Credenza - Acrylic Door




Left
Hand



Quick Ship	W	D	Model Number	List	Hand
N	30"	18"	C-CS273018LG	2776	Left
N	36"	18"	C-CS273618LG	2858	Left
N	42"	18"	C-CS274218LG	2964	Left
N	48"	18"	C-CS274818LG	3058	Left
N	54"	18"	C-CS275418LG	3783	Left
N	60"	18"	C-CS276018LG	3948	Left
N	66"	18"	C-CS276618LG	3971	Left
N	72"	18"	C-CS277218LG	4064	Left
N	30"	18"	C-CS273018RG	2776	Right
N	36"	18"	C-CS273618RG	2586	Right
N	42"	18"	C-CS274218RG	2964	Right
N	48"	18"	C-CS274818RG	3058	Right
N	54"	18"	C-CS275418RG	3783	Right
N	60"	18"	C-CS276018RG	3948	Right
N	66"	18"	C-CS276618RG	3971	Right
N	72"	18"	C-CS277218RG	4064	Right

27" High storage will not fit under the main bench due to crossbar interference.



27"H Cabinet Door Credenza

• **27"H Cabinet Door Credenzas** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Cabinet doors features straight bar pull, are lockable and available in laminate or frosted acrylic. Only the center doors are lockable on 54" - 72" wide credenzas. Units may be keyed alike with all AIS storage.



24" - 48" wide units have center upright divider creating two cabinet slots. **54" - 72"** wide units have three center upright dividers creating four cabinet slots.

Note: 27" high storage ship with feet in place of glides. Cannot be used under Oxygen bench.

Specify



- Laminate - Back, Case, and Door
 - Door - Laminate or frosted acrylic
 - Door - Trim around frosted acrylic is silver
-
- Key Alike information is listed in the accessories section
 - Alternate Pulls are listed in the accessories section

27"H Cabinet Door Credenza - Laminate Front




Quick Ship	W	D	Model Number	List
N	24"	18"	C-CC272418L	1732
N	30"	18"	C-CC273018L	1804
N	36"	18"	C-CC273618L	2064
N	42"	18"	C-CC274218L	2135
N	48"	18"	C-CC274818L	2243
N	54"	18"	C-CC275418L	3028
N	60"	18"	C-CC276018L	3110
N	66"	18"	C-CC276618L	3170
N	72"	18"	C-CC277218L	3562

27"H Cabinet Door Credenza - Acrylic Door



Quick Ship	W	D	Model Number	List
N	24"	18"	C-CC272418G	1948
N	30"	18"	C-CC273018G	2050
N	36"	18"	C-CC273618G	2198
N	42"	18"	C-CC274218G	2335
N	48"	18"	C-CC274818G	2471
N	54"	18"	C-CC275418G	3623
N	60"	18"	C-CC276018G	3760
N	66"	18"	C-CC276618G	3862
N	72"	18"	C-CC277218G	3997

27" High storage will not fit under the main bench due to crossbar interference.



27"H Single Door Cabinet


• **27"H Single Door Cabinets** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Single Door Cabinets are 12" wide and are available 24", 30", or 36" deep. Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.

Note: 27"H storage ship with feet in place of glides. Cannot be used under Oxygen bench. Units may be keyed alike with all AIS storage.

Specify


- Laminate - Back, Case, and Door
 - Door - Laminate or frosted acrylic
 - Door - Trim around frosted acrylic is silver
-
- Key Alike information is listed in the accessories section
 - Alternate Pulls are listed in the accessories section

27"H Single Door Cabinet - Laminate Door




Quick Ship	W	D	Model Number	List	Hinge
N	15	18	C-SDC271518LL	1318	Right
N	15	24	C-SDC271524LL	1366	Right
N	15	30	C-SDC271530LL	1424	Right
N	15	18	C-SDC271518RL	1318	Left
N	15	24	C-SDC271524RL	1366	Left
N	15	30	C-SDC271530RL	1424	Left

27"H Single Door Cabinet - Acrylic Door



Quick Ship	W	D	Model Number	List	Hinge
N	15	18	C-SDC271518LG	1571	Right
N	15	24	C-SDC271524LG	1571	Right
N	15	30	C-SDC271530LG	1678	Right
N	15	18	C-SDC271518RG	1571	Left
N	15	24	C-SDC271524RG	1631	Left
N	15	30	C-SDC271530RGG	1678	Left

27" High storage will not fit under the main bench due to crossbar interference.



42"H Single Door Cabinet

• **42"H Single Door Cabinets** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8"H and glides are adjustable by 1 1/2". Single Door Cabinets are 12" wide and are available 24", 30", or 36" deep. Cabinet includes built-in coat hanger. Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.


Note: Must be attached to adjacent surfaces, panels or between other structural caseworks for stability.

Note: 42" high storage ships with feet in place of glides.


Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver

- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

42"H Single Door Cabinet - Laminate Door


Quick Ship	W	D	Model Number	List	Hinge
N	12	18	C-SDC421218LL	1852	Right
N	12	24	C-SDC421224LL	1935	Right
N	12	30	C-SDC421230LL	2019	Right
N	12	18	C-SDC421218RL	1852	Left
N	12	24	C-SDC421224RL	1935	Left
N	12	30	C-SDC421230RL	2019	Left

42"H Single Door Cabinet - Acrylic Door

Quick Ship	W	D	Model Number	List	Hinge
N	12	18	C-SDC421218LG	2132	Right
N	12	24	C-SDC421224LG	2215	Right
N	12	30	C-SDC421230LG	2299	Right
N	12	18	C-SDC421218RG	2132	Left
N	12	24	C-SDC421224RG	2215	Left
N	12	30	C-SDC421230RG	2299	Left

Worksurface Support Bracket

Quick Ship	Model Number	List
N	O-WSLB	32

**Panel Support Bracket**

Quick Ship	Model Number	List
N	O-TBBDV10	72

**IMPORTANT**

Single Door Cabinets **MUST** be attached to (a) worksurfaces or (b) panels for stability.


42"H Single-Sided Lateral with Bookcase or Sliding Door

• 42"H Single-Sided Lateral with Bookcases or Sliding Door have a 3/4" laminate case construction with 1mm edgeband. Lockable. Unit is available 30" wide - 42" wide. Comes standard with bar pulls.

Note: 42" high storage ship with feet in place of glides.


Specify

- Laminate - Back, Case, and Drawer Face
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section




42"H Single-Sided Lateral / Bookcase

Quick Ship	W	D	Model Number	List
N	30"	18"	C-SLTT42BC30	3243
N	36"	18"	C-SLTT42BC36	3519
N	42"	18"	C-SLTT42BC42	3795



42"H Single-Sided Lateral / Left Hand Sliding Door

Quick Ship	W	D	Model Number	List
N	30"	18"	C-SLTTSDL42BC30	3463
N	36"	18"	C-SLTTSDL42BC36	3739
N	42"	18"	C-SLTTSDL42BC42	4015




42"H Single-Sided Lateral / Right Hand Sliding Door

Quick Ship	W	D	Model Number	List
N	30"	18"	C-SLTTS DR42BC30	3463
N	36"	18"	C-SLTTS DR42BC36	3739
N	42"	18"	C-SLTTS DR42BC42	4015

Worksurface Support Bracket

Quick Ship	Model Number	List
N	O-WSLB	33



50"H Single Door Cabinet

• **50"H Single Door Cabinets** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8" high and glides are adjustable by 1 1/2". Single Door Cabinets are 12" wide and are available 24", 30", or 36" deep. Cabinet includes built-in coat hanger. Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.

Note: Must be attached to adjacent surfaces, panels or between other structural casegoods for stability.


Note: 50" high storage ships with feet in place of glides.

Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver


- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

50"H Single Door Cabinet - Laminate Door




Quick Ship	W	D	Model Number	List	Hinge
N	12"	24"	C-SDC501224LL	2031	Right
N	12"	30"	C-SDC501230LL	2125	Right
N	12"	36"	C-SDC501236LL	2125	Right
N	12"	24"	C-SDC501224RL	2031	Left
N	12"	30"	C-SDC501230RL	2125	Left
N	12"	36"	C-SDC501236RL	2125	Left

50"H Single Door Cabinet - Acrylic Door



Quick Ship	W	D	Model Number	List	Hinge
N	12"	24"	C-SDC501224LG	2340	Right
N	12"	30"	C-SDC501236LG	2425	Right
N	12"	36"	C-SDC501236LG	2425	Right
N	12"	24"	C-SDC501224RG	2299	Left
N	12"	30"	C-SDC501230RG	2428	Left
N	12"	36"	C-SDC501236RG	2425	Left




IMPORTANT

Single Door Cabinets MUST be attached to (a) worksurfaces or (b) panels for stability.

Worksurface Support Bracket

Quick Ship	Model Number	List
N	O-WSLB	33



Panel Support Bracket

Quick Ship	Model Number	List
N	O-TBBDV10	74



50"H Single-Sided Lateral with Bookcase or Sliding Door


• 50"H Single-Sided Lateral with Bookcases or Sliding Door have a 3/4" laminate case construction with 1mm edgeband. Lockable. Unit is available 30" wide - 42" wide. Comes standard with bar pulls.

Note: 50" high storage ship with feet in place of glides.

Specify


- Laminate - Back, Case, and Drawer Face
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

50"H Single-Sided Lateral / Bookcase




Quick Ship	W	D	Model Number	List
N	30"	18"	C-SLTT50BC30	3346
N	36"	18"	C-SLTT50BC36	3622
N	42"	18"	C-SLTT50BC42	3897

50"H Single-Sided Lateral / Left Hand Sliding Door



Quick Ship	W	D	Model Number	List
N	30"	18"	C-SLTTSDL50BC30	3565
N	36"	18"	C-SLTTSDL50BC36	3842
N	42"	18"	C-SLTTSDL50BC42	4117


50"H Single-Sided Lateral / Right Hand Sliding Door



Quick Ship	W	D	Model Number	List
N	30"	18"	C-SLTTS50BC30	3565
N	36"	18"	C-SLTTS50BC36	3842
N	42"	18"	C-SLTTS50BC42	4117

Worksurface Support Bracket

Quick Ship	Model Number	List
N	O-WSLB	33




50"H Wardrobe Towers

- **Standard Wardrobe Towers with Cupboard** have a 3/4" laminate case construction with 1mm edgeband, square front doors (laminate or frosted acrylic), and drawers with bar pulls. Includes wardrobe closet, cupboard with adjustable shelf, and the option of a box / box / file or file / file pedestal. File drawers have full depth, smooth riding ball bearing suspensions. Both the cupboard and pedestal units are lockable. Wardrobe towers ship assembled.
 - **Standard Wardrobe Towers with Side Bookcase** same as above but with an open bookcase on the side in place of a cupboard door in the front.
- Note:** 50" high storage ship with feet in place of glides.

Specify


- Laminate - Back, Case, and Door
 - Door - Laminate or Frosted Acrylic
 - Door - Trim around frosted acrylic is silver
-
- Key Alike information is listed in the accessories section
 - Alternate Pulls are listed in the accessories section

50"H Wardrobe Towers - Laminate Door




Quick Ship	W	D	Hand	Model Number	List	Pedestal Type
N	24"	24"	Left	C-WTCBBFL49	3217	BBF
N	24"	24"	Left	C-WTCFFL49	3217	FF
N	24"	24"	Right	C-WTCBBFR49	3217	BBF
N	24"	24"	Right	C-WTCFFR49	3217	FF

50"H Wardrobe Towers - Acrylic Door



Quick Ship	W	D	Hand	Model Number	List	Pedestal Type
N	24"	24"	Left	C-WTCBBFL49G	3831	BBF
N	24"	24"	Left	C-WTCFFL49G	3831	FF
N	24"	24"	Right	C-WTCBBFR49G	3831	BBF
N	24"	24"	Right	C-WTCFFR49G	3831	FF

50"H Wardrobe Towers - Side Access Bookcase




Quick Ship	W	D	Hand	Model Number	List	Pedestal Type
N	24"	24"	Left	C-WTBBBFL49	3217	BBF
N	24"	24"	Left	C-WTBFFL49	3326	FF
N	24"	24"	Right	C-WTBBBFR49	3217	BBF
N	24"	24"	Right	C-WTBFFR49	3326	FF

Worksurface Support Bracket

Quick Ship	Model Number	List
N	O-WSLB	33

Panel Support Bracket

Quick Ship	Model Number	List
N	O-TBBDV10	74



58"H Single Door Cabinet

• **58"H Single Door Cabinets** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8" high and glides are adjustable by 1 1/2". Single Door Cabinets are 12" wide and are available 24", 30", or 36" deep. Cabinet includes built-in coat hanger. Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.

Note: Must be attached to adjacent surfaces, panels or between other structural caseworks for stability.


Note: 58" high storage ship with feet in place of glides.

Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver


- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

58"H Single Door Cabinet - Laminate Door




Quick Ship	W	D	Model Number	List	Hinge
N	12	18	C-SDC581218LL	2041	Right
N	12	24	C-SDC581224LL	2138	Right
N	12	30	C-SDC581230LL	2233	Right
N	12	18	C-SDC581218RL	2041	Left
N	12	24	C-SDC581224RL	2138	Left
N	12	30	C-SDC581230RL	2233	Left

58"H Single Door Cabinet - Acrylic Door



Quick Ship	W	D	Model Number	List	Hinge
N	12	18	C-SDC581218LG	2384	Right
N	12	24	C-SDC581224LG	2467	Right
N	12	30	C-SDC581230LG	2561	Right
N	12	18	C-SDC581218RG	2384	Left
N	12	24	C-SDC581224RG	2467	Left
N	12	30	C-SDC581230RG	2561	Left




IMPORTANT

Single Door Cabinets MUST be attached to (a) worksurfaces or (b) panels for stability.

Worksurface Support Bracket

Quick Ship	Model Number	List
N	O-WSLB	32



Panel Support Bracket

Quick Ship	Model Number	List
N	O-TBBDV10	72



66"H Single Door Cabinet

• **66"H Single Door Cabinets** have a 3/4" laminate case construction with 1mm edgeband. Legs are 2 1/8" high and glides are adjustable by 1 1/2". Single Door Cabinets are 12" wide and are available 24", 30", or 36" deep. Cabinet includes built-in coat hanger. Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.

Note: Must be attached to adjacent surfaces, panels or between other structural caseworks for stability.


Note: 66" high storage ships with feet in place of glides.

Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver


- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

66"H Single Door Cabinet - Laminate Door




Quick Ship	W	D	Model Number	List	Hinge
N	12	18	C-SDC661218LL	2138	Right
N	12	24	C-SDC661224LL	2220	Right
N	12	30	C-SDC661230LL	2329	Right
N	12	18	C-SDC661218RL	2138	Left
N	12	24	C-SDC661224RL	2220	Left
N	12	30	C-SDC661230RL	2329	Left

66"H Single Door Cabinet - Acrylic Door



Quick Ship	W	D	Model Number	List	Hinge
N	12	18	C-SDC661218LG	2498	Right
N	12	24	C-SDC661224LG	2592	Right
N	12	30	C-SDC661230LG	2700	Right
N	12	18	C-SDC661218RG	2498	Left
N	12	24	C-SDC661224RG	2592	Left
N	12	30	C-SDC661230RG	2700	Left


Worksurface Support Bracket



IMPORTANT

Single Door Cabinets MUST be attached to (a) worksurfaces or (b) panels for stability.

Quick Ship	Model Number	List
N	O-WSLB	32



Panel Support Bracket

Quick Ship	Model Number	List
N	O-TBBDV10	72



66"H Wardrobe Towers

• **Standard Wardrobe Towers with Cupboard** have a 3/4" laminate case construction with 1mm edgeband, square front doors (laminate or frosted acrylic), and drawers with bar pulls. Includes wardrobe closet, cupboard with adjustable shelf, and the option of a box / box / file or file / file pedestal. File drawers have full depth, smooth riding ball bearing suspensions. Both the cupboard and pedestal units are lockable. Wardrobe towers ship assembled.

• **Standard Wardrobe Towers with Side Bookcase** has the same information as listed above but with an open bookcase on the side in place of a cupboard door in the front.


Note: 66" high storage ship with feet in place of glides.

Specify

- Laminate - Back, Case, and Door
- Door - Laminate or frosted acrylic
- Door - Trim around frosted acrylic is silver


- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

66"H Wardrobe Towers - Laminate Door




Quick Ship	W	D	Hand	Model Number	List	Pedestal Type
N	24"	24"	Left	C-WTCBBFL65	3312	BBF
N	24"	24"	Left	C-WTCFFL65	3312	FF
N	24"	24"	Right	C-WTCBBFR65	3312	BBF
N	24"	24"	Right	C-WTCFFR65	3312	FF

66"H Wardrobe Towers - Acrylic Door



Quick Ship	W	D	Hand	Model Number	List	Pedestal Type
N	24"	24"	Left	C-WTCBBFL65G	3926	BBF
N	24"	24"	Left	C-WTCFFL65G	3926	FF
N	24"	24"	Right	C-WTCBBFR65G	3926	BBF
N	24"	24"	Right	C-WTCFFR65G	3926	FF

66"H Wardrobe Towers - Side Access Bookcase




Quick Ship	W	D	Hand	Model Number	List	Pedestal Type
N	24"	24"	Left	C-WTBBBFL65	3312	BBF
N	24"	24"	Left	C-WTBFFL65	3434	FF
N	24"	24"	Right	C-WTBBBFR65	3312	BBF
N	24"	24"	Right	C-WTBFFR65	3434	FF

Worksurface Support Bracket

Quick Ship	Model Number	List
N	O-WSLB	33

Panel Support Bracket

Quick Ship	Model Number	List
N	O-TBBDV10	74



Mini Hutch - Single-Sided

• **Mini Hutch - Single-Sided** is designed to sit on top of the surface and allow for open plan storage. All Mini Hutch units are designed for bench depth. Mini Hutch is used front to back on the worksurface. Mini Hutch - Single-Sided is 17.125" wide.


• **Mini Hutch Single-Sided Tackboards** fill the outside of a Mini Hutch to provide the user with a tackable surface. Tackboards are sold separately.

Note: Units shorter than 16"H will not accept a standing binder.


Note: Desktop units will not mar the surface.

Specify


• Laminate - Case and Divider



12"H



16"H





20"H

Mini Hutch - Single-Sided

Quick Ship	H	W	D	Horizon Planning	Model Number	List	Type
N	12"	17"	22.5"	42"H Horizon	C-MHS1224	920	Single
N	16"	17"	22.5"	46"H Horizon	C-MHS1624	982	Single
N	20"	17"	22.5"	50"H Horizon	C-MHS2024	1043	Single
N	12"	17"	28.5"	42"H Horizon	C-MHS1230	1043	Single
N	16"	17"	28.5"	46"H Horizon	C-MHS1630	1104	Single
N	20"	17"	28.5"	50"H Horizon	C-MHS2030	1166	Single

Mini Hutch - Single-Sided Tackboards

Quick Ship	H	W	For Use With	Model Number	List	Fabric Grade C	Fabric Grade D
N	12"	22.5"	C-MHS1224	C-MHTK1224	210	+19	+38
N	16"	22.5"	C-MHS1624	C-MHTK1624	235	+19	+38
N	20"	22.5"	C-MHS2024	C-MHTK2024	286	+27	+54
N	12"	28.5"	C-MHS1230	C-MHTK1230	229	+19	+38
N	16"	28.5"	C-MHS1630	C-MHTK1630	261	+19	+38
N	20"	28.5"	C-MHS2030	C-MHTK2030	318	+27	+54



Top View
Tackboard Placement

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories

Single-Sided Desktop Bookcases

• **Single-Sided Desktop Bookcases** are designed to sit on top of the surface and allow for open plan storage.

Note: Units are 2" shorter than nominal to allow for territory screens.


Note: Units shorter than 16"H will not accept a standing binder.

Note: Desktop units will not mar the surface.


Specify

- Laminate - Case and Back
- Paint


Single-Sided Desktop Bookcase



8"H




12"H



16"H

Quick Ship	H	W	D	Horizon Planning	Model Number	List
N	8"	34"	16"	42"H Horizon	C-SSODT083616	1008
N	8"	40"	16"	42"H Horizon	C-SSODT084216	1070
N	8"	46"	16"	42"H Horizon	C-SSODT084816	1131
N	8"	52"	16"	42"H Horizon	C-SSODT085416	1192
N	8"	58"	16"	42"H Horizon	C-SSODT086016	1253
N	8"	64"	16"	42"H Horizon	C-SSODT086616	1315
N	8"	70"	16"	42"H Horizon	C-SSODT087216	1376
N	12"	34"	16"	46"H Horizon	C-SSODT123616	1070
N	12"	40"	16"	46"H Horizon	C-SSODT124216	1131
N	12"	46"	16"	46"H Horizon	C-SSODT124816	1192
N	12"	52"	16"	46"H Horizon	C-SSODT125416	1253
N	12"	58"	16"	46"H Horizon	C-SSODT126016	1315
N	12"	64"	16"	46"H Horizon	C-SSODT126616	1376
N	12"	70"	16"	46"H Horizon	C-SSODT127216	1437
N	16"	34"	16"	50"H Horizon	C-SSODT163616	1131
N	16"	40"	16"	50"H Horizon	C-SSODT164216	1192
N	16"	46"	16"	50"H Horizon	C-SSODT164816	1253
N	16"	52"	16"	50"H Horizon	C-SSODT165416	1315
N	16"	58"	16"	50"H Horizon	C-SSODT166016	1376
N	16"	64"	16"	50"H Horizon	C-SSODT166616	1437
N	16"	70"	16"	50"H Horizon	C-SSODT167216	1499

Single-Sided Desktop Bookcases on 8" Feet



16"H


Quick Ship	H	W	D	Horizon Planning	Model Number	List
N	8"	34"	16"	46"H Horizon	C-SSODT080836	1008
N	8"	40"	16"	46"H Horizon	C-SSODT080842	1070
N	8"	46"	16"	46"H Horizon	C-SSODT080848	1131
N	8"	52"	16"	46"H Horizon	C-SSODT080854	1192
N	8"	58"	16"	46"H Horizon	C-SSODT080860	1253
N	8"	64"	16"	46"H Horizon	C-SSODT080866	1315
N	8"	70"	16"	46"H Horizon	C-SSODT080872	1376

Single-Sided Desktop Tackboards

• **Single-Sided Desktop Tackboards** fill the unused side of a Single-Sided Overhead - Desktop, providing the user with a tackable surface. Tackboards are sold individually.

Specify

• Fabric



Single-Sided Desktop Tackboards

Quick Ship	H	W	For Use With	Model Number	List	Fabric Grade C	Fabric Grade D
N	8"	36"	C-SSODT083616	C-SSODTTK083616	247	+11	+22
N	8"	42"	C-SSODT084216	C-SSODTTK084216	263	+11	+22
N	8"	48"	C-SSODT084816	C-SSODTTK084816	278	+11	+22
N	8"	54"	C-SSODT085416	C-SSODTTK085416	294	+19	+38
N	8"	60"	C-SSODT086016	C-SSODTTK086016	310	+19	+38
N	8"	66"	C-SSODT086616	C-SSODTTK086616	325	+19	+38
N	8"	72"	C-SSODT087216	C-SSODTTK087216	342	+27	+54
N	12"	36"	C-SSODT123616	C-SSODTTK123616	278	+19	+38
N	12"	42"	C-SSODT124216	C-SSODTTK124216	300	+19	+38
N	12"	48"	C-SSODT124816	C-SSODTTK124816	320	+19	+38
N	12"	54"	C-SSODT125416	C-SSODTTK125416	342	+27	+54
N	12"	60"	C-SSODT126016	C-SSODTTK126016	362	+27	+54
N	12"	66"	C-SSODT126616	C-SSODTTK126616	384	+27	+54
N	12"	72"	C-SSODT127216	C-SSODTTK127216	405	+34	+68
N	16"	36"	C-SSODT163616	C-SSODTTK163616	352	+19	+38
N	16"	42"	C-SSODT164216	C-SSODTTK164216	379	+19	+38
N	16"	48"	C-SSODT164816	C-SSODTTK164816	405	+19	+38
N	16"	54"	C-SSODT165416	C-SSODTTK165416	431	+27	+54
N	16"	60"	C-SSODT166016	C-SSODTTK166016	457	+27	+54
N	16"	66"	C-SSODT166616	C-SSODTTK166616	484	+27	+54
N	16"	72"	C-SSODT167216	C-SSODTTK167216	510	+34	+68

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files


Accessories

26"H L Series Metal Pedestals

• **26"H L Series Metal Pedestals** have a square front with brushed nickel loop pulls. Box drawers and file drawers have full depth, smooth riding ball bearing suspensions. Mobile pedestals include counterweights that are field installed. All pedestals are lockable with two supplied LL keys. Pedestals come equipped for front-to-back letter-size filing and include one side-to-side/legal filing bar per file drawer. Box / box / file pedestals include one box drawer pencil tray. 20" - 26"H pedestals may be used under bench tops.


Specify

- Paint
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section




Mobile Box / File Pedestal with Cushion

Quick Ship	Style	Front	Height	Model Number	List	Paint Grade C	Fabric Grade C
Y	BF	Metal	23.5"	S-PEDBFSMJ24	1,184	+118	+51




Mobile Box / File Pedestal

Quick Ship	Style	Front	Height	Model Number	List	Paint Grade C
Y	BF	Metal	21"	S-PEDBFMJ24	893	+118




Freestanding Box / Box / File Pedestal

Quick Ship	Style	Front	Height	Model Number	List	Paint Grade C
Y	BBF	Metal	26"	S-PEDBBFJ24G	744	+118



Freestanding File / File Pedestal

Quick Ship	Style	Front	Height	Model Number	List	Paint Grade C
Y	FF	Metal	26"	S-PEDFFJ24G	744	+118



Note: 26"H freestanding metal pedestal have a pull in the top bezel of the pedestal for relocating the pedestal.

27"H L Series Metal Structural Pedestals

• **27"H L Series Metal Structural Pedestals** have a square front with brushed nickel loop pulls. Box drawers and file drawers have full depth, smooth riding ball bearing suspensions. All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike. Pedestals come equipped for front to back letter-sized filing and include one side-to-side/legal filing bar per file drawer. Box / box / file pedestals include one box drawer pencil tray.

Note: Structural pedestals and lateral files are only for returns, they will not fit under a bench.



Specify

- Paint

Note: Structural pedestals and lateral files are only for returns, they will not fit under a bench.


- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

27" High storage will not fit under the main bench due to crossbar interference.




Structural Box / Box / File Pedestal

Quick Ship	Style	Front	Height	Model Number	List	Paint Grade C	Depth
Y	BBF	Metal	27"	S-PEDBBFJ24	744	+118	24
Y	BBF	Metal	27"	S-PEDBBFJ30	1071	+118	30



Structural File / File Pedestal

Quick Ship	Style	Front	Height	Model Number	List	Paint Grade C	Depth
Y	BBF	Metal	27"	S-PEDFFJ24	744	+118	24
Y	BBF	Metal	27"	S-PEDFFJ30	1071	+118	30



L Series 2-Drawer Lateral Files (Metal Fronts) - V2

Quick Ship	Actual Width	Actual Depth	Minimum Height	Model Number	List	Paint Grade C
Y	30"	18"	27 1/2"	S-LATJJ2D30	1308	+118
Y	36"	18"	27 1/2"	S-LATJJ2D36	1401	+118
Y	42"	18"	27 1/2"	S-LATJJ2D42	1523	+118

20"H Laminate Box File Pedestal and Pencil Lateral Files


• **20"H Laminate Box File Pedestals** have a 3/4" laminate case construction with 1mm edgeband. Box drawers and file drawers have full depth, smooth riding ball bearing suspensions. All pedestals are lockable with two supplied keys. Comes standard with bar pulls.

• **Pencil Lateral Files** have a 3/4" laminate case construction with 1mm edgeband. Each unit has two drawers, with the top drawer face measuring 6" nominal and the bottom drawer measuring 12.5" nominal in height. Overall unit height is 20" nominal and is available in 30" - 42" wide. Units provide letter filing laterally and front to back legal filing only. Comes standard with bar pulls.

Specify


- Laminate - Back, Case, and Drawer Front
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section

20"H Box / File Pedestal




Quick Ship	W	D	Model Number	List	Configuration
N	16.5"	18"	C-BFP18	1585	Box / File

20"H Mobile Box / File Pedestal with Cushion



Quick Ship	W	D	Model Number	List	Configuration	Fabric
N	16.5"	18"	C-BFP18M	1926	Box / File	+51

20"H Pencil Lateral Files



Quick Ship	W	D	Model Number	List	Configuration
N	30"	18"	C-PLATJ2D30	2622	Box / File
N	36"	18"	C-PLATJ2D36	2714	Box / File
N	42"	18"	C-PLATJ2D42	2939	Box / File

26"H Laminate Pedestals and Lateral Files

• **26"H Laminate Pedestals** have a 3/4" laminate case construction with 1mm edgeband. Box drawers and file drawers have full depth, smooth riding ball bearing suspensions. All pedestals are lockable with two supplied keys. Comes standard with bar pulls.


• **26"H Laminate Lateral Files** have a 3/4" laminate case construction with 1mm edgeband. Overall unit height is 26" nominal and is available in 30" - 42" wide. 18" deep units provide letter filing both vertically and front to back, but legal filing front to back only. 24" deep units provide letter and legal filing both laterally and front to back. Comes standard with bar pulls.

Note: 26"H storage is engineered to use glides for optimal fit. Designed to sit under Bench.


Note: 26"H Laminate Pedestals cannot be used on benches with same depth as the pedestal. Pedestal must be 6" smaller. Ex: 24" deep pedestal can be used with 30" bench. 18" deep pedestal can be used with 24" bench.

Specify

- Laminate - Back, Case, and Door
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section




Box / Box / File




File / File

26"H Pedestals Freestanding

Quick Ship	W	D	Model Number	List	Configuration
N	16.5"	24"	C-BBFPFS24G	1882	Box / Box / File
N	16.5"	24"	C-FFPFS24G	1852	File / File



18"D



24"D

26"H Freestanding Lateral Files

Quick Ship	W	D	Model Number	List	Configuration
N	30"	18"	C-LAT2D1830G	2299	File / File
N	36"	18"	C-LAT2D1836G	2358	File / File
N	42"	18"	C-LAT2D1842G	2477	File / File
N	30"	24"	C-LAT2D2430G	2622	File / File
N	36"	24"	C-LAT2D2436G	2714	File / File
N	42"	24"	C-LAT2D2442G	2899	File / File


27"H Pedestals and Lateral Files

- **27"H Pedestals** have a 3/4" laminate case construction with 1mm edgeband. Box drawers and file drawers have full depth, smooth riding ball bearing suspensions. All pedestals are lockable with two supplied keys. Comes standard with bar pulls.
- **27"H Lateral Files** have a 3/4" laminate case construction with 1mm edgeband. Overall unit height is 27" nominal and is available in 30" - 42" wide. 18" deep units provide letter filing both vertically and front to back, but legal filing front to back only. 24" deep units provide letter and legal filing both laterally and front to back. Comes standard with bar pulls.


Note: 27" high storage ships with feet in place of glides. Cannot be used under Oxygen bench. Freestanding units ship with counterweights.

Specify

- Laminate - Back, Case, and Door
- Key Alike information is listed in the accessories section
- Alternate Pulls are listed in the accessories section




Box / Box / File




File / File

27"H Pedestals Freestanding

Quick Ship	W	D	Model Number	List	Configuration
N	16.5"	24"	C-BBFPFS24	1832	Box / Box / File Freestanding
N	16.5"	24"	C-FFPFS24	1803	File / File Freestanding



18"D



24"D

27"H Lateral Files Freestanding

Quick Ship	W	D	Model Number	List	Configuration
N	30"	18"	C-LAT2DFS1830	2523	File / File Freestanding
N	36"	18"	C-LAT2DFS1836	2603	File / File Freestanding
N	42"	18"	C-LAT2DFS1842	2750	File / File Freestanding
N	30"	24"	C-LAT2DFS2430	2915	File / File Freestanding
N	36"	24"	C-LAT2DFS2436	3027	File / File Freestanding
N	42"	24"	C-LAT2DFS2442	3238	File / File Freestanding

This image shows a full page of blank, lined paper. It features approximately 28 horizontal black lines spaced evenly across the page, typical of notebook paper. The lines are thin and extend from the left edge to the right edge. There are no margins, text, or other markings on the page.


Worksurface Rear Mounted Tool Rail

• **Worksurface Rear Mounted Tool Rail** mounts directly to a worksurface, and does not require panels for support. Rail is clamped onto the surface using supplied hardware. Worksurface Mounted Tool Rails are double-sided, allowing for accessories to be mounted to either side.

Note: 66" and 72" wide rails come with three sets of mounting hardware.

Specify

- Paint



Worksurface Rear Mounted Tool Rail

Quick Ship	Width	Model	List	Paint Grade C
Y	24"	A-WSMTR24	276	+25
Y	30"	A-WSMTR30	297	+25
Y	36"	A-WSMTR36	317	+25
Y	42"	A-WSMTR42	337	+25
Y	48"	A-WSMTR48	357	+25
Y	54"	A-WSMTR54	377	+25
Y	60"	A-WSMTR60	398	+25
Y	66"	A-WSMTR66	500	+25
Y	72"	A-WSMTR72	522	+25


Front-to-Back Tool Bars

• **Front-to-Back Tool Bars** are mounted directly to a worksurface to allow for the use of tool bar accessories. Tool bars are double-sided to allow for accessories to be mounted to either side.


Specify

- Paint

Front-to-Back Tool Bars



Quick Ship	W	Hand	Model Number	List	Paint Grade C
N	22.5"	Shared	O-TBFTBC24	355	+25
N	28.5"	Shared	O-TBFTBC30	388	+25
N	22.5"	Left	O-TBFTBL24	344	+25
N	28.5"	Left	O-TBFTBL30	377	+25
N	22.5"	Right	O-TBFTBR24	344	+25
N	28.5"	Right	O-TBFTBR30	377	+25



Handing

- (1) Left Hand
- (2) Right Hand
- (3) Shared

Plastic Tool Bar Accessories - Plastic


• Plastic Tool Bar Accessories - Plastic can be universally used on all AIS tool rails. Available in black or clear.

Specify


• Black or Clear

Plastic Tool Bar Accessories


Quick Ship	Type	Model Number	List
Y	Portrait Paper Tray	P-MXTBPT	93
Y	Landscape Paper Tray	P-MXTBLPT	93
Y	Diagonal Folder Sorter	P-MXTBDFS	106
Y	Binder Holder	P-MXTBBH	57
Y	Pencil Holder	P-MXTBPENH	37
Y	Accessories Tray	P-MXTBAT	70
Y	CD Holder	P-MXTBCDH	53
Y	Phone Holder	P-MXTBPH	76
Y	Cup Holder	P-MXTBCH	44




Portrait Paper Tray




Landscape Paper Tray




Diagonal Folder Sorter




Accessories Tray



Cup Holder




Binder Holder



CD Holder



Pencil Holder



Phone Holder

Metal Tool Bar Accessories

• **Metal Tool Bar Accessories** can be universally used on all AIS tool rails. Available painted in any AIS paint color.


Specify

• Paint


Metal Tool Bar Accessories




Pencil Tray




Folder Box




Binder Holder




Landscape Paper Tray



Diagonal Folder Holder



Portrait Paper Tray



Mini Shelf

Quick Ship	Type	Model Number	List	Grade C Paint
Y	Pencil Holder	A-TBPT	71	+10
Y	Folder Box	A-TBFH	93	+10
Y	Binder Holder	A-TBBH	102	+10
Y	Landscape Paper Tray	A-TBLPT	102	+10
Y	Portrait Paper Tray	A-TBPPT	102	+10
Y	Diagonal Folder Holder	A-TBDFS	105	+10
Y	18" Mini Shelf	P-MXTBMSHF18	168	+10
Y	24" Mini Shelf	P-MXTBMSHF24	230	+10
Y	30" Mini Shelf	P-MXTBMSHF30	238	+10
Y	36" Mini Shelf	P-MXTBMSHF36	272	+10

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories

Replacement Lock Cores, Keys and Pulls

- Pulls may be ordered as needed for aesthetic purposes.

Note: Laminate case construction products (items beginning with "C-") automatically ship with straight bar pulls and metal case construction products (items beginning with "S-") automatically ship with loop pulls. Pulls can be easily replaced as needed in the field.


• **Lock Cores & Keys** are included with all AIS storage files and overhead flipper units, but may be ordered separately for keying stations alike or for replacement purposes. Note: When ordering keyed alike sets, be sure to also order an LL core removal key. The core removal key is needed to remove the existing core from the lock housing in order to replace with a new core.

Specify

- Pull Type


- Order key sets based on quantity of storage items to be keyed alike.

Lock Cores and Keys




Quick Ship	Detail Details	Model Number	List
Y	Core with 2 keys	S-W1CORE1	23
Y	Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	45
Y	Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	67
Y	Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	89
Y	Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	110
Y	Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	132
Y	Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	154
Y	Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	176
Y	Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	198
Y	Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	219
Y	Master Key	RS-W1MKEY	14
Y	Core Removal Key	RS-W1CRKEY	14
Y	Replacement Key	RS-WK ___ (Key Number)	14

Replacement Pulls



Loop Pull



Bar Pull

Quick Ship	Style	Model Number	List
N	Loop	RS-PEDHANDLEA	15
N	Bar	RS-PEDHANDLES-A	18


Credenza & Pedestal Cushion

• **Credenza & Pedestal Cushions** are a fabric covered 2" thick foam cushion available for 18"D credenzas. Cushions include velcro for mounting.

Specify

• Upholstery

Credenza Cushions



Note: Cushions 54"W and larger require railroading of the upholstery fabric.

Quick Ship	D	W	Model Number	List	Grade C Upcharge	Grade D Upcharge	Grade E Upcharge	Grade F Upcharge
N	18"	18"	S-BCUSH1818	715	+51	+102	+152	+203
N	18"	21"	S-BCUSH1821	715	+51	+102	+152	+203
N	18"	24"	S-BCUSH1824	715	+51	+102	+152	+203
N	18"	27"	S-BCUSH1827	799	+51	+102	+152	+203
N	18"	30"	S-BCUSH1830	799	+62	+124	+186	+248
N	18"	33"	S-BCUSH1833	883	+62	+124	+186	+248
N	18"	36"	S-BCUSH1836	883	+62	+124	+186	+248
N	18"	42"	S-BCUSH1842	942	+73	+146	+208	+270
N	18"	48"	S-BCUSH1848	990	+73	+146	+208	+270
N	18"	54"	S-BCUSH1854	1237	+73	+146	+208	+270
N	18"	60"	S-BCUSH1860	1342	+95	+160	+228	+298
N	18"	66"	S-BCUSH1866	1489	+95	+160	+228	+298
N	18"	72"	S-BCUSH1872	1571	+95	+160	+228	+298

Shared Storage Cushions

Quick Ship	D	W	Model Number	List	Grade C Upcharge	Grade D Upcharge	Grade E Upcharge	Grade F Upcharge
N	36"	30"	S-BCUSH3630	1350	+95	+160	+228	+298
N	36"	36"	S-BCUSH3636	1434	+95	+160	+228	+298
N	36"	42"	S-BCUSH3642	1492	+95	+160	+228	+298

Pedestal Cushions



Quick Ship	D	W	Model Number	List	Grade C Upcharge	Grade D Upcharge	Grade E Upcharge	Grade F Upcharge
N	22"	15"	S-PEDCUSHIONJ	484	+51	+102	+152	+203
N	18"	16"	C-PEDCUSHION	440	+51	+102	+152	+203

Standard Keyboard Arm

• **Standard Keyboard Arm** mounts to underside of worksurfaces to support standard computer keyboards. Keyboard platform area behind wristrest measures 8 1/2" deep x 20" wide. Keyboard tray include a factory mounted, synthetic leather wristrest. **Note:** Order extended arm for use on all curvilinear corner worksurfaces except cockpit corners. See schematics below.

Note: Keyboard Arms may be mounted 90 degrees to the surface edge without the spacer but they will not be retractable.

Note: Oxygen Spacer required when used under a bench surface.






Quick Ship	Model	List	Color
N	A-KEYBZ	423	Black

Standard Extended Keyboard Arm

• **Standard Extended Keyboard Arm** mounts to underside of worksurfaces to support standard platform keyboards. Keyboard platform area behind wristrest measures 8 1/2" deep x 20" wide. Keyboard tray includes a factory mounted, synthetic leather wristrest. **Note:** Order extended arm for use on all curvilinear corner worksurfaces except cockpit corners. See schematics below.

Note: Keyboard Arms may be mounted 90 degrees to the surface edge without the spacer but they will not be retractable.


Note: Oxygen Spacer required when used under a bench surface.



Quick Ship	Model	List	Color
N	A-KEYBZE	716	Black

Standard Mouse Tray

• **Standard Mouse Tray** mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users. Mouse area measures 7 1/4" x 7 1/4". Mouse tray swivels around vertical axis 270° and has 30° of tilt around the horizontal axis (15° above keyboard tray plane to 15° below plane, independent of keyboard tray tilt).





Quick Ship	Model	List	Color
N	A-MSETS	125	Black

V Series Keyboard Arm

• **V Series Keyboard Arm** mounts to underside of worksurfaces to support computer keyboards. Arm may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray. For detail of the adjustability range, see schematics below.

Note: Keyboard Arms may be mounted 90° to the surface edge without the spacer but they will not be retractable.

Note: Oxygen Spacer required when used under a bench surface.





Quick Ship	Model	List	Mouse Tray	Color
N	A-KTOVSF	935	Fixed	Black
N	A-KTOVSA	996	Adjustable	Black

V Series Extended Keyboard Arm

• **V Series Extended Keyboard Arm** mounts to underside of worksurfaces to support computer keyboards. Arm may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray. For detail of the adjustability range, see schematics below.

Note: Keyboard Arms may be mounted 90° to the surface edge without the spacer but they will not be retractable.

Note: Oxygen Spacer required when used under a bench surface.





Quick Ship	Model	List	Mouse Tray	Color
N	A-KTOVXF	1015	Fixed	Black
N	A-KTOVXA	1077	Adjustable	Black

V Series Sit-Stand Keyboard Arm

• **V Series Sit-Stand Keyboard Arm** mounts to underside of worksurfaces to support computer keyboards. Arm may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray. For detail of the adjustability range, see schematics below.

Note: Keyboard Arms may be mounted 90° to the surface edge without the spacer but they will not be retractable.

Note: Oxygen Spacer required when used under a bench surface.



Quick Ship	Model	List	Mouse Tray	Color
N	A-KTOVSSF	996	Fixed	Black
N	A-KTOVSSA	1125	Adjustable	Black


Oxygen Spacer

• **Oxygen Spacer** provides added height to keyboard arm and CPU holder tracks to allow them to install under Oxygen bench kits. Long screws for installation are included.

Note: Keyboard Arms may be mounted 90 degrees to the surface edge without the spacer but they will not be retractable.


Oxygen Spacer

• Black Only



Spacer

Quick Ship	Model	List	Qty
N	O-OSPACER1	50	Single
N	O-OSPACER2	100	Double
N	O-OSPACER3	150	Triple




Spin Out Pencil Drawer

- **Spin Out Pencil Drawers** provide convenient, low profile storage of loose items.


Note: Plan organizer kit placement around worksurface support elements.

Specify

- Black Only




Radius Jr.




Radius

Quick Ship	Width	Depth	Type	Model	List
Y	7 1/2"	7 1/2"	Radius Jr.	A-ROKJ	74
Y	13 5/8"	8 1/4"	Radius	A-ROK	92



Closed



Open


AIS Monitor Arm

- Load capacity - 19 lbs per arm
- Suitable for LCD size range 10" - 28"
- 180 degree rotation at the mounting base and extension
- VESA monitor mount for 75mm and 100mm standard
- Available mounting options, c-clamp, grommet or bolt through


Specify

- **Note:** Monitor Arms are available in Silver only.



Format	Model Number	List
Dual	A-ERDMA	1100
Single	A-ERSMA	550




Dual Arm




Dual Bracket



Single Arm



Single Bracket




1. Snap-in/Removable Cord Clip

* Monitors not included

Easy Access CPU Holder

• **Easy Access CPU Holder** protects your CPU from damaging environmental factors. Keeping it off the floor and out of the way. Glide tracks and 360° swivel mechanisms provide easy access to the back of the CPU. Vertically mounts to underside of worksurface. Swivels 360 degrees. No tools needed to adjust. The glide track is 17.75". Adjustable width 2.5" - 8.25". Adjustable height 13" - 21". Load capacity is 100 lbs.




Note: Oxygen Spacer required when used under a bench surface.

Quick Ship	Mounting Type	Model	List
N	17.75" Track	A-CPUEA	560

Lockable CPU Holder

• **Lockable CPU Holder** offers secure CPU storage. Protects CPU not only from damaging environmental factors but also from theft. Glide tracks and 360° swivel mechanisms provide easy access to the back of the CPU. Vertically mounts to underside of worksurface. No tools needed to adjust. The glide track is 17". Heavy duty locking knob. Steel holder with fiberglass reinforced resin-composite arm. Adjustable width 3.5" - 9.3". Adjustable height 12.5" - 22.5". Load capacity is 85 lbs.




Note: Oxygen Spacer required when used under a bench surface.

Quick Ship	Mounting Type	Model	List
N	17" Track	A-CPULK	1089

Elevator CPU Holder

• **Elevator CPU Holder** secures and stores CPUs beneath your worksurface. Cable connections and power buttons are easily accessed once your CPU is in the Elevator CPU holder. Holds up to 50lbs.



Note: Oxygen Spacer required when used under a bench surface.

Quick Ship	Mounting Type	Model	List
N	17" Track	A-CPUEL	760

LED Desk Lamp

• **LED Desk Lamp** provides the user control over ambient lighting levels while at task. This double extension counter-balanced lamp offers various options while providing exceptional illumination. It has ergonomic styling and is energy star compliant. With patented refractive LED lens technology, the LED Desk lamp eliminates light pooling and provides an excess of 50,000 hours of life at full power. Available in various mounting options, the LED Desk Lamp is an excellent task lighting option for any application.

Specify

- **Clamp** mount easily attaches to the worksurface edge, 41" total length
- **Desk Base** sits on the worksurface, 41" total length
- **Short Arm Clamp** mount easily attaches to the worksurface edge, 36" total length

LED Desk Lamp



Clamp



Desk Base



Short Arm Clamp


Quick Ship	Mounting Type	Model	List
N	Clamp	A-DLWL01CC	911
N	Desk Base	A-DLWL01DB	911
N	Short Arm Clamp	A-DLWL02CC	911

Power Data Solutions


• **Power Data Solutions** include a variety of outlet plugs and may be ordered with different power / data configurations. Units come with a 72" cord, and are designed for various worksurface installation types.

Specify


• N/A

Dot (Silver) - 2 Outlets (Use Dot Cut Out for Returns)


Quick Ship	Model	List	Mounting Requirement
N	E-BYDG2	531	3" Diameter Hole (Grommet)

Mini-Touch (Silver) - 2 Outlets (Use Mini Cut Out for Returns)

Quick Ship	Model	List	Mounting Requirement
N	E-BYTCU2	736	3 3/4"D x 5"W Cut Out

Touch 2 (Silver) - 2 Outlets, 1 USB, 1 Open Data (Use Touch Cut Out for Returns)

Quick Ship	Model	List	Mounting Requirement
N	E-BYTCU2USBO	1,490	4"D x 8"W Cut Out

Touch 3 (Silver) - 4 Outlets (Use Touch Cut Out for Returns)


Quick Ship	Model	List	Mounting Requirement
N	E-BYTCU4	1,435	4"D x 8"W Cut Out

Power Data Solutions


• **Power Data Solutions** include a variety of outlet plugs and may be ordered with different power / data configurations. Units come with a 72" cord, and are designed for various worksurface installation types.

Specify


• N/A

Monument (Black) - 2 Outlets, 1 USB, 1 Data (Use Monument Cut Out for Returns)


Quick Ship	Model	List	Mounting Requirement
N	E-BYVG2USBO	1,235	2 1/4" Diameter Hole (Grommet)


Monument 2 (Black) - 4 outlets (Use Monument Cut Out for Returns)


Quick Ship	Model	List	Mounting Requirement
N	E-BYVG4	1,023	2 1/4" Round Hole (Grommet)

Millennium (Silver)- 2 Outlets, 1 USB, 1 Open Data


Quick Ship	Model	List	Mounting Requirement
N	E-BYMCL2USBO	1,258	Clamping - Surfaces 3/4" to 1 3/4" Thick

• Unit cannot be retrofitted to bench tops post installation.

Millennium 2 (Silver) - 4 Outlets



Quick Ship	Model	List	Mounting Requirement
N	E-BYMCL4	1,205	Clamping - Surfaces 3/4" to 1 3/4" Thick

• Unit cannot be retrofitted to bench tops post installation.

Adapt Desktop Power Module

• **Adapt Desktop Power Module** clamps to the backside of a flat surface. Power module interface has two plugs along with a double slot data plate. For use on returns or grommet mounted.

Cannot be used at back of Bench top kits.




Adapt Desktop Power Module with Plug

Quick Ship	Cord Length	Model Number	List
N	72"	E-4W1MCMP	417

Mini Adapt Desktop Power Module

• **Mini Adapt Desktop Power Module** clamps to the backside of a flat surface. Power Module interface has two plugs. For use on returns or grommet mounted.

Cannot be used at back of Bench top kits.




Mini Adapt Desktop Power Module with Plug

Quick Ship	Cord Length	Model Number	List
N	72"	E-4W1MCMMP	340

Surface Access Desktop Power Module

• **Surface Access Desktop Power Module** sits inside a surface cutout. Power Module interface has two plugs along with a double slot data plate.



Surface Access Desktop Power Module with Plug (Use Access Cut Out for Returns)


Quick Ship	Cord Length	Model Number	List
N	72"	E-4W1MFMP	569

Laminate Casegood Ganging Bolt

• **Laminate Casegood Ganging Bolt** gangs two laminate construction casegood units with standard 3/4" thick wall construction together by way of a field drilled 1/4" diameter hole. Combination drive style on both ends, 10-24 thread, adjusts from 1 1/2" to 1 5/8".

Specify

• N/A



Quick
Ship

Model
Number

List




Color

y

RH-98002A208

15

Zinc-Plated






Bench Top Kits - Chicago Junction Box with Access Box

• **Bench Top Kits - Chicago Junction Box with Access Box** are designed for use with any Oxygen leg type. Surface kits for 78" - 96" wide benches include a second crossbar for added structural support. Junction box allows for two single gang outlets per side. Junction boxes do not include electrical connectors. Boxes are UL listed. Boxes have standard 0.875" knockouts for electrical connectos. Junction boxes can be used with either 15 amp or 20 amp single gang outlets. Junction box is compatible with decora outlets.

Specify

- Paint for Spine Beam
- Paint for Access Box
- Laminate
- Edge



Bench Top Kits - Chicago Junction Box with Access Box - Single-Sided



Chicago Junction Box

Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	24"	36"	O-HSBP2436	1445	+10	+28
Y	24"	42"	O-HSBP2442	1544	+10	+30
Y	24"	48"	O-HSBP2448	2048	+10	+33
Y	24"	54"	O-HSBP2454	2139	+10	+41
Y	24"	60"	O-HSBP2460	2227	+10	+41
Y	24"	66"	O-HSBP2466	2320	+10	+46
Y	24"	72"	O-HSBP2472	2408	+10	+51
Y	24"	78"	O-HSBP2478	2847	+10	+58
Y	24"	84"	O-HSBP2484	2961	+10	+58
Y	24"	90"	O-HSBP2490	3143	+10	+68
Y	24"	96"	O-HSBP2496	3258	+10	+68
Y	30"	36"	O-HSBP3036	1494	+10	+33
Y	30"	42"	O-HSBP3042	1601	+10	+39
Y	30"	48"	O-HSBP3048	2112	+10	+42
Y	30"	54"	O-HSBP3054	2212	+10	+50
Y	30"	60"	O-HSBP3060	2308	+10	+50
Y	30"	66"	O-HSBP3066	2409	+10	+56
Y	30"	72"	O-HSBP3072	2506	+10	+61
Y	30"	78"	O-HSBP3078	2953	+10	+87
Y	30"	84"	O-HSBP3084	3075	+10	+87
Y	30"	90"	O-HSBP3090	3270	+10	+96
Y	30"	96"	O-HSBP3096	3384	+10	+96

Bench Top Kits - Chicago Junction Box with Access Box - Double-Sided



Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	48"	36"	O-HDBP4836	1869	+10	+28
Y	48"	42"	O-HDBP4842	2001	+10	+30
Y	48"	48"	O-HDBP4848	2551	+10	+33
Y	48"	54"	O-HDBP4854	2688	+10	+41
Y	48"	60"	O-HDBP4860	2821	+10	+41
Y	48"	66"	O-HDBP4866	2958	+10	+46
Y	48"	72"	O-HDBP4872	3092	+10	+51
Y	48"	78"	O-HDBP4878	3860	+10	+58
Y	48"	84"	O-HDBP4884	4030	+10	+58
Y	48"	90"	O-HDBP4890	4188	+10	+68
Y	48"	96"	O-HDBP4896	4346	+10	+68
Y	60"	36"	O-HDBP6036	1967	+10	+33
Y	60"	42"	O-HDBP6042	2115	+10	+39
Y	60"	48"	O-HDBP6048	2682	+10	+42
Y	60"	54"	O-HDBP6054	2835	+10	+50
Y	60"	60"	O-HDBP6060	2984	+10	+50
Y	60"	66"	O-HDBP6066	3138	+10	+56
Y	60"	72"	O-HDBP6072	3287	+10	+61
Y	60"	78"	O-HDBP6078	4071	+10	+87
Y	60"	84"	O-HDBP6084	4258	+10	+87
Y	60"	90"	O-HDBP6090	4433	+10	+96
Y	60"	96"	O-HDBP6096	4607	+10	+96




Bench Top Kits - Chicago Junction Box with Grommet

• **Bench Top Kits - Chicago Junction Box Grommet** are designed for use with any Oxygen leg type. Surface kits for 78" - 96" wide benches include a second crossbar for added structural support. Junction box allows for two single gang outlets per side. Junction boxes do not include electrical connectors. Boxes are UL listed. Boxes have standard 0.875" knockouts for electrical connects. Junction boxes can be used with either 15 amp or 20 amp single gang outlets. Junction box is compatible with decora outlets.

Specify

- Paint for Spine Beam
- Grommet Color
- Laminate
- Edge



Bench Top Kits - Chicago Junction Box with Grommet - Single-Sided



Chicago Junction Box

Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	24"	36"	O-HSBG2436	1220	+10	+28
Y	24"	42"	O-HSBG2442	1319	+10	+30
Y	24"	48"	O-HSBG2448	1822	+10	+33
Y	24"	54"	O-HSBG2454	1914	+10	+41
Y	24"	60"	O-HSBG2460	2002	+10	+41
Y	24"	66"	O-HSBG2466	2095	+10	+46
Y	24"	72"	O-HSBG2472	2183	+10	+51
Y	24"	78"	O-HSBG2478	2621	+10	+58
Y	24"	84"	O-HSBG2484	2735	+10	+58
Y	24"	90"	O-HSBG2490	2913	+10	+68
Y	24"	96"	O-HSBG2496	3028	+10	+68
Y	30"	36"	O-HSBG3036	1268	+10	+33
Y	30"	42"	O-HSBG3042	1376	+10	+39
Y	30"	48"	O-HSBG3048	1887	+10	+42
Y	30"	54"	O-HSBG3054	1987	+10	+50
Y	30"	60"	O-HSBG3060	2083	+10	+50
Y	30"	66"	O-HSBG3066	2185	+10	+56
Y	30"	72"	O-HSBG3072	2281	+10	+61
Y	30"	78"	O-HSBG3078	2727	+10	+87
Y	30"	84"	O-HSBG3084	2849	+10	+87
Y	30"	90"	O-HSBG3090	3044	+10	+96
Y	30"	96"	O-HSBG3096	3158	+10	+96

Bench Top Kits - Chicago Junction Box with Grommet - Double-Sided





Quick Ship	D	W	Model Number	List	Paint Grade C	Laminate Grade C
Y	48"	36"	O-HDBPG4836	1478	+10	+28
Y	48"	42"	O-HDBPG4842	1610	+10	+30
Y	48"	48"	O-HDBPG4848	2161	+10	+33
Y	48"	54"	O-HDBPG4854	2298	+10	+41
Y	48"	60"	O-HDBPG4860	2430	+10	+41
Y	48"	66"	O-HDBPG4866	2568	+10	+46
Y	48"	72"	O-HDBPG4872	2701	+10	+51
Y	48"	78"	O-HDBPG4878	3468	+10	+58
Y	48"	84"	O-HDBPG4884	3639	+10	+58
Y	48"	90"	O-HDBPG4890	3797	+10	+68
Y	48"	96"	O-HDBPG4896	3956	+10	+68
Y	60"	36"	O-HDBPG6036	1576	+10	+33
Y	60"	42"	O-HDBPG6042	1724	+10	+39
Y	60"	48"	O-HDBPG6048	2292	+10	+42
Y	60"	54"	O-HDBPG6054	2444	+10	+50
Y	60"	60"	O-HDBPG6060	2593	+10	+50
Y	60"	66"	O-HDBPG6066	2747	+10	+56
Y	60"	72"	O-HDBPG6072	2897	+10	+61
Y	60"	78"	O-HDBPG6078	3680	+10	+87
Y	60"	84"	O-HDBPG6084	3867	+10	+87
Y	60"	90"	O-HDBPG6090	4041	+10	+96
Y	60"	96"	O-HDBPG6096	4216	+10	+96

Mini-Touch with (2) USB

• **Mini-Touch with (2) USB** include a variety of outlet plugs and may be ordered with different power / data configurations. Units come with a 72" cord, and are designed for various worksurface installation types.

Specify

• N/A

Mini-Touch (Silver) - 1 Outlet, 1 USB (Use Mini Cut Out for Returns)


Quick Ship	Model	List	Mounting Requirement
N	E-BYTCU11U	1,890	3 3/4"D x 5"W Cut Out

Surface Mount Data Housing Units



- **Surface Mount Data Housing Units** have a low-profile design, are ADA compliant and easily mount to multiple surfaces. Units include double-sided tape and mounting screws for easy installation. Base includes tie wrap anchors at rear cable entry point for 4" cable ties (included). Compatible with standard jacks.
- **Single Data Plate Kit** has six ports for modular jacks.

Specify


- Surface mount data housing units are only available in black.
- Port dimensions: 0.68"H x 0.58"W
- Single port housing dimensions: 1.08"H X 1.3"W X 2.38"D
- Four port housing dimensions: 1.25"H X 5"W X 3.25"D
- Six port housing dimensions: 1.25"H X 6.5"W X 4"D



Quick Ship	Port Qty	Model Number	List	Color
N	1	E-ISB1BK-SM	35	Black
N	4	E-ISB4BK-SM	83	Black
N	6	E-ISB6BK-SM	132	Black



Data Plate Kit



Quick Ship	Item	Model Number	List
Y	Cat 5e Jack	E-HRJ45-SM	80
Y	Cat 6 Data Jack	E-HXJ6BK-SM	89
Y	RJ 11 Voice Jack	E-HRJ11	60
Y	Hole Black (10 Pack)	E-SFBB10-SM	52

Worksurface
Kits

Leg Kits

Electrical &
DataScreens &
DividersShared
StorageSingle-Sided
StoragePedestals &
Lateral Files

Accessories

[illegible]

[illegible]

National Showrooms:

Boston

AIS Headquarters
4 Bonazzoli Avenue
Hudson, Massachusetts 01749

Chicago

The Merchandise Mart
Suite 1086
Chicago, Illinois 60654

New York

AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.

AIS Washington, D.C.
1400 Eye St, NW
Suite 750
Washington, D.C. 20005

Corporate Headquarters
4 Bonazzoli Avenue
Hudson, Massachusetts 01749

Corporate Showroom
25 Tucker Drive
Leominster, Massachusetts 01453

GSA Sales
GSA Contract GS-29F-0006K
FSC Group 71, Part 1 Office Furniture

For additional information on AIS visit:
www.ais-inc.com



800.434.7400 978.562.7500 Fax 978.562.0811
www.ais-inc.com