



AIS GSA
casegoods
2016
catalog
Compete & Compete Plus

Affordable Interior Systems, Inc. (AIS) Contract Information - GS-29F-0006K

Effective: August 24, 2015 – August 23, 2020

1a. SIN's:

711-1: Furniture Systems and Workstation Clusters
 711-2: Worksurfaces, Workstations, Computer Furniture and Accessories
 711-3: Filing and Storage Cabinets
 711-9: Executive Conference Room Furniture, Coordinated Tables, Case Pieces and Accessories
 711-11: Tables and Accessories
 711-18: Multipurpose Seating
 711-91: Project management services at a rate of \$70 per hour.
 711-94: Design Services at a rate of \$55 per hour.
 711-95: Installation Service (negotiable/project)
 711-96: Leasing - Contact Sid Meadows at smeadows@ais-inc.com
 711-1: Packaged Office - Includes all items from AIS' SIN's noted above and items from DarRan's GSA contract #GS-28F-2024D and items from Exemplis Seating (SitOnIt) GSA contract # GS-29F-0295H.

1b. LOWEST PRICE MODEL

711-1: A-FGAC14, \$8.00 List
 711-18: C-CASTSOFT, \$30 List

2. MAXIMUM ORDER:

SIN 711-1	\$500,000 List
SIN 711-2	\$500,000 List
SIN 711-3	\$500,000 List
SIN 711-9	\$500,000 List
SIN 711-18	\$200,000 List
SIN 711-94	\$150,000 List
SIN 711-95	\$150,000 List
SIN 711-91	\$150,000 List

3. MINIMUM ORDER: \$100.00 and will be charged freight up to 13% of the net value of the order (excludes chair only orders).

4. GEOGRAPHIC COVERAGE: 48 contiguous states and the District of Columbia

5. PRODUCTION POINT: AIS - 4 Bonazzoli Avenue, Hudson, MA 01749

6. DISCOUNT: See below discount structures

7. QUANTITY DISCOUNTS:

Systems: AO2, MWall, Divi, Matrix, Calibrate and Oxygen

List Price of Order	Discount
\$0 - \$7,500	76% plus 13% freight
\$7,501 - \$30,000	77.25%
\$30,001 - \$125,000	80.76%
\$125,001 - \$300,000	81.25%
\$300,001 - \$400,000	82.50%
\$400,001 - \$500,000	83.00%

Casegoods: Compete, Compete Select and Compete Plus

List Price of Order	Discount
\$1 - \$125,000:	81.50%
\$125,000 - \$300,000	82.00%
\$300,001 - \$400,000	82.75%
\$400,000 - \$500,000	83.25%

Seating: All

List Price of Order	Discount
\$1+	67.80%

AIS
 4 Bonazzoli Ave
 Hudson, MA 01749
 800.434.7400

www.ais-inc.com

8. PROMPT PAYMENT TERMS: 1% 20 Days NET 30

9. CREDIT CARD: Accepted below and above the micro purchase threshold.

10. FOREIGN ITEMS: None

11. TIME OF DELIVERY STANDARD OPTION: 15-20 working days to ship from manufacturer after receipt of customer sign off of acknowledgement. EXPRESS OPTIONS: Quick-Ship program is 10 working days: Contact AIS @ (800) 434-7400 smeadows@ais-inc.com for details.

12. FOB POINT: Destination within 48 contiguous United States and the District of Columbia.

13a. ORDER ADDRESS:

AIS (Attn: GSA Order Entry)
 4 Bonazzoli Avenue, Hudson, MA 01749

13b. Purchase orders must be received by 12:00 noon EST in order for the following day to be considered start of ship date lead time. The total net amount of the order must be clearly indicated on all purchase orders.

14. PAYMENT ADDRESS:

AIS (Attn: Accounts Receivable)
 4 Bonazzoli Avenue, Hudson, MA 01749

15. WARRANTY: See page 3 AIS Lifetime Warranty

16. EXPORT PACKING: Write, call or fax for questions or quotes regarding export.

17. CREDIT CARD TERMS: N/A

18. RENTAL / MAINTENANCE: N/A

19. INSTALLATION: Contact Participating Dealer to negotiate on a project by project basis.

20. REPAIR PART TERMS: N/A

21. SERVICE & DISTRIBUTION POINTS: N/A

22. PARTICIPATING DEALERS: Visit www.ais-inc.com, Find A Dealer. Contact AIS at (800) 434-7400 or email smeadows@ais-inc.com

23. PREVENTATIVE MAINTENANCE: N/A

24. ENVIRONMENTAL ATTRIBUTES: AIS' workstations are SCS Indoor Advantage Certified Gold. AIS' workstations contain up to 59.6% recycled content. Please see www.ais-inc.com – Sustainability for environmental datasheets, LEED credits and certifications.

25. FEDERAL IDENTIFICATION NUMBERS:

AIS is registered in the Central Contractor Registration (CCR) Database.

DUNS#: 62-606-0222
 TAX ID#: 04-3489948
 Cage Code#: 1SN97
 NAICS No.: 337214

June 2016

PURCHASE ORDER REQUIREMENTS/PROCESSING

- Purchase orders must be received by 12:00 noon EST in order for the following day to be considered start of ship date leadtime.
- The total net amount of order must be clearly indicated on all purchase orders.
- All shipments going direct to site must have a driver that is a United States citizen.
- Pre-payments must be known up front prior to order entry. Please send email to Alisa Surrette at asurrette@ais-inc.com and Dawn Fitzmaurice at dfitzmaurice@ais-inc.com.
- Account must be in good standing, and have no past due balance for purchase order to be accepted.
- Order must have salesperson's name clearly noted on purchase order. AIS will not be responsible for issuing retroactive spiffs if order does not show clearly who the salesperson is at the time of order entry.
- Special pricing taken on any order must reference AIS Special Pricing Authorization, also known as an SPA (Sales Order number with Authorization Initials).
- If there are any discrepancies on purchase order, dealer will be required to "sign off" on final order detail. Signature by dealer constitutes acceptance of new purchase order amount and item details contained therein.



AIS Limited Lifetime Warranty

This warranty is given to the initial purchaser and is valid for as long as the product is owned by the original Buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to AIS within the applicable warranty period, AIS (at its option) will either repair or replace the defective product with a comparable component or product. The limited lifetime warranty applies to all products regardless of the number of shifts the product is used each day except as noted below.

Applicable Warranty Period	Products / Restrictions
Lifetime (as defined below)	All AIS branded products (except as noted below)
Ten (10) Years	Electrical products
Five (5) Years	Moving parts, which include keyboard mechanisms, locks, suspensions, casters as well as all AIS fabrics / upholstery.
Five (5) Years	Calibrate / Laminate Storage / Casegoods

This warranty does not apply to "normal wear and tear", damage caused by carrier, damage caused by transport of product from one site or location to another, alterations to the product not expressly authorized by Seller, and products considered to be of a consumable nature such as bulbs and light ballast. It also does not apply to "customer's own material" (i.e. material specified by Buyer that is not a standard AIS product offering) used in the manufacture of AIS products. A product will not be considered defective, and Seller will not be obligated to replace it, if the product is not installed properly or is used in a "non-standard" fashion as prescribed by AIS. It is at the sole discretion of AIS to make a determination if a defect is due to improper product installation.

This warranty is presented in lieu of all other warranties, express or implied, including, but not limited to, any implied warranties of merchantability of fitness for a particular purpose. The customers exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be repair or replacement as specified above. Seller (AIS) shall not be liable under any circumstances for consequential, economic, or incidental damages of any nature, including without limitation, damages for personal injury or damages to property, and however occasioned, whether alleged as resulting from breach of warranty or contract by AIS or negligence of AIS or otherwise.

International warranties may differ.

Seller (AIS) shall not be liable under any circumstances for consequential, economic, or incidental damages of any nature, including without limitation, damages for personal injury or damages to property, and however occasioned, whether alleged as resulting from breach of warranty or contract by AIS or negligence of AIS or otherwise.

www.ais-inc.com



AIS Chair Warranty

Limited Warranty

AIS warrants to the original purchaser that all seating products are free from defects in materials and workmanship under normal use as described below. AIS will repair or replace, at its option, to the original purchaser only, defective product or parts for a period of time from the date of purchase.

Ten Year Limited Warranty, which includes:

- Ten (10) years on structure
- Ten (10) years on pneumatic height adjuster
- Ten (10) years on control mechanism and all adjustable parts
- Five (5) years on casters, bases and arm kits
- Two (2) years on mesh and seating fabrics

Normal use as defined under this warranty is the wear and tear that occurs during a 40 hour week when the product is used by a person weighing 250 pounds or less. AIS will not warrant any altered components or parts.

This warranty shall not cover labor or delivery charges and does not apply to items subjected to abuse, misuse, neglect, alteration, or damage caused by shipment, storage, accident, fire, flood, or act of God. This limited warranty is the sole remedy for product defect and no other express or implied warranty is provided, including but not limited to any implied warranties of merchantability or fitness for a particular purpose. AIS shall not be liable for consequential or incidental damages arising from any product defect.



AIS Casegoods Warranty

Limited Lifetime Warranty

This warranty is given to the initial purchaser and is valid for as long as the product is owned by the original Buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to AIS within the applicable warranty period, AIS (at its option) will either repair or replace the defective product with a comparable component or product.

This warranty does not apply to "normal wear and tear", damage caused by carrier, damage caused by transport of product from one site or location to another, alterations to the product not expressly authorized by Seller, and products considered to be of a consumable nature such as bulbs and light ballast. It also does not apply to "customer's own material" (i.e. material specified by Buyer that is not a standard AIS product offering) used in the manufacture of AIS products. A product will not be considered defective, and Seller will not be obligated to replace it, if the product is not installed properly or is used in a "non-standard" fashion as prescribed by AIS. It is at the sole discretion of AIS to make a determination if a defect is due to improper product installation.

This warranty is presented in lieu of all other warranties, express or implied, including, but not limited to, any implied warranties of merchantability of fitness for a particular purpose. The customers exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be repair or replacement as specified above.

Seller (AIS) shall not be liable under any circumstances for consequential, economic, or incidental damages of any nature, including without limitation, damages for personal injury or damages to property, and however occasioned, whether alleged as resulting from breach of warranty or contract by AIS or negligence of AIS or otherwise.

International warranties may differ.

TERMS AND CONDITIONS	3, 4, 5
LAMINATE AND FABRIC OPTIONS	6, 7
SPECIFYING HINTS	8, 9
COMPETE	
Features Overview	10
Instant Offices	12, 13
Fundamentals - L-shape Workstations	14
Fundamentals - Workstation Components	15
Double Pedestal Desks	16
Single Pedestal Desks	17, 18
Executive Corner Desks	19
Executive P-Top Corner Desks	20
Executive D-Top Corner Desks	21, 22
Returns	23, 24
Returns - Aluminum Legs and Acrylic Panels; Bridges	25
Credenzas - Single Pedestal	26
Credenzas - Double Pedestal	27
Credenzas - Storage & Lateral File	28
Reception Workstations	29
Corner Units	30
Specifying Guide - Using Keyboards, Corner Units & Desk Shell Notches	31
Desk Shells	32, 33, 34
Desk Shells with Inset Back Panel; Desk Shell Notches	35
Extended Corner Desk Shells	36, 37
D-Tops	38
P-Tops	39
Overheads	40, 41, 42
Corner Overheads	43
Overhead Tackboards and Paper Management Options	44
Reception Galleries	45
Extended Corner Reception Galleries	46
Reception Gallery Options	47
Pedestals	48
Lateral Files - Under Desk, Integrated and Stand Alone	49
Lower Storage Units - Under Desk and Freestanding	50
Storage Towers - 24" Wide	51
Storage Towers - 30" and 36" Wide	52
Bookcases	53
Desktop Panels and Connector Tops	54
COMPETE PLUS	
Features Overview	59
Instant Offices	60, 61
Double Pedestal Desks	62
Single Pedestal Desks	63, 64
Executive Corner Desks	65
Executive P-Top Corner Desks	66
Executive D-Top Corner Desks	67, 68
Returns	69, 70
Returns - Aluminum Legs and Acrylic Panels; Bridges	71
Credenzas - Single Pedestal	72
Credenzas - Double Pedestal	73
Credenzas - Storage & Lateral File	74
Reception Workstations	75
Corner Units	76
Specifying Guide - Using Keyboards, Corner Units & Desk Shell Notches	78
Desk Shells	78, 79, 80
Desk Shells with Inset Back Panel; Desk Shell Notches	81
Extended Corner Desk Shells	82, 83
P-Tops	84
D-Tops	85

cont...

COMPETE PLUS (cont.)

Overheads	86, 87, 88
Corner Overheads	89
Overhead Tackboards and Paper Management Options	90
Reception Galleries	91
Extended Corner Reception Galleries	92
Reception Gallery Options	93
Pedestals	94
Lateral Files - Under Desk, Integrated and Stand Alone	95
Lower Storage Units - Under Desk and Freestanding	97
Storage Towers - 24" Wide	97
Storage Towers - 30" Wide and 36" Wide	98
Bookcases	99
Desk Top Panels and Connector Tops	100

ACCESSORIES	101, 102
------------------------------	-----------------

CONFERENCE ROOM

Conference Table & Meeting Table Tops	103
Conference Table Base & Wire Management Trough	104
Conference Table Bases	105
Interface Tabletop Units	106
Tables with Aluminum Legs and Acrylic Panels	107
Conference Room and Miscellaneous Furniture	108

INDEX	114
------------------------	------------

Pricing & Discounts

Pricing is determined by size of order and other criteria. Refer to your Authorized AIS Dealer Pricing Program for complete guidelines.

Pricing & Discounts

- Purchase orders must be received by 12:00 noon EST in order for the following day to be considered start of ship date lead-time.
- The total net amount of order must be clearly indicated on all purchase orders.
- Account must be in good standing and have no past due balance for purchase order to be accepted.
- Only Authorized AIS Dealers may purchase from AIS.
- Special pricing taken on any order must reference AIS Special Pricing Authorization (SPA).
- If there are any discrepancies on purchase order, dealer will be required to "sign off" on final order detail. Signature by dealer constitutes acceptance of new purchase order amount and item details contained therein.

Order Changes & Cancellations

AIS understands that from time to time changes may be required on orders; however, as all AIS products are produced custom for each order, changes and cancellation costs will be assessed based on the following schedule. Review your acknowledgement thoroughly. All dates below are from time of acknowledgement.

- No fee for orders changed or cancelled within one day (24 hours).
- A fee of 50% of the net pretax total of affected product if order is changed or cancelled within two days (48 hours).
- A fee of 100% of the net pretax total of affected product if order is changed or cancelled after two days (48 hours).
- A fee of 100% of the net pretax total of all product on Rush Orders or orders with custom product if changed or cancelled after 24 hours.

Any non-standard worksurface sizes, panels, fabrics, laminates, paint colors, or product modifications are considered custom. **Important:** Changing a product size to another size is considered a "cancellation" of one product for another and falls under the above program.

Order Submission

Orders should be placed electronically through the AIS website using eOrders in DealerNet. Any questions on how to submit and track orders should be directed to your Customer Service Representative.

Orders may also be faxed or emailed to AIS Customer Service.

Fax: 978-567-5187
Email: orderentry@ais-inc.com

Orders can be tracked online at www.ais-inc.com -> Dealer Net -> Orders

Add On Orders

Refer to your AIS Dealer Pricing Program via AIS DealerNet for terms and conditions for add-on orders.

Payment Terms

A signed purchase order is required for all orders, unless waived by an officer of Affordable Interior Systems, Inc. (AIS). First time orders require a 50% deposit, unless waived by an officer of Affordable Interior Systems, Inc. (AIS). With approved credit, all balances are due within 30 days of invoice date.

Rush Orders

For orders requiring less than stated lead-time, AIS will determine feasibility of meeting required lead-time and will assess the following "rush fee" if request can be accommodated.

Credit

Three trade references (including bank and account number) are required. All accounts with balances beyond 30 days of invoice date will be put on credit hold until the balance is paid in full.

Acknowledgements

Every order is acknowledged via e-mail. Dealer must sign the acknowledgement and return to Customer Service within 24 hours. Orders will be manufactured and invoiced based upon the information on the acknowledgement. If there is any discrepancy, please notify AIS immediately. Orders are accepted by AIS per terms on the acknowledgement.

All acknowledgements contain a two day window estimated shipping date.

If you do not want the merchandise earlier than the specified date, please write "Do not ship for arrival before _____" on your purchase order.

Sales Tax

Affordable Interior Systems, Inc. is registered with multiple states. In this case, we are required by law to collect and remit sales tax to the states in which we are registered. Please download and complete the Multi-Jurisdictional Sales Tax Exemption Form from our website for all states which your company has a valid resale tax exemption certificate. Fax a completed form to our Accounting Department at (978) 562-0811.

Multi-Jurisdictional Sales Tax Exemption Forms are available on DealerNet.

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Freight Policy

FOB origin, freight pre-paid. Delivery includes standard Monday through Friday 7am to 5pm deliveries.

Tracking Shipments

You will receive an email confirmation once your order has shipped that includes the following information: carrier, contact information and shipping reference number. AIS strongly encourages you to contact the carrier in order to track your shipments closely for an estimated delivery date.

Guaranteed Deliveries

AIS will gladly accept requests for delivery times and for dropshipments to job sites on full truckload shipments. AIS is not able to guarantee specific delivery times for any less than truckload (LTL) shipments. Please contact AIS Customer Service if you require delivery on a specific day during standard business hours and for a non-rushed shipment. We offer a guaranteed two hour window receipt on full truckload shipments for \$250 for one truckload, or two or more truckloads for \$500 during standard business hours. Your CSR must be notified a week prior to your ship date otherwise additional fees may apply. After-hours, holiday and weekend shipments may be arranged for an additional charge on full truckload shipments. Please contact AIS Customer Service for those rates. Please note that in the case of a missed guaranteed shipment the carrier is only liable for that additional charge, not for labor or other damages.

Call Before Deliveries

You may arrange a delivery with the carrier by noting "Call Before Delivery" on your order, which will typically delay receipt of the product to you by about one day. You cannot add a call before delivery on a truckload shipment if you also have a guaranteed delivery arranged. Please note that call before deliveries are estimates only and should not be used when shipping direct to a jobsite. AIS is not responsible for any damages incurred for any late deliveries, including labor or any other charges resulting from unforeseen delays by any AIS or dealer chosen carrier. AIS strongly urges dealers to take into consideration the risk that carriers typically allow for a 2 day delivery range.

Consolidating Orders

AIS acknowledges orders with a two day ship date range. We are committed to shipping your products within that acknowledged range. Shipments may be combined and consolidated in order to create a full truckload shipment. Shipments may also be hand loaded in order to avoid LTL spillover. Full truckload shipments have less variable transit times as well as significantly less freight damage. Our goal is always to provide you with the best possible delivery service. Transportation efforts are managed as part of an ongoing effort to improve AIS's transportation efficiency thereby saving fuel, reducing emissions, and reducing air pollution associated with AIS's transportation activities.

Please note

Dealer may incur additional carrier Accessorial Fees if not specified and quoted at the time of order for the following, which may include but are not limited to:

- | | |
|----------------------|---|
| -no loading dock | -special truck size (standard is 53" trailer) |
| -redirect of product | -street unloads |
| -refusal of product | -lift gate requirement |
| -storage | -detention charges after 2 hours of unload time for TL and 30 minutes for LTL |

Deductions

Deductions from invoices are not allowed, for any reason, without authorization from AIS.

Delay of Shipment

Acceptance of AIS acknowledgement confirms order ship date. If dealer requests delay of shipment for any period greater than one day from scheduled ship date, storage fees will be assessed. Dealer must submit purchase order for estimated storage costs.

Freight Claims

AIS will file freight claims for loss or damage if policy is followed. In order to make this policy maintainable, certain requirements must be met by the consignee in accordance with freight laws and carrier policies. These requirements are as follows:

All damage or lost freight should be reported to AIS within 72 hours of receipt. In the case of obvious damage, it must be noted in short detail on delivery receipt (i.e. scratched surfaces, dented cartons, missing pieces).

If missing or damaged freight is discovered after receipt is completed, consignee must notify Carrier or AIS within 72 hours and request a corrected delivery receipt acknowledging loss or damage.

A detailed list of missing or damaged pieces is required in order to assess the value of the claim. Upon receipt of this information, AIS will contact the carrier and request an inspection or waiver thereof.

In the case of concealed damage, AIS must be informed within 10 days of receipt of product. All damaged product and packaging must be preserved as received pending an inspection or waiver of inspection by the carrier. All product that has a claim pending against it must be available for carriers to salvage once the claim is paid.

It is highly encouraged that digital photos are taken of any suspected freight damage. Photographic evidence substantiating claims should be provided electronically to AIS.

Any failure to adhere to these policies and procedures will result in claim responsibility shifting from AIS to the consignee.

Force Majeure

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike, or any other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials, or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations or due to any cause beyond its reasonable control. In the event of delay in performance due to any such cause, Seller reserves the right to extend the date of delivery or time for completion by a period of time reasonably necessary to overcome the effect of such delay, to allocate any available supply of goods in a manner it deems reasonable, or to cancel any purchase order.

Liability

Seller, its contractors, authorized dealers and subcontractors or suppliers of any tier shall not be liable in contract, in tort (including negligence and/or strict liability) or otherwise for any special, indirect, incidental or consequential damages whatsoever, including, without limitations, damages or loss of other property or equipment, loss of profits or revenue or loss of use of equipment (including additional expenses incurred in using existing facilities).

The remedies set forth herein are exclusive, and the liability of Seller with respect to any contract or anything done in connection therewith, such as the performance or breach thereof, or from the manufacture, sale, delivery, resale or use of any Product covered by or furnished under the order, whether in contract, in tort (including negligence and/or strict liability) or otherwise shall not exceed the price of the Product or part on which such liability is based.

Local Codes

Seller considers its product to be office furniture and subject to all applicable local fire, electrical and building codes. Since local codes may vary, the purchaser is responsible for the proper application and installation of AIS product in accordance with the requirements of these local codes. Engineering, research and testing have been conducted to have electrical components of AIS products conform to national electrical codes. Only Underwriters Laboratories (UL) tested and approved electrical components are used in electrical devices. See www.UL.com for complete UL listing information. In addition, all panels and components used by AIS have been UL approved. Seller shall not be responsible for any damages or expenses resulting from Purchaser's specifications not conforming to the requirements of the law or local building codes, unless it specifically agrees in writing to do so. Since Seller has no control over the use to which others may put its Products, each user or specifier should determine the Products' suitability for the particular application.

Limited Lifetime Warranty

This warranty is given to the initial purchaser and is valid for as long as the product is owned by the original Buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to AIS within the applicable warranty period, AIS (at its option) will either repair or replace the defective product with a comparable component or product.

This warranty does not apply to "normal wear and tear", damage caused by carrier, damage caused by transport of product from one site or location to another, alterations to the product not expressly authorized by Seller, and products considered to be of a consumable nature such as bulbs and light ballast. It also does not apply to "customer's own material" (i.e. material specified by Buyer that is not a standard AIS product offering) used in the manufacture of AIS products. A product will not be considered defective, and Seller will not be obligated to replace it, if the product is not installed properly or is used in a "non-standard" fashion as prescribed by AIS. It is at the sole discretion of AIS to make a determination if a defect is due to improper product installation.

This warranty is presented in lieu of all other warranties, express or implied, including, but not limited to, any implied warranties of merchantability of fitness for a particular purpose. The customers exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be repair or replacement as specified above.

Seller (AIS) shall not be liable under any circumstances for consequential, economic, or incidental damages of any nature, including without limitation, damages for personal injury or damages to property, and however occasioned, whether alleged as resulting from breach of warranty or contract by AIS or negligence of AIS or otherwise.

International warranties may differ.

AIS Supported Specification Software

AIS provides (at no cost) symbols and data libraries for the following applications. Only Authorized AIS Dealers may purchase AIS products. AIS supported software libraries are:

20-20 GIZA

20-20 CAP

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Laminate Options

Color Code

Absolute Acajou	AA
Aimtoo Savatre	AS
Black	BK
Cabinet Almond	CA
Corporate Walnut	CT
Dark Cherry Run	DR
Grand Cherry	GC
Leave Likatre	LV
Looks Likatre	LK
Midwest Maple	MM
Natural Oak	NO
Nightfall	NK
Select Walnut	
Storm	ST
Summer Drops	SD
True White	TW
Trytoo Savatre	TS

Tackboard Fabrics by AIS

Style No. Grade

Avenue Dusk	2062	A
Avenue Park Place	2064	A
Cape Cod Chatham	2711	A
Cape Cod Falmouth	2712	A
Cape Cod Harwich	2713	A
Cape Cod Hyannis	2714	A
Cape Cod Martha's Vineyard	2715	A
Cape Cod Nantucket	2716	A
Cape Cod Provincetown	2717	A
Engage Denim	2066	A
Engage Neutral	2065	A
Engage Rain Cloud	2067	A
Engage Toffee	2068	A
New England Boston	2700	A
New England Cambridge	2701	A
New England Concord	2702	A
New England Dixville Notch	2703	A
New England Hartford	2704	A
New England Lexington	2705	A
New England Newton	2706	A
New England Providence	2707	A
New England Rockport	2708	A
New England Salem	2709	A
New England York	2710	A
Rainfall Bliss	2059	A
Rainfall Shore	2060	A
Rainfall Sundown	2057	A
Rainfall Twilight	2058	A
Simplicity Blue Smooth	2001	A
Simplicity Chamoise	2002	A
Simplicity Grey Blue	2004	A
Simplicity Sandy Pebble	2005	A
Simplicity Stone	2530	A
Simplicity Twizzle Tan	2008	A
Stream Light Sand	2501	A

Tackboard Fabrics by Guilford of
Maine

Style No. Grade

Anchorage	2335	B
Bailey	2299	B
Bix	3008	B
Broadcast	2758	B
Coastline	3495	B
Drift	2539	B
FR701	2100	B
Lido	2858	B
Mingle	2527	B
Open House	2334	B
Reeds	3078	B
Spinel	3582	B
Sprite	2671	B
Streetwise	2721	B
Tweed	2737	B
Auster	2537	C
Belgrade	4052	C
Birdseye	2748	C
Block Party	2538	C
Crosstown	2526	C
Groove	3497	C
Hopscotch	2823	C
Lily Pad	2318	C
Network	4158	C
Nitro	2317	C
Phone Tag	2314	C
Regatta	2400	C
Tempest	2120	C
Zirconia	3583	C
Cosmos	2655	D

Fabrics may be discontinued or obsolete without notice. Contact AIS Customer Service with any questions regarding fabric availability.

COM Fabric Policy

It is mandatory that a COM Fabric Dealer Form be completed and submitted to your AIS Customer Service representative. All COM fabrics must be tested and approved by AIS before an order can be processed by Customer Service.

- A three to five yard sample is required for testing and approval for use on all monolithic panel systems.
- A one yard sample is required for testing and approval on Divi Insert Tiles and Matrix Tiles.
- A one yard sample is required for testing and approval for use on all AIS flipper doors and tackboards.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Representative.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed from the AIS website.


Keyed-Alike:

- Workstations can be ordered Keyed-Alike; Available at no charge at time of order only.
- Entire order must be Keyed-Alike. If some furniture needs to be Keyed-Random place as separate order.
- Order as "KAK"; specify total number of locks required and list quantity of each key number
- Key numbers range from #226 to #275.
- Refer to attached chart for multi-lock products; all other products have one lock.
- Example: Order 18 KAK and in the description specify: (2 each of #226-229; 3 each of #230, 231; 4 of #232)

When specifying 'Keyed-Alike', please note that the following products have *more* than one lock:

PRODUCT DESCRIPTION	PRODUCT CODE	LOCK QTY
Credenza - Double Lateral File	CFF	2
Credenza - Double Pedestal	CDP	2
Credenza - Double Pedestal and Center Storage	CZ	3
Credenza - Double Storage	CSS	2
Credenza - Lateral File & Storage	CFS	2
Credenza - Storage & Lateral File	CSF	2
Desk - Bowfront Double Pedestal	BDP	2
Desk - Double Pedestal	DP	2
Lateral File - 3 Drawer	SLF3	2
Lateral File - 4 Drawer	SLF4	2
Overhead - with Lock Option (48" - 78" wide) - with 3 or 4 Doors	OD/L	2
Overhead - Wall-Mount - with Lock Option (48" - 78" wide)	WMOD/L	2
Storage and File Cabinet	BSCTL/BSCL	2
Storage Tower with Lateral File - with upper storage lock option	FS/L	2

EDGE DETAIL




1" Thick


COMPETE

- 1" thick worksurfaces and tops
- 2.5 mm flat edgebanding


Flat edge



1 1/2" Thick



1 1/2" Thick



1 1/2" Thick

Flat edge

Profiled edge

COMPETE PLUS

- 1 1/2" thick worksurfaces and tops
- 2.5 mm flat or profiled edgebanding
- Choice of 3 edge details: -F, -P3, -P4
- Profiled edge detail is standard on ALL sides of worksurfaces and tops

HANDLES

Code



/WHB 3.75" Waterfall Handle Black*



/OPB 3.75" Open Pull Black



/OPN Open 3.75" Pull Nickel



/BPA 3.75" Rail Pull Aluminum

um

/RPA 3.75" Rod Pull Aluminum



/ABP 5" Bar Pull Aluminum



/ALP 5" Loop Pull

COMPETE

- A black integral pull is standard on all drawers and doors
- Optional silver integral pull available
- 7 optional surface-mounted handles available
- To order add handle code to product code and \$16 per handle to list price.

COMPETE PLUS

- Surface-mounted handles are standard where shown
- 7 handle choices available: add handle code to product code
- * **NOTE:** Waterfall Handle Black will be provided as the standard default handle when one is not specified.

Compete

Compete Plus

Accessories

Conference Tables

Tables - Aluminum Legs

Conference Room

SPECIFYING INSTRUCTIONS

COMPETE Example: Double Pedestal Credenza with optional handles

CDP 7220A-H/OPB (MW/MW)

1st - Product Code.....CDP 7220A-H

2nd - Handle Option (if applicable)..../OPB

3rd - Laminate Finish (Case/Top)....(MW/MW: Midwest Maple Case/Midwest Maple Top)

COMPETE PLUS Example: Double Pedestal Credenza

CDP 7220A-P3/OPB (BK/MV)

1st - Product Code.....CDP 7220A

2nd - Edge Code.....-P3

3rd - Handle Code...../OPB

4th - Laminate Finish (Case/Top)....(BK/MV: Black Case/Mahogany Clove Top)

GROMMETS (Cable Management)

- Grommets are indicated on all product illustrations when standard.
- 2¾" diameter opening
- For non-standard locations, field-installed grommet kits are available (see Accessories).
- A no-grommet option is available at no charge for desk shells, extended corner desk shells and corner units.

LOCKS

- Locks are standard on all pedestals, credenzas and lateral files.
- Locks are optional on all overheads and storage, except where noted.
- Workstations are available 'Keyed-Alike' at time of order.
- Locks are pre-installed and 'Keyed-Random' in all workstation components (all multi-lock units are 'Keyed-Alike').

PARTIAL HEIGHT BACK PANELS

- Full height back panels are standard.
- Partial height back panels are available as a no-charge option on desk shells, extended corner desk shells and corner units.
- Pedestal returns are available with an optional open back at no-charge.

SIZES

- Published width and depth dimensions are nominal.
- To determine actual sizes use the multiplier 0.9843... (Example: A desk listed with a nominal width of 60" is actually 60" x 0.9843 = 59 1/16").
- Refer to conversion chart below:

Nominal	Actual	Nominal	Actual	Nominal	Actual
24"	23 5/8"	54"	53 1/8"	84"	82 11/16"
30"	29 1/2"	60"	59 1/16"	90"	88 9/16"
36"	35 7/16"	66"	64 15/16"	96"	94 1/2"
42"	41 5/16"	72"	70 7/8"	102"	100 3/8"
48"	47 1/4"	78"	76 3/4"	108"	106 1/4"

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

The Compete furniture offering consists of an extensive portfolio of products designed to address today's workplace needs. Freestanding, modular components come together to provide intelligent solutions that support and enhance the work environment.

Features Overview


- All worksurfaces, tops and end panels are 1" thick
- Freestanding independent components provide maximum flexibility
- Most product is shipped pre-assembled. Products that are ready-to-configure have most fitting pre-attached for quick installation
- Edge banding is 2.5mm thick and always matches laminate finish
- Woodgrain direction on doors and drawer fronts is vertical and grain-matched except where noted
- Integral pulls are standard on drawers and doors
- 7 surface-mounted handle options available
- 9 laminate color choices, 30 tackboard fabric choices
- Compete Fundamentals provide standard L and U-shape workstations designed for maximum flexibility and cost effectiveness
- Pedestals accommodate both letter and legal filing

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room


Compete

Example 1
Part Number
BDP7242BH
CDP7224BH

Part Description

72x42 Double Pedestal Bow-Front Desk, 2 B/B/F Lock
72x24, Double pedestal Credenza, 2 B/B/F Locking

List

\$3,836.00
\$3,176.00


Total: \$7,012.00
Compete Plus

Example 2
Part Number
CDP7224AH
DP7236AH

Part Description

72x24, Double pedestal Credenza, 2 B/F Locking
72x36 Double Pedestal Desk, 2 BF Locking

List

\$2,600.00
\$2,657.00


Total: \$5,257.00
Accessories

Example 3
Part Number
CDP7224AH
DP7236AH
OD7236H
TK7236

Part Description

72x24, Double pedestal Credenza, 2 B/F Locking
72x36 Double Pedestal Desk, 2 BF Locking
72" Closed Overhead, hinged doors
72" w Tackboard for 36" high Overhead

List

\$2,600.00
\$2,657.00
\$2,143.00
\$679.00


Total: \$8,079.00
**Conference
Tables**

Example 4
Part Number
BR4820H
CPL7220AH
OD7236H
SPR7236AH
TK7236

Part Description

48" w x 20" d Bridge
72x20 Single Pedestal Credenza Ped Left, BF Locking
72" Closed Overhead, hinged doors
72x36 Single Pedestal Desk, Ped Right, BF Locking
72" w Tackboard for 36" high Overhead

List

\$780.00
\$1,900.00
\$2,143.00
\$2,286.00
\$679.00

Total: \$7,788.00
**Tables -
Aluminum Legs**
**Conference
Room**

Example 5
Part Number
BR3624H
CDRB7224HCV
F2BFH
OD7236H
PLM7236H
SW242465RH
TK7236


Part Description

36" w x 24" d Bridge
72x36 Ext'd cm Dsk Curved cm RH, 24-24, 1 Cutaway End
Freestanding Pedestal, box/box/file Locking
72" Closed Overhead, hinged doors
72" w x 36" d Freestanding P-Top, w/ Modesty, Left
24" w x 24" d x 65" h Storage/Wardrobe Tower, hinge Right
72" w Tackboard for 36" high Overhead

List

\$679.00
\$1,984.00
\$1,417.00
\$2,143.00
\$1,930.00
\$2,174.00
\$679.00

Total: \$11,006.00

**Example 6****Part Number**


CDLB6624H
OD6636H
RR3624AH
TK6636

Part Description

66x36 Ext'd crn Dsk Straight crn LH 24-24, 1 Cutaway End
66" Closed Overhead, hinged doors
36x24 Pedestal Return, Right, BF Locking
66"w Tackboard for 36" high Overheads

List

\$1,841.00
\$2,042.00
\$1,553.00
\$622.00

Total: \$6,058.00**Example 7****Part Number**


BR3620H
CDLB7220H
F2BFH
OD7236H
PRM7242H
TK7236

Part Description

36"w x 20"d Bridge
72x36 Ext'd crn Dsk Straight crn LH 20-20, 1 Cutaway End
Freestanding Pedestal, box/box/file Locking
72" Closed Overhead, hinged doors
72"w x 42"d Freestanding P-Top, w/ Modesty, Right
72"w Tackboard for 36" high Overhead

List

\$622.00
\$1,984.00
\$1,417.00
\$2,143.00
\$1,965.00
\$679.00

Total: \$8,810.00**Example 8****Part Number**


BR4824H
CPL7224AH
DF7230H
OD7236H
SW362465H
TK7236

Part Description

48"w x 24"d Bridge
72x24 Single Pedestal Credenza Ped Left, BF Locking
72"w x 30"d Freestanding D-Top
72" Closed Overhead, hinged doors
36"w x 24"d x 65"h, Storage + Wardrobe
72"w Tackboard for 36" high Overheads

List

\$935.00
\$2,069.00
\$1,463.00
\$2,143.00
\$2,904.00
\$679.00

Total: \$10,193.00**Example 9****Part Number**


GDBR7236AH
GRL4224H
TKG72

Part Description

72x36 Reception Bow-Front Desk, Ped Right, B/F Locking
42x24 Reception Return, Left
72" Gallery Tackboard

List

\$2,948.00
\$992.00
\$679.00

Total: \$4,619.00**Example 10****Part Number**

CC361818H
DB3624HNH
DB3624HNR
HBFH
HBFH
OSG36H
OSG36H
OSGC36H

Part Description

36"w x 18"d x 18"d Corner Units Straight Corner
36"w x 24"d Desk Shells Straight Notch Left
36"w x 24"d Desk Shells Straight Notch Right
Suspended Pedestal, box/file Locking
Suspended Pedestal, box/file Locking
36"w x 12"d x 15"h Reception Gallery
36"w x 12"d x 15"h Reception Gallery
36" x 36" Corner Reception Gallery

List

\$1,352.00
\$1,299.00
\$1,299.00
\$1,080.00
\$1,080.00
\$802.00
\$802.00
\$1,463.00

Total: \$9,177.00


NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete Fundamentals - L-shape Workstations
Features:

- L-shape workstation can be configured with overhead & pedestal on left or right
- Locking pedestal standard; Heavy duty full extension ball bearing drawer slides
- 24" deep worksurface with one grommet
- Full-depth end panels standard
- Recessed end panel option recommended when adding a D-Top (see below)
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code
- Optional surface-mounted handles available
- ¾ height left back panel provides 8" clearance above floor; optional full-height back available (see below)
- Optional fabric covered tackboard insert available
- Additional overhead storage options available
- Workstation shipped ready-to-assemble


Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**

	Product Code	List Price	Dimensions			Wt lbs	Cube ft³
			W	D	H		

L-SHAPE WORKSTATION



- Right back panel available full height only
- For keyboard options see Accessories

box/file pedestal	MD6060A-H	2307	60	60	29	200	12
	MD6666A-H	2377	66	66	29	210	13
	MD7272A-H	2688	72	72	29	220	14
box/box/file pedestal	MD6060B-H	2592	60	60	29	230	13
	MD6666B-H	2653	66	66	29	240	14
	MD7272B-H	2968	72	72	29	250	15
file/file pedestal	MD6060C-H	2592	60	60	29	230	13
	MD6666C-H	2653	66	66	29	240	14
	MD7272C-H	2968	72	72	29	250	15

OPTIONS
FULL-HEIGHT LEFT BACK PANEL


- Add suffix (/FM) to workstation code

/FM	115	-	-	27	+5	-
-----	-----	---	---	----	----	---

NO-PEDESTAL OPTION



- Add suffix (/NP) to workstation code

/NP	-222	-	-	-	-55	-4
-----	------	---	---	---	-----	----

RECESSED END PANEL - LEFT


- Replaces 24" left end panel
- 13" deep
- Add suffix (/CGL) to product code

/CGL	n/c	-	-	-	-	-
------	-----	---	---	---	---	---

RECESSED END PANEL - RIGHT






- Replaces 24" right end panel
- 13" deep
- Add suffix (/CGR) to product code

/CGR	n/c	-	-	-	-	-
------	-----	---	---	---	---	---

Compete Fundamentals - Workstation Components

Features:

- D-Top and overhead shipped ready-to-assemble
- 3" diameter black post leg standard on D-top. For optional silver finish, add suffix (/SL) to product code
- Additional D-Top and P-Top options available for workstations.
- Pre-assembled overheads for workstation also available.
- * All directional fabric will be railroaded.

		Product Code	List Price	Dimensions			Wt	Cube
				W	D	H	lbs	ft³
D-TOP 	- Metal gusset attaches top to end panel	FDT 6624-H	885	66	24	29	100	3
	- Used to convert L-shape to U-shape workstation	FDT 7224-H	1051	72	24	29	110	4
	- Recessed end panel option	FDT 6630-H	1140	66	30	29	110	4
	- Recommended for workstation when adding a D-Top	FDT 7230-H	1359	72	30	29	120	5
OPEN OVERHEAD STORAGE 	- Pass-thru opening between storage compartments & worksurface	FOS 3636-H	835	36	14	36	65	4
	- Optional fabric covered tackboard insert available	FOS 6036-H	972	60	14	36	80	6
	- Clearance above desktop is 19½"	FOS 6636-H	1112	66	14	36	95	7
	- Installed height is 65"	FOS 7236-H	1253	72	14	36	110	8
	- Overheads 60" or wider have center divider							
CLOSED OVERHEAD STORAGE 	- Pass-thru opening between storage compartments & worksurface	FOC 3636-H	1112	36	14	36	75	4
	- Optional fabric covered tackboard insert available	FOC 6036-H	1472	60	14	36	95	6
	- Clearance above desktop is 19½"	FOC 6636-H	1621	66	14	36	110	7
	- Installed height is 65"	FOC 7236-H	1794	72	14	36	130	8
	- Overheads 60" or wider have center divider and 2 doors							
TACKBOARD INSERT 	- Fabric wrapped and tackable one side	TBI 36	434	36	1.25	20	20	1
	- Specify color from fabric options	TBI 60	566	60	1.25	20	30	1
	- Tackboard insert clips easily into place	TBI 66	626	66	1.25	20	33	1
	- and fills pass-thru opening	TBI 72	666	72	1.25	20	36	1

Compete

Compete Plus

Accessories

Conference
Tables

Tables -
Aluminum Legs

Conference
Room

Standard & Bow Front Double Pedestal Desks
Features:

- 1" thick worksurface
- Full-height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" desks and 14¾" for 42" desks)
- Bow Front desktop extends 6" on visitor side
- Desk standard without grommets. See Accessories for field-installed grommet option
- Locking pedestals standard and keyed-alike; full-depth drawers maximize storage capacity
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available
- 84" desks have center support panel
- Shipped assembled


Compete
Compete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room

		Product Code	List Price	Dimensions			Wt lbs	Cube ft³
				W	D	H		
	DOUBLE PEDESTAL DESK - Pedestal Option A - 2 box/file pedestals	DP 6030A-H	2386	60	30	29	245	32
		DP 6630A-H	2516	66	30	29	255	35
		DP 7230A-H	2574	72	30	29	265	38
		DP 7236A-H	2657	72	36	29	275	45
		DP 8436A-H	2848	84	36	29	285	53
	DOUBLE PEDESTAL DESK - Pedestal Option B - 2 box/box/file pedestals - Upper box non-locking	DP 6030B-H	2961	60	30	29	305	32
		DP 6630B-H	3087	66	30	29	315	35
		DP 7230B-H	3146	72	30	29	325	38
		DP 7236B-H	3233	72	36	29	335	45
		DP 8436B-H	3408	84	36	29	345	53
	DOUBLE PEDESTAL DESK - Pedestal Option C - 2 file/file pedestals	DP 6030C-H	2961	60	30	29	305	32
		DP 6630C-H	3087	66	30	29	315	35
		DP 7230C-H	3146	72	30	29	325	38
		DP 7236C-H	3233	72	36	29	335	45
		DP 8436C-H	3408	84	36	29	345	53
	DOUBLE PEDESTAL DESK - Pedestal Option F - 1 box/box/file pedestal - left - 1 file/file pedestal - right - Upper box non-locking	DP 6030F-H	2961	60	30	29	305	32
		DP 6630F-H	3087	66	30	29	315	35
		DP 7230F-H	3146	72	30	29	325	38
		DP 7236F-H	3233	72	36	29	335	45
		DP 8436F-H	3408	84	36	29	345	53
	DOUBLE PEDESTAL DESK - Pedestal Option G - 1 file/file pedestal - left - 1 box/box/file pedestal - right - Upper box non-locking	DP 6030G-H	2961	60	30	29	305	32
		DP 6630G-H	3087	66	30	29	315	35
		DP 7230G-H	3146	72	30	29	325	38
		DP 7236G-H	3233	72	36	29	335	45
		DP 8436G-H	3408	84	36	29	345	53
	DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option A - 2 box/file pedestals	BDP 6636A-H	3250	66	36	29	260	42
		BDP 7242A-H	3262	72	42	29	280	53
		BDP 8442A-H	3507	84	42	29	290	62
	DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option B - 2 box/box/file pedestals - Upper box non-locking	BDP 6636B-H	3808	66	36	29	320	42
		BDP 7242B-H	3836	72	42	29	340	53
		BDP 8442B-H	4066	84	42	29	350	62
	DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option C - 2 file/file pedestals	BDP 6636C-H	3808	66	36	29	320	42
		BDP 7242C-H	3836	72	42	29	340	53
		BDP 8442C-H	4066	84	42	29	350	62
	DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option F - 1 box/box/file pedestal - left - 1 file/file pedestal - right - Upper box non-locking	BDP 6636F-H	3808	66	36	29	320	42
		BDP 7242F-H	3836	72	42	29	340	53
		BDP 8442F-H	4066	84	42	29	350	62
	DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option G - 1 file/file pedestal - left - 1 box/box/file pedestal - right - Upper box non-locking	BDP 6636G-H	3808	66	36	29	320	42
		BDP 7242G-H	3836	72	42	29	340	53
		BDP 8442G-H	4066	84	42	29	350	62

Standard & Bow Front Single Pedestal Desks - Left

Features:

- 1" thick worksurface
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" and 14¾" for 42" desks)
- Bow Front desktop extends 6" on visitor side.
- Desk standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestal standard; full-depth drawers maximize storage capacity
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available
- 84" desks have center support panel
- Shipped assembled

		Product Code	List Price	Dimensions			Wt	Cube
				W	D	H	lbs	ft³
SINGLE PEDESTAL DESK - LEFT - Pedestal Option A								
	- Box/file pedestal	SPL 4830A-H	1783	48	30	29	170	26
		SPL 5430A-H	1920	54	30	29	180	29
		SPL 6030A-H	1945	60	30	29	190	32
		SPL 6630A-H	2069	66	30	29	200	35
		SPL 7230A-H	2187	72	30	29	210	38
		SPL 7236A-H	2286	72	36	29	220	45
		SPL 8436A-H	2486	84	36	29	230	53
SINGLE PEDESTAL DESK - LEFT - Pedestal Option B								
	- Box/box/file pedestal - Upper box non-locking	SPL 4830B-H	2069	48	30	29	200	26
		SPL 5430B-H	2200	54	30	29	210	29
		SPL 6030B-H	2227	60	30	29	220	32
		SPL 6630B-H	2359	66	30	29	230	35
		SPL 7230B-H	2474	72	30	29	240	38
		SPL 7236B-H	2574	72	36	29	250	45
		SPL 8436B-H	2767	84	36	29	260	53
SINGLE PEDESTAL DESK - LEFT - Pedestal Option C								
	- File/file pedestal	SPL 4830C-H	2069	48	30	29	200	26
		SPL 5430C-H	2200	54	30	29	210	29
		SPL 6030C-H	2227	60	30	29	220	32
		SPL 6630C-H	2359	66	30	29	230	35
		SPL 7230C-H	2474	72	30	29	240	38
		SPL 7236C-H	2574	72	36	29	250	45
		SPL 8436C-H	2767	84	36	29	260	53
SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option A								
	- Box/file pedestal	BSPL 6636A-H	2671	66	36	29	205	42
		BSPL 7242A-H	2743	72	42	29	225	53
		BSPL 8442A-H	2946	84	42	29	235	62
SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option B								
	- Box/box/file pedestal - Upper box non-locking	BSPL 6636B-H	2946	66	36	29	235	42
		BSPL 7242B-H	3031	72	42	29	255	53
		BSPL 8442B-H	3227	84	42	29	265	62
SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option C								
	- File/file pedestal	BSPL 6636C-H	2946	66	36	29	235	42
		BSPL 7242C-H	3031	72	42	29	255	53
		BSPL 8442C-H	3227	84	42	29	265	62
CUTAWAY END PANEL - RIGHT								
	- Replaces 30" or 36" right end panel	/CGR	n/c	-	-	-	-	-
	- Add suffix (/CGR) to product code							
	- Not available for Bow Front Desk							

Complete

Complete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Standard & Bow Front Single Pedestal Desks - Right
Features:

- 1" thick worksurface
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" and 14¾" for 42" desks)
- Bow Front desktop extends 6" on visitor side.
- Desk standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestal standard; full-depth drawers maximize storage capacity.
- Heavy duty full extension ball bearing drawer slides.
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- 84" desks have center support panel.
- Shipped assembled

Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**
SINGLE PEDESTAL DESK - RIGHT - Pedestal Option A


- Box/file pedestal

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³
SPR 4830A-H	1783	48	30	29	170	26
SPR 5430A-H	1920	54	30	29	180	29
SPR 6030A-H	1945	60	30	29	190	32
SPR 6630A-H	2069	66	30	29	200	35
SPR 7230A-H	2187	72	30	29	210	38
SPR 7236A-H	2286	72	36	29	220	45
SPR 8436A-H	2486	84	36	29	230	53

SINGLE PEDESTAL DESK - RIGHT - Pedestal Option B

 - Box/box/file pedestal
- Upper box non-locking

SPR 4830B-H	2069	48	30	29	200	26
SPR 5430B-H	2200	54	30	29	210	29
SPR 6030B-H	2227	60	30	29	220	32
SPR 6630B-H	2359	66	30	29	230	35
SPR 7230B-H	2474	72	30	29	240	38
SPR 7236B-H	2574	72	36	29	250	45
SPR 8436B-H	2767	84	36	29	260	53

SINGLE PEDESTAL DESK - RIGHT - Pedestal Option C


- File/file pedestal

SPR 4830C-H	2069	48	30	29	200	26
SPR 5430C-H	2200	54	30	29	210	29
SPR 6030C-H	2227	60	30	29	220	32
SPR 6630C-H	2359	66	30	29	230	35
SPR 7230C-H	2474	72	30	29	240	38
SPR 7236C-H	2574	72	36	29	250	45
SPR 8436C-H	2767	84	36	29	260	53

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option A


- Box/file pedestal

BSPR 6636A-H	2671	66	36	29	205	42
BSPR 7242A-H	2743	72	42	29	225	53
BSPR 8442A-H	2946	84	42	29	235	62

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option B

 - Box/box/file pedestal
- Upper box non-locking

BSPR 6636B-H	2728	66	36	29	235	42
BSPR 7242B-H	2806	72	42	29	255	53
BSPR 8442B-H	2988	84	42	29	265	62

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option C


- File/file pedestal

BSPR 6636C-H	2946	66	36	29	235	42
BSPR 7242C-H	3031	72	42	29	255	53
BSPR 8442C-H	3227	84	42	29	265	62

CUTAWAY END PANEL - LEFT

 - Replaces 30" or 36" left end panel
- Add suffix (/CGL) to product code
- Not available for Bow Front Desk

/CGL

n/c





- - - - -

Executive Corner Desks

Features:

- 1" thick worksurface
- Bow Front desktop extends 6" on visitor side.
- Full height back panel, inset 14 1/4"

* Optional pedestals not recommended for 6630 desks.

	Product Code	List Price	Dimensions				Wt lbs	Cube ft ³
			W ₁	W ₂	D	H		
EXTENDED LEFT - STRAIGHT CUTAWAY 	ECDS 6620L-H	2403	66	20	48	29	165	9
	ECDS 6624L-H	2403	66	24	48	29	165	9
	ECDS 6630L-H*	2403	66	30	48	29	165	9
	ECDS 7220L-H	2486	72	20	48	29	175	9
	ECDS 7224L-H	2486	72	24	48	29	175	9
	ECDS 7230L-H	2486	72	30	48	29	175	9
	ECDS 7820L-H	2560	78	20	48	29	186	10
	ECDS 7824L-H	2560	78	24	48	29	186	10
	ECDS 7830L-H	2560	78	30	48	29	186	10
EXTENDED RIGHT - STRAIGHT CUTAWAY 	ECDS 6620R-H	2403	66	20	48	29	165	9
	ECDS 6624R-H	2403	66	24	48	29	165	9
	ECDS 6630R-H*	2403	66	30	48	29	165	9
	ECDS 7220R-H	2486	72	20	48	29	175	9
	ECDS 7224R-H	2486	72	24	48	29	175	9
	ECDS 7230R-H	2486	72	30	48	29	175	9
	ECDS 7820R-H	2560	78	20	48	29	186	10
	ECDS 7824R-H	2560	78	24	48	29	186	10
	ECDS 7830R-H	2560	78	30	48	29	186	10
EXTENDED LEFT - CURVED CUTAWAY 	ECDC 6620L-H	2403	66	20	48	29	165	9
	ECDC 6624L-H	2403	66	24	48	29	165	9
	ECDC 6630L-H*	2403	66	30	48	29	165	9
	ECDC 7220L-H	2486	72	20	48	29	175	9
	ECDC 7224L-H	2486	72	24	48	29	175	9
	ECDC 7230L-H	2486	72	30	48	29	175	9
	ECDC 7820L-H	2560	78	20	48	29	186	10
	ECDC 7824L-H	2560	78	24	48	29	186	10
	ECDC 7830L-H	2560	78	30	48	29	186	10
EXTENDED RIGHT - CURVED CUTAWAY 	ECDC 6620R-H	2403	66	20	48	29	165	9
	ECDC 6624R-H	2403	66	24	48	29	165	9
	ECDC 6630R-H*	2403	66	30	48	29	165	9
	ECDC 7220R-H	2486	72	20	48	29	175	9
	ECDC 7224R-H	2486	72	24	48	29	175	9
	ECDC 7230R-H	2486	72	30	48	29	175	9
	ECDC 7820R-H	2560	78	20	48	29	186	10
	ECDC 7824R-H	2560	78	24	48	29	186	10
	ECDC 7830R-H	2560	78	30	48	29	186	10

Compete

Compete Plus

Accessories


Conference
TablesTables -
Aluminum LegsConference
Room

Executive P-Top Corner Desks
Features:


- 1" thick worksurface
- Modesty panel 14" high
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.

Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**


Product Code	List Price	Dimensions				Wt lbs	Cube ft³
		W ₁	W ₂	D	H		

P-TOP LEFT - STRAIGHT CUTAWAY



PTCS 6620L-H	2675	66	20	48	29	123	8
PTCS 6624L-H	2675	66	24	48	29	123	8
PTCS 6630L-H	2675	66	30	48	29	123	8
PTCS 7220L-H	2752	72	20	48	29	130	8
PTCS 7224L-H	2752	72	24	48	29	130	8
PTCS 7230L-H	2752	72	30	48	29	130	8
PTCS 7820L-H	2829	78	20	48	29	138	9
PTCS 7824L-H	2829	78	24	48	29	138	9
PTCS 7830L-H	2829	78	30	48	29	138	9

P-TOP RIGHT - STRAIGHT CUTAWAY



PTCS 6620R-H	2675	66	20	48	29	123	8
PTCS 6624R-H	2675	66	24	48	29	123	8
PTCS 6630R-H	2675	66	30	48	29	123	8
PTCS 7220R-H	2752	72	20	48	29	130	8
PTCS 7224R-H	2752	72	24	48	29	130	8
PTCS 7230R-H	2752	72	30	48	29	130	8
PTCS 7820R-H	2829	78	20	48	29	138	9
PTCS 7824R-H	2829	78	24	48	29	138	9
PTCS 7830R-H	2829	78	30	48	29	138	9

P-TOP LEFT - CURVED CUTAWAY


PTCC 6620L-H	2675	66	20	48	29	123	8
PTCC 6624L-H	2675	66	24	48	29	123	8
PTCC 6630L-H	2675	66	30	48	29	123	8
PTCC 7220L-H	2752	72	20	48	29	130	8
PTCC 7224L-H	2752	72	24	48	29	130	8
PTCC 7230L-H	2752	72	30	48	29	130	8
PTCC 7820L-H	2829	78	20	48	29	138	9
PTCC 7824L-H	2829	78	24	48	29	138	9
PTCC 7830L-H	2829	78	30	48	29	138	9

P-TOP RIGHT - CURVED CUTAWAY


PTCC 6620R-H	2675	66	20	48	29	123	8
PTCC 6624R-H	2675	66	24	48	29	123	8
PTCC 6630R-H	2675	66	30	48	29	123	8
PTCC 7220R-H	2752	72	20	48	29	130	8
PTCC 7224R-H	2752	72	24	48	29	130	8
PTCC 7230R-H	2752	72	30	48	29	130	8
PTCC 7820R-H	2829	78	20	48	29	138	9
PTCC 7824R-H	2829	78	24	48	29	138	9
PTCC 7830R-H	2829	78	30	48	29	138	9

OPTIONS
FULL HEIGHT MODESTY PANEL


Add suffix (/FMP) to product code

/FMP

115

-

5/8 28

-

-

Executive D-Top Corner Desks - 24"

Features:

- 1" thick worksurface
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Modesty panel 14" high



Complete

Complete Plus

Accessories


Conference
TablesTables -
Aluminum LegsConference
Room

D-TOP LEFT - STRAIGHT CUTAWAY




Product Code	List Price	Dimensions				Wt	Cube
		W ₁	W ₂	D	H	lbs	ft ³
DTCS 662420L-H	2403	66	20	42	29	123	8
DTCS 662424L-H	2403	66	24	42	29	123	8
DTCS 662430L-H	2403	66	30	42	29	123	8
DTCS 722420L-H	2486	72	20	42	29	130	8
DTCS 722424L-H	2486	72	24	42	29	130	8
DTCS 722430L-H	2486	72	30	42	29	130	8
DTCS 782420L-H	2560	78	20	42	29	138	9
DTCS 782424L-H	2560	78	24	42	29	138	9
DTCS 782430L-H	2560	78	30	42	29	138	9

D-TOP RIGHT - STRAIGHT CUTAWAY




DTCS 662420R-H	2403	66	20	42	29	123	8
DTCS 662424R-H	2403	66	24	42	29	123	8
DTCS 662430R-H	2403	66	30	42	29	123	8
DTCS 722420R-H	2486	72	20	42	29	130	8
DTCS 722424R-H	2486	72	24	42	29	130	8
DTCS 722430R-H	2486	72	30	42	29	130	8
DTCS 782420R-H	2560	78	20	42	29	138	9
DTCS 782424R-H	2560	78	24	42	29	138	9
DTCS 782430R-H	2560	78	30	42	29	138	9

D-TOP LEFT - CURVED CUTAWAY



DTCC 662420L-H	2403	66	20	42	29	123	8
DTCC 662424L-H	2403	66	24	42	29	123	8
DTCC 662430L-H	2403	66	30	42	29	123	8
DTCC 722420L-H	2486	72	20	42	29	130	8
DTCC 722424L-H	2486	72	24	42	29	130	8
DTCC 722430L-H	2486	72	30	42	29	130	8
DTCC 782420L-H	2560	78	20	42	29	138	9
DTCC 782424L-H	2560	78	24	42	29	138	9
DTCC 782430L-H	2560	78	30	42	29	138	9


D-TOP RIGHT - CURVED CUTAWAY



DTCC 662420R-H	2403	66	20	42	29	123	8
DTCC 662424R-H	2403	66	24	42	29	123	8
DTCC 662430R-H	2403	66	30	42	29	123	8
DTCC 722420R-H	2486	72	20	42	29	130	8
DTCC 722424R-H	2486	72	24	42	29	130	8
DTCC 722430R-H	2486	72	30	42	29	130	8
DTCC 782420R-H	2560	78	20	42	29	138	9
DTCC 782424R-H	2560	78	24	42	29	138	9
DTCC 782430R-H	2560	78	30	42	29	138	9

OPTIONS

FULL HEIGHT MODESTY PANEL



Add suffix (/FMP) to product code

/FMP

115

-

5/8 28

-

-

Executive D-Top Corner Desks - 30"
Features:

- 1" thick work surface
- 6" diameter black post leg standard. For optional silver finish add suffix (/SL) to product code
- Modesty panel 14" high


Complete
Complete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**

Product Code	List Price	Dimensions				Wt lbs	Cube ft³
		W ₁	W ₂	D	H		
D-TOP LEFT - STRAIGHT CUTAWAY							
DTCS 663020L-H	2403	66	20	42	29	125	8
DTCS 663024L-H	2403	66	24	42	29	125	8
DTCS 663030L-H	2403	66	30	42	29	125	8
DTCS 723020L-H	2486	72	20	42	29	132	8
DTCS 723024L-H	2486	72	24	42	29	132	8
DTCS 723030L-H	2486	72	30	42	29	132	8
DTCS 783020L-H	2560	78	20	42	29	140	9
DTCS 783024L-H	2560	78	24	42	29	140	9
DTCS 783030L-H	2560	78	30	42	29	140	9

D-TOP RIGHT - STRAIGHT CUTAWAY							
DTCS 663020R-H	2403	66	20	42	29	125	8
DTCS 663024R-H	2403	66	24	42	29	125	8
DTCS 663030R-H	2403	66	30	42	29	125	8
DTCS 723020R-H	2486	72	20	42	29	132	8
DTCS 723024R-H	2486	72	24	42	29	132	8
DTCS 723030R-H	2486	72	30	42	29	132	8
DTCS 783020R-H	2560	78	20	42	29	140	9
DTCS 783024R-H	2560	78	24	42	29	140	9
DTCS 783030R-H	2560	78	30	42	29	140	9

D-TOP LEFT - CURVED CUTAWAY							
DTCC 663020L-H	2403	66	20	42	29	125	8
DTCC 663024L-H	2403	66	24	42	29	125	8
DTCC 663030L-H	2403	66	30	42	29	125	8
DTCC 723020L-H	2486	72	20	42	29	132	8
DTCC 723024L-H	2486	72	24	42	29	132	8
DTCC 723030L-H	2486	72	30	42	29	132	8
DTCC 783020L-H	2560	78	20	42	29	140	9
DTCC 783024L-H	2560	78	24	42	29	140	9
DTCC 783030L-H	2560	78	30	42	29	140	9

D-TOP RIGHT - CURVED CUTAWAY							
DTCC 663020R-H	2403	66	20	42	29	125	8
DTCC 663024R-H	2403	66	24	42	29	125	8
DTCC 663030R-H	2403	66	30	42	29	125	8
DTCC 723020R-H	2486	72	20	42	29	132	8
DTCC 723024R-H	2486	72	24	42	29	132	8
DTCC 723030R-H	2486	72	30	42	29	132	8
DTCC 783020R-H	2560	78	20	42	29	140	9
DTCC 783024R-H	2560	78	24	42	29	140	9
DTCC 783030R-H	2560	78	30	42	29	140	9

OPTIONS
FULL-HEIGHT MODESTY PANEL


Add suffix (/FMP) to product code

/FMP

115

-

5/8 28


-

-

Returns - Left

Features:

- 1" thick worksurface
- One grommet center rear
- Pedestal standard locking with heavy duty full extension ball bearing drawer slides.
- Back panels have vertical wood grain pattern to match adjacent desk end panel.
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Optional open back panel available for Pedestal Returns only.
- Pedestal returns shipped assembled; Non-pedestal returns shipped ready-to-assemble.

	Product Code	List Price	Dimensions			Wt lbs	Cube ft³	
			W	D	H			
PEDESTAL RETURN LEFT - Pedestal Option A  - Box/file pedestal	RL 3020A-H	1430	30	20	29	98	13	Compete Plus
	RL 3620A-H	1456	36	20	29	105	15	
	RL 4220A-H	1500	42	20	29	113	18	
	RL 4820A-H	1584	48	20	29	120	20	
	RL 5420A-H	1754	54	20	29	128	23	
	RL 6020A-H	1900	60	20	29	135	25	
	RL 3024A-H	1525	30	24	29	103	13	
	RL 3624A-H	1553	36	24	29	110	15	
	RL 4224A-H	1584	42	24	29	118	18	
	RL 4824A-H	1655	48	24	29	125	20	
	RL 5424A-H	1834	54	24	29	133	23	
	RL 6024A-H	1977	60	24	29	140	25	
PEDESTAL RETURN LEFT - Pedestal Option B  - Box/box/file pedestal - Upper box non-locking	RL 3020B-H	1714	30	20	29	128	13	Accessories
	RL 3620B-H	1738	36	20	29	135	15	
	RL 4220B-H	1783	42	20	29	143	18	
	RL 4820B-H	1868	48	20	29	150	20	
	RL 5420B-H	2035	54	20	29	158	23	
	RL 6020B-H	2181	60	20	29	165	25	
	RL 3024B-H	1809	30	24	29	133	13	
	RL 3624B-H	1834	36	24	29	140	15	
	RL 4224B-H	1868	42	24	29	148	18	
	RL 4824B-H	1945	48	24	29	155	20	
	RL 5424B-H	2110	54	24	29	163	23	
	RL 6024B-H	2259	60	24	29	170	25	
PEDESTAL RETURN LEFT - Pedestal Option C  - File/file pedestal	RL 3020C-H	1714	30	20	29	128	13	Conference Tables
	RL 3620C-H	1738	36	20	29	135	15	
	RL 4220C-H	1783	42	20	29	143	18	
	RL 4820C-H	1868	48	20	29	150	20	
	RL 5420C-H	2035	54	20	29	158	23	
	RL 6020C-H	2181	60	20	29	165	25	
	RL 3024C-H	1809	30	24	29	133	13	
	RL 3624C-H	1834	36	24	29	140	15	
	RL 4224C-H	1868	42	24	29	148	18	
	RL 4824C-H	1945	48	24	29	155	20	
	RL 5424C-H	2110	54	24	29	163	23	
	RL 6024C-H	2259	60	24	29	170	25	
20" RETURN LEFT - NO PEDESTAL  - Can not accommodate field-installed hanging and mobile pedestal options	FRL 3020-H	856	30	20	29	68	3	Tables - Aluminum Legs
	FRL 3620-H	879	36	20	29	70	3	
	FRL 4220-H	928	42	20	29	73	3	
	FRL 4820-H	977	48	20	29	75	4	
	FRL 5420-H	1010	54	20	29	78	4	
	FRL 6020-H	1054	60	20	29	80	4	
24" RETURN LEFT - NO PEDESTAL  - Can accommodate field-installed hanging and mobile pedestal options	FRL 3024-H	913	30	24	29	68	3	Conference Room
	FRL 3624-H	935	36	24	29	70	3	
	FRL 4224-H	984	42	24	29	73	3	
	FRL 4824-H	1035	48	24	29	75	4	
	FRL 5424-H	1067	54	24	29	78	4	
	FRL 6024-H	1112	60	24	29	80	4	

OPTIONS Note: Do not use this option if return is supporting overhead storage unit.

OPEN BACK PEDESTAL RETURN



Add suffix (/OB) to product code

/OB

n/c

- - - - -

Returns - Right
Features:

- 1" thick worksurface
- One grommet center rear
- Pedestal standard locking with heavy duty full extension ball bearing drawer slides.
- Back panels have vertical wood grain pattern to match adjacent desk end panel.
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Optional open back panel available for Pedestal Returns only.
- Pedestal returns shipped assembled; Non-pedestal returns shipped ready-to-assemble.

Compete
Compete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room
PEDESTAL RETURN RIGHT - Pedestal Option A


- Box/file pedestal

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
W	D	H				
RR 3020A-H	1430	30	20	29	98	13
RR 3620A-H	1456	36	20	29	105	15
RR 4220A-H	1500	42	20	29	113	18
RR 4820A-H	1584	48	20	29	120	20
RR 5420A-H	1754	54	20	29	128	23
RR 6020A-H	1900	60	20	29	135	25
RR 3024A-H	1525	30	24	29	103	13
RR 3624A-H	1553	36	24	29	110	15
RR 4224A-H	1584	42	24	29	118	18
RR 4824A-H	1655	48	24	29	125	20
RR 5424A-H	1834	54	24	29	133	23
RR 6024A-H	1977	60	24	29	140	25

PEDESTAL RETURN RIGHT - Pedestal Option B


 - Box/box/file pedestal
 - Upper box non-locking

RR 3020B-H	1714	30	20	29	128	13
RR 3620B-H	1738	36	20	29	135	15
RR 4220B-H	1783	42	20	29	143	18
RR 4820B-H	1868	48	20	29	150	20
RR 5420B-H	2035	54	20	29	158	23
RR 6020B-H	2181	60	20	29	165	25
RR 3024B-H	1809	30	24	29	133	13
RR 3624B-H	1834	36	24	29	140	15
RR 4224B-H	1868	42	24	29	148	18
RR 4824B-H	1945	48	24	29	155	20
RR 5424B-H	2110	54	24	29	163	23
RR 6024B-H	2259	60	24	29	170	25

PEDESTAL RETURN RIGHT - Pedestal Option C



- File/file pedestal

RR 3020C-H	1714	30	20	29	128	13
RR 3620C-H	1738	36	20	29	135	15
RR 4220C-H	1783	42	20	29	143	18
RR 4820C-H	1868	48	20	29	150	20
RR 5420C-H	2035	54	20	29	158	23
RR 6020C-H	2181	60	20	29	165	25
RR 3024C-H	1809	30	24	29	133	13
RR 3624C-H	1834	36	24	29	140	15
RR 4224C-H	1868	42	24	29	148	18
RR 4824C-H	1945	48	24	29	155	20
RR 5424C-H	2110	54	24	29	163	23
RR 6024C-H	2259	60	24	29	170	25

20" RETURN RIGHT - NO PEDESTAL


- Can not accommodate field-installed hanging and mobile pedestal options

FRR 3020-H	856	30	20	29	68	3
FRR 3620-H	879	36	20	29	70	3
FRR 4220-H	928	42	20	29	73	3
FRR 4820-H	977	48	20	29	75	4
FRR 5420-H	1010	54	20	29	78	4
FRR 6020-H	1054	60	20	29	80	4

24" RETURN RIGHT - NO PEDESTAL


- Can accommodate field-installed hanging and mobile pedestal options

FRR 3024-H	913	30	24	29	68	3
FRR 3624-H	935	36	24	29	70	3
FRR 4224-H	984	42	24	29	73	3
FRR 4824-H	1035	48	24	29	75	4
FRR 5424-H	1067	54	24	29	78	4
FRR 6024-H	1112	60	24	29	80	4

OPTIONS

Note: Do not use this option if return is supporting overhead storage unit

OPEN BACK PEDESTAL RETURN


Add suffix (/OB) to product code

/OB





n/c

- - - - -

Returns - Aluminum Legs and Acrylic Panels; Bridges

Features:








- 1" thick worksurface
- Return standard without grommet. See Accessories for field-installed grommet option.
- Aluminum legs with clear anodized finish and wire management capabilities.
- For horizontal wire management, see Accessories

		Product Code	List Price	Dimensions			Wt	Cube	Complete
				W	D	H	lbs	ft³	
	RETURN WITH ALUMINUM LEGS - Non-handed - Standard with 2 support legs - Optional acrylic end panels	RAL 4224-H	1479	42	24	29	33	4	Complete Plus
		RAL 4824-H	1492	48	24	29	36	4	
		RAL 5424-H	1567	54	24	29	40	4	
		RAL 6024-H	1604	60	24	29	43	5	
		RAL 4230-H	1642	42	30	29	39	4	
		RAL 4830-H	1657	48	30	29	43	5	
		RAL 5430-H	1672	54	30	29	47	5	
		RAL 6030-H	1911	60	30	29	52	5	
	RETURN WITH ALUMINUM LEGS, ACRYLIC END PANEL & MODESTY PANEL - Non-handed - Standard with 3 support legs, 1 acrylic end panel and modesty panel - Optional add-on acrylic end panel (order separately - see below)	RAL 4224EM-H	2531	42	24	29	33	4	Accessories
		RAL 4824EM-H	2577	48	24	29	36	4	
		RAL 5424EM-H	2692	54	24	29	40	4	
		RAL 6024EM-H	2767	60	24	29	43	5	
		RAL 4230EM-H	2730	42	30	29	39	4	
		RAL 4830EM-H	2783	48	30	29	43	5	
		RAL 5430EM-H	2833	54	30	29	47	5	
		RAL 6030EM-H	3115	60	30	29	52	5	
	ADD-ON ACRYLIC END PANEL - Use to add an end panel to RAL return - Use to create a double end panel on an RAL-EM return	AEP 24	224	16	1/4	10	1	1	Conference Tables
		AEP 30	263	22	1/4	10	1	1	
	ADD-ON ACRYLIC MODESTY PANEL - Not to be used with RAL-EM returns - Includes the 3rd support leg	AMPL 42	305	34	1/4	10	3	1	Tables - Aluminum Legs
		AMPL 48	341	40	1/4	10	4	1	
		AMPL 54	381	46	1/4	10	4	1	
		AMPL 60	419	52	1/4	10	5	1	
		AMPL 66	458	58	1/4	10	5	1	
		AMPL 72	496	64	1/4	10	6	1	
	20" BRIDGE	BR 3020-H	601	30	20	29	60	2	Conference Room
		BR 3620-H	622	36	20	29	62	2	
		BR 4220-H	692	42	20	29	65	2	
		BR 4820-H	780	48	20	29	67	3	
		BR 5420-H	866	54	20	29	70	3	
		BR 6020-H	944	60	20	29	72	4	
	24" BRIDGE	BR 3024-H	656	30	24	29	60	2	
		BR 3624-H	679	36	24	29	62	2	
		BR 4224-H	807	42	24	29	65	2	
		BR 4824-H	935	48	24	29	67	3	
		BR 5424-H	972	54	24	29	70	3	
		BR 6024-H	1004	60	24	29	72	4	
OPTIONS Note: Do not use this option if bridge is supporting overhead storage unit.									
	3/4 HEIGHT BACK PANEL - Add suffix (/ 3Q) to product code - Provides 8" clearance above the floor	/ 3Q	n/c	-	5/8	20	-3	-	Conference Room
	1/2 HEIGHT BACK PANEL - Add suffix (/ 2Q) to product code - Provides 14" clearance above the floor	/ 2Q	n/c	-	5/8	14	-5	-	

Single Pedestal Credenzas - Left and Right
Features:

- 1" thick worksurface
- Full height back panel
- Credenzas standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestal standard
- Heavy duty full extension ball bearing drawer slides.
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Shipped assembled






Compete
Compete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room

		Product Code	List Price	Dimensions			Wt	Cube
				W	D	H	lbs	ft³
	SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option A - Box/file pedestal	CPL 6020A-H	1812	60	20	29	160	22
		CPL 6620A-H	1868	66	20	29	165	24
		CPL 7220A-H	1900	72	20	29	175	26
		CPL 6024A-H	1955	60	24	29	165	25
		CPL 6624A-H	1984	66	24	29	170	27
		CPL 7224A-H	2069	72	24	29	180	30
	SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option B - Box/box/file pedestal - Upper box non-locking	CPL 6020B-H	2100	60	20	29	190	22
		CPL 6620B-H	2154	66	20	29	195	24
		CPL 7220B-H	2187	72	20	29	205	26
		CPL 6024B-H	2243	60	24	29	195	25
		CPL 6624B-H	2273	66	24	29	200	27
		CPL 7224B-H	2359	72	24	29	210	30
	SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option C - File/file pedestal	CPL 6020C-H	2100	60	20	29	190	22
		CPL 6620C-H	2154	66	20	29	195	24
		CPL 7220C-H	2187	72	20	29	205	26
		CPL 6024C-H	2243	60	24	29	195	25
		CPL 6624C-H	2273	66	24	29	200	27
		CPL 7224C-H	2359	72	24	29	210	30
	SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option A - Box/file pedestal	CPR 6020A-H	1812	60	20	29	160	22
		CPR 6620A-H	1868	66	20	29	165	24
		CPR 7220A-H	1900	72	20	29	175	26
		CPR 6024A-H	1955	60	24	29	165	25
		CPR 6624A-H	1984	66	24	29	170	27
		CPR 7224A-H	2069	72	24	29	180	30
	SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option B - Box/box/file pedestal - Upper box non-locking	CPR 6020B-H	2100	60	20	29	190	22
		CPR 6620B-H	2154	66	20	29	195	24
		CPR 7220B-H	2187	72	20	29	205	26
		CPR 6024B-H	2243	60	24	29	195	25
		CPR 6624B-H	2273	66	24	29	200	27
		CPR 7224B-H	2359	72	24	29	210	30
	SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option C - File/file pedestal	CPR 6020C-H	2100	60	20	29	190	22
		CPR 6620C-H	2154	66	20	29	195	24
		CPR 7220C-H	2187	72	20	29	205	26
		CPR 6024C-H	2243	60	24	29	195	25
		CPR 6624C-H	2273	66	24	29	200	27
		CPR 7224C-H	2359	72	24	29	210	30
OPTIONS								
	CUTAWAY END PANEL - RIGHT							
	- Replaces 20" or 24" right end panel on CPL - Add suffix (/CGR) to product code	/CGR	n/c	-	-	-	-	-
	CUTAWAY END PANEL - LEFT							
	- Replaces 20" or 24" left end panel on CPR - Add suffix (/CGL) to product code	/CGL	n/c	-	-	-	-	-

Double Pedestal Credenzas

Features:


- 1" thick worksurface
- Full height back panel
- Credenza standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestals standard and keyed-alike.
- Heavy duty full extension ball bearing drawer slides.
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Shipped assembled

		Product Code	List Price	Dimensions			Wt	Cube
				W	D	H	lbs	ft³
DOUBLE PEDESTAL CREDENZA - Pedestal Option A								
	- 2 box/file pedestals	CDP 6020A-H	2304	60	20	29	215	22
		CDP 6620A-H	2359	66	20	29	220	24
		CDP 7220A-H	2386	72	20	29	230	26
		CDP 6024A-H	2499	60	24	29	220	25
		CDP 6624A-H	2533	66	24	29	225	27
		CDP 7224A-H	2600	72	24	29	235	30
DOUBLE PEDESTAL CREDENZA - Pedestal Option B								
	- 2 box/box/file pedestals - Upper box non-locking	CDP 6020B-H	2876	60	20	29	275	22
		CDP 6620B-H	2929	66	20	29	280	24
		CDP 7220B-H	2961	72	20	29	290	26
		CDP 6024B-H	3077	60	24	29	280	25
		CDP 6624B-H	3101	66	24	29	285	27
		CDP 7224B-H	3176	72	24	29	295	30
DOUBLE PEDESTAL CREDENZA - Pedestal Option C								
	- 2 file/file pedestals	CDP 6020C-H	2876	60	20	29	275	22
		CDP 6620C-H	2929	66	20	29	280	24
		CDP 7220C-H	2961	72	20	29	290	26
		CDP 6024C-H	3077	60	24	29	280	25
		CDP 6624C-H	3101	66	24	29	285	27
		CDP 7224C-H	3176	72	24	29	295	30
DOUBLE PEDESTAL CREDENZA - Pedestal Option F								
	- 1 box/box/file pedestal - left - 1 file/file pedestal - right - Upper box non-locking	CDP 6020F-H	2876	60	20	29	275	22
		CDP 6620F-H	2929	66	20	29	280	24
		CDP 7220F-H	2961	72	20	29	290	26
		CDP 6024F-H	3077	60	24	29	280	25
		CDP 6624F-H	3101	66	24	29	285	27
		CDP 7224F-H	3176	72	24	29	295	30
DOUBLE PEDESTAL CREDENZA - Pedestal Option G								
	- 1 file/file pedestal - left - 1 box/box/file pedestal - right - Upper box non-locking	CDP 6020G-H	2876	60	20	29	275	22
		CDP 6620G-H	2929	66	20	29	280	24
		CDP 7220G-H	2961	72	20	29	290	26
		CDP 6024G-H	3077	60	24	29	280	25
		CDP 6624G-H	3101	66	24	29	285	27
		CDP 7224G-H	3176	72	24	29	295	30

Storage & Lateral File Credenzas
Features:

- 1" thick worksurface
- Full height back panel
- Credenza standard without grommets. See Accessories for field-installed grommet option.
- All credenza drawers and doors standard locking and keyed-alike.
- Heavy duty full extension ball bearing drawer slides
- Pedestals and lateral files accommodate both letter and legal filing.
- "Front-to-back filing" hardware available no charge for lateral files. See page 47.
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete
Compete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room
CREDENZA - CENTER STORAGE & DBL BOX/FILE PEDESTAL



- 2 box/file pedestals
- Center storage cabinet
- 3 locks keyed alike

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
CZ 6020A-H	2803	60	20	29	210	22
CZ 6620A-H	2846	66	20	29	220	24
CZ 7220A-H	2891	72	20	29	230	26
CZ 6024A-H	3002	60	24	29	230	25
CZ 6624A-H	3062	66	24	29	240	27
CZ 7224A-H	3163	72	24	29	250	30

CREDENZA - CENTER STORAGE & DBL BOX/BOX/FILE PEDESTAL


- 2 box/box/file pedestals
- Upper box non-locking
- Center storage cabinet
- 3 locks keyed alike

CZ 6020B-H	3295	60	20	29	270	22
CZ 6620B-H	3335	66	20	29	280	24
CZ 7220B-H	3379	72	20	29	290	26
CZ 6024B-H	3494	60	24	29	290	25
CZ 6624B-H	3553	66	24	29	300	27
CZ 7224B-H	3656	72	24	29	310	30

CREDENZA - CENTER STORAGE & DBL FILE/FILE PEDESTAL


- 2 file/file pedestals
- Center storage cabinet
- 3 locks keyed alike

CZ 6020C-H	3295	60	20	29	270	22
CZ 6620C-H	3335	66	20	29	280	24
CZ 7220C-H	3379	72	20	29	290	26
CZ 6024C-H	3494	60	24	29	290	25
CZ 6624C-H	3553	66	24	29	300	27
CZ 7224C-H	3656	72	24	29	310	30

CREDENZA - LATERAL FILE LEFT


- 36" wide lateral file

CFL 6020-H	2610	60	20	29	160	22
CFL 6620-H	2649	66	20	29	170	24
CFL 7220-H	2695	72	20	29	180	26
CFL 6024-H	2715	60	24	29	180	25
CFL 6624-H	2783	66	24	29	190	27
CFL 7224-H	2925	72	24	29	200	30

CREDENZA - LATERAL FILE RIGHT


- 36" wide lateral file

CFR 6020-H	2610	60	20	29	160	22
CFR 6620-H	2649	66	20	29	170	24
CFR 7220-H	2695	72	20	29	180	26
CFR 6024-H	2715	60	24	29	180	25
CFR 6624-H	2783	66	24	29	190	27
CFR 7224-H	2925	72	24	29	200	30

CREDENZA - DOUBLE LATERAL FILE



- 30" wide lateral files on 60" credenza
- 36" wide lateral files on 72" credenza

CFF 6020-H	3487	60	20	29	240	22
CFF 7220-H	3828	72	20	29	260	26
CFF 6024-H	3787	60	24	29	260	25
CFF 7224-H	4166	72	24	29	280	30

CREDENZA - LATERAL FILE LEFT & STORAGE RIGHT



- 36" wide lateral file
- 1 adjustable shelf in storage cabinet

CFS 6620-H	3079	66	20	29	240	24
CFS 7220-H	3231	72	20	29	250	26
CFS 6624-H	3370	66	24	29	260	27
CFS 7224-H	3512	72	24	29	270	30

CREDENZA - LATERAL FILE RIGHT & STORAGE LEFT


- 36" wide lateral file
- 1 adjustable shelf in storage cabinet

CSF 6620-H	3079	66	20	29	240	24
CSF 7220-H	3231	72	20	29	250	26
CSF 6624-H	3370	66	24	29	260	27
CSF 7224-H	3512	72	24	29	270	30

CREDENZA - DOUBLE STORAGE



- 1 adjustable shelf left and right

CSS 6620-H	2510	66	20	29	230	24
CSS 7220-H	2574	72	20	29	240	26
CSS 6624-H	2711	66	24	29	250	27
CSS 7224-H	2759	72	24	29	260	30

OPTIONS
CUTAWAY END PANEL - RIGHT


- Replaces 20" or 24" right end panel on CFL
- Add suffix (/CGR) to product code

/CGR	n/c	-	-	-	-	-
------	-----	---	---	---	---	---

CUTAWAY END PANEL - LEFT
















- Replaces 20" or 24" left end panel on CFR
- Add suffix (/CGL) to product code

/CGL	n/c	-	-	-	-	-
------	-----	---	---	---	---	---

Reception Workstations


Features:

- 1" thick worksurface
- Desk 30" deep with full height back panel & two grommets.
- Return 24" deep with one grommet center rear.
- Transaction top 12" deep
- Bow Front transaction top 18" deep with 6" overhang.
- 14" clearance above desktop
- Locking pedestal standard
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Reception desk tackboard option
- Shipped assembled - except where noted*

		Product Code	List Price	Dimensions			Wt	Cube				
				W	D	H	lbs	ft³				
RECEPTION DESK - Pedestal Option A												
 Left	 Right	- Box/file pedestal	Left	GDL 6630A-H	2709	66	30	44	250	55		
			GDL 7230A-H	2825	72	30	44	260	60			
					Right	GDR 6630A-H	2709	66	30	44	250	55
					GDR 7230A-H	2825	72	30	44	260	60	
RECEPTION DESK - Pedestal Option B												
 Left	 Right	- Box/box/file pedestal	Left	GDL 6630B-H	2943	66	30	44	280	55		
			GDL 7230B-H	3059	72	30	44	290	60			
				- Upper box non-locking	Right	GDR 6630B-H	2943	66	30	44	280	55
					GDR 7230B-H	3059	72	30	44	290	60	
RECEPTION DESK - Pedestal Option C												
 Left	 Right	- File/file pedestal	Left	GDL 6630C-H	2943	66	30	44	280	55		
			GDL 7230C-H	3059	72	30	44	290	60			
					Right	GDR 6630C-H	2943	66	30	44	280	55
					GDR 7230C-H	3059	72	30	44	290	60	
BOW FRONT RECEPTION DESK - Pedestal Option A												
 Left	 Right	- Box/file pedestal	Left	GDBL 6636A-H	2833	66	36	44	260	55		
			GDBL 7236A-H	2948	72	36	44	270	60			
					Right	GDBR 6636A-H	2833	66	36	44	260	55
					GDBR 7236A-H	2948	72	36	44	270	60	
BOW FRONT RECEPTION DESK - Pedestal Option B												
 Left	 Right	- Box/box/file pedestal	Left	GDBL 6636B-H	3070	66	36	44	290	55		
			GDBL 7236B-H	3182	72	36	44	300	60			
				- Upper box non-locking	Right	GDBR 6636B-H	3070	66	36	44	290	55
					GDBR 7236B-H	3182	72	36	44	300	60	
BOW FRONT RECEPTION DESK - Pedestal Option C												
 Left	 Right	- File/file pedestal	Left	GDBL 6636C-H	3070	66	36	44	290	55		
			GDBL 7236C-H	3182	72	36	44	300	60			
					Right	GDBR 6636C-H	3070	66	36	44	290	55
					GDBR 7236C-H	3182	72	36	44	300	60	
RECEPTION RETURN - Pedestal Option A												
 Left	 Right	- Box/file pedestal	Left	GRL 4224A-H	1830	42	24	43	130	27		
			GRL 4824A-H	1886	48	24	43	135	30			
					Right	GRR 4224A-H	1830	42	24	43	130	27
					GRR 4824A-H	1886	48	24	43	135	30	
RECEPTION RETURN - Pedestal Option B												
 Left	 Right	- Box/box/file pedestal	Left	GRL 4224B-H	2114	42	24	43	160	27		
			GRL 4824B-H	2174	48	24	43	165	30			
				- Upper box non-locking	Right	GRR 4224B-H	2114	42	24	43	160	27
					GRR 4824B-H	2174	48	24	43	165	30	
RECEPTION RETURN - Pedestal Option C												
 Left	 Right	- File/file pedestal	Left	GRL 4224C-H	2114	42	24	43	160	27		
			GRL 4824C-H	2126	48	24	43	165	30			
					Right	GRR 4224C-H	2114	42	24	43	160	27
					GRR 4824C-H	2126	48	24	43	165	30	
RECEPTION RETURN - No Pedestal												
 Left	 Right	* Shipped ready to assemble	Left	GRL 4224-H	992	42	24	43	85	4		
			GRL 4824-H	1054	48	24	43	90	4			
					Right	GRR 4224-H	992	42	24	43	85	4
					GRR 4824-H	1054	48	24	43	90	4	
RECEPTION RETURN - TRANSACTION TOP												
 Left	 Right	- Field installation with brackets - Lines up with desk transaction top - Use with left or right returns		GRTT 42-H	319	60	12	1	15	1		
				GRTT 48-H	340	66	12	1	17	1		


Corner Units
Features:

- 1" thick worksurface
- Black corner post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Back panels standard full height with horizontal wood grain pattern.
- Optional partial height back panels available (see below).
- Left and right recessed end panels standard.
- For keyboard options, see Accessories.


STRAIGHT CORNER


Keyboard Option:

- AKS 22
- AKS 30
- ARK
- DARK




Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³
CC 361818-H	1352	36	36	29	85	3
CC 362020-H	1352	36	36	29	85	3
CC 362424-H	1352	36	36	29	85	3
CC 422424-H	1610	42	42	29	105	4
CC 423030-H	1610	42	42	29	105	4
CC 422430-H	1610	42	42	29	105	4
CC 423024-H	1610	42	42	29	105	4
CC 482430-H	1812	48	48	29	125	5
CC 483024-H	1812	48	48	29	125	5
CC 482424-H	1812	48	48	29	125	5
CC 483030-H	1812	48	48	29	125	5

CURVILINEAR CORNER


★ = Not intended for keyboard tray

Keyboard Option:

- ARK
- DARK



CV 361818-H	1352	36	36	29	85	3
CV 362020-H	1352	36	36	29	85	3
CV 362424-H	1352	36	36	29	85	3
CV 422424-H	1610	42	42	29	105	4
CV 423030-H	1610	42	42	29	105	4
CV 482424-H	1812	48	48	29	125	5
CV 483030-H	1812	48	48	29	125	5

OPTIONS
PARTIAL HEIGHT BACK PANELS

- Choose suffix below to match back panel preference
- Add suffix to "CDL" or "CDR" product code

Corner Units:



/ 3Q
/ 3QL
/ 3QR
/ 2Q
/ 2QL
/ 2QR

n/c

-

-

-

-5

-

(3/4 Height Suffix)

/ 3Q

/ 3QL

/ 3QR

(1/2 Height Suffix)

/ 2Q

/ 2QL

/ 2QR

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR

n/c

-

-

-

-


-

Reference Pages:


Features:

- 1" thick workspace
- Keyboard options - see Accessories.
- Corner units - see previous page.
- Desk shells - see following pages.
- Optional desk shell notches.


STRAIGHT CORNERS 36" x 36"



STRAIGHT CORNERS 42" x 42" and 48" x 48"



CURVILINEAR CORNERS



Compete


Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room


Desk Shells - 20"
Features:

- 1" thick worksurface
- Back panel standard full height with horizontal wood grain pattern.
- Optional partial height back panel available (see below).
- Desk shelf available (see Accessories)
- Recessed center support panel included with desk shells 78" or wider.
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle.


Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**
20" DESK SHELL


- 2 full end panels


Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
DA 2420-H	928	24	20	29	63	3
DA 3020-H	974	30	20	29	68	3
DA 3620-H	1021	36	20	29	72	3
DA 4220-H	1050	42	20	29	77	4
DA 4820-H	1096	48	20	29	86	4
DA 5420-H	1140	54	20	29	91	5
DA 6020-H	1167	60	20	29	100	5
DA 6620-H	1225	66	20	29	105	6
DA 7220-H	1302	72	20	29	109	6
DA 7820-H	1420	78	20	29	114	7
DA 8420-H	1538	84	20	29	118	7
DA 9620-H	1822	96	20	29	122	7

20" DESK SHELL - RIGHT or LEFT

RIGHT

- 1 recessed and 1 full end panel
- May be assembled right hand or left hand by reversing end panels



LEFT

DB 2420-H	928	24	20	29	58	3
DB 3020-H	974	30	20	29	63	3
DB 3620-H	1021	36	20	29	67	3
DB 4220-H	1050	42	20	29	72	4
DB 4820-H	1096	48	20	29	81	4
DB 5420-H	1140	54	20	29	86	5
DB 6020-H	1167	60	20	29	95	5
DB 6620-H	1225	66	20	29	100	6
DB 7220-H	1302	72	20	29	104	6
DB 7820-H	1420	78	20	29	109	7
DB 8420-H	1538	84	20	29	113	7
DB 9620-H	1822	96	20	29	117	7

20" DESK SHELL BRIDGE



- 2 recessed end panels

DC 2420-H	928	24	20	29	58	3
DC 3020-H	974	30	20	29	63	3
DC 3620-H	1021	36	20	29	67	3
DC 4220-H	1050	42	20	29	72	4
DC 4820-H	1096	48	20	29	81	4
DC 5420-H	1140	54	20	29	86	5
DC 6020-H	1167	60	20	29	95	5
DC 6620-H	1225	66	20	29	100	6
DC 7220-H	1302	72	20	29	104	6
DC 7820-H	1420	78	20	29	109	7
DC 8420-H	1538	84	20	29	113	7
DC 9620-H	1822	96	20	29	117	7

OPTIONS
¾ HEIGHT BACK PANEL


- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

/ 3Q	n/c	-	5/8	20	-3	-
------	-----	---	-----	----	----	---

½ HEIGHT BACK PANEL


- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

/ 2Q	n/c	-	5/8	14	-5	-
------	-----	---	-----	----	----	---

NO-GROMMET OPTION






- Add suffix (/NGR) to product code

/NGR	n/c	-	-	-	-	-
------	-----	---	---	---	---	---

Desk Shells - 24"


Features:

- 1" thick worksurface
- Back panel standard full height with horizontal wood grain pattern
- Optional partial height back panel available (see below).
- Desk shelf available (see Accessories)
- Transition notches available.
- Recessed center support panel included with desk shells 78" or wider.
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle.

		Product Code	List Price	Dimensions			Wt	Cube	ete	
				W	D	H	lbs	ft³		
24" DESK SHELL										
	- 2 full end panels	DA 2424-H	955	24	24	29	70	3	Compete Plus	
		DA 3024-H	1010	30	24	29	75	3		
		DA 3624-H	1052	36	24	29	80	3		
		DA 4224-H	1080	42	24	29	85	4		
		DA 4824-H	1125	48	24	29	95	4		
		DA 5424-H	1167	54	24	29	100	5		
		DA 6024-H	1195	60	24	29	110	5		
		DA 6624-H	1254	66	24	29	115	6		
		DA 7224-H	1325	72	24	29	120	6		
		DA 7824-H	1492	78	24	29	125	7		
	DA 8424-H	1610	84	24	29	130	7			
	DA 9624-H	1913	96	24	29	135	7			
24" DESK SHELL - RIGHT or LEFT										
	RIGHT	DB 2424-H	955	24	24	29	65	3	Accessories	
	- 1 recessed and 1 full end panel - May be assembled right hand or left hand by reversing end panels	DB 3024-H	1010	30	24	29	70	3		
		DB 3624-H	1052	36	24	29	75	3		
		DB 4224-H	1080	42	24	29	80	4		
		DB 4824-H	1125	48	24	29	90	4		
		DB 5424-H	1167	54	24	29	95	5		
		DB 6024-H	1195	60	24	29	105	5		
		DB 6624-H	1254	66	24	29	110	6		
		DB 7224-H	1325	72	24	29	115	6		
		DB 7824-H	1492	78	24	29	120	7		
DB 8424-H		1610	84	24	29	125	7			
	LEFT	DB 9624-H	1913	96	24	29	130	7		
	24" DESK SHELL BRIDGE									
		- 2 recessed end panels	DC 2424-H	955	24	24	29	65	3	Conference Tables
			DC 3024-H	1010	30	24	29	70	3	
			DC 3624-H	1052	36	24	29	75	3	
			DC 4224-H	1080	42	24	29	80	4	
			DC 4824-H	1125	48	24	29	90	4	
			DC 5424-H	1167	54	24	29	95	5	
			DC 6024-H	1195	60	24	29	105	5	
			DC 6624-H	1254	66	24	29	110	6	
		DC 7224-H	1325	72	24	29	115	6		
		DC 7824-H	1492	78	24	29	120	7		
		DC 8424-H	1610	84	24	29	125	7		
		DC 9624-H	1913	96	24	29	130	7		
OPTIONS										
¾ HEIGHT BACK PANEL										
	- Add suffix (/ 3Q) to product code	/ 3Q	n/c	-	5/8	20	-3	-	Conference Room	
	- Provides 8" clearance above the floor									
½ HEIGHT BACK PANEL										
	- Add suffix (/ 2Q) to product code	/ 2Q	n/c	-	5/8	14	-5	-	Tables - Aluminum Legs	
	- Provides 14" clearance above the floor									
NO-GROMMET OPTION										
	- Add suffix (/NGR) to product code	/NGR	n/c	-	-	-	-	-		


Desk Shells - 30"
Features:

- 1" thick worksurface
- Back panel standard full height with horizontal wood grain pattern
- Optional partial height back panel available (see below).
- Desk shelf available (see Accessories)
- Transition notches available.
- Recessed center support panel included with desk shells 78" or wider.
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle.


Complete
Complete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**
30" DESK SHELL


- 2 full end panels

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
DA 2430-H	1022	24	30	29	80	3
DA 3030-H	1067	30	30	29	87	4
DA 3630-H	1109	36	30	29	95	4
DA 4230-H	1167	42	30	29	102	5
DA 4830-H	1225	48	30	29	110	5
DA 5430-H	1281	54	30	29	117	6
DA 6030-H	1352	60	30	29	125	6
DA 6630-H	1397	66	30	29	132	7
DA 7230-H	1453	72	30	29	140	8
DA 7830-H	1640	78	30	29	150	8
DA 8430-H	1789	84	30	29	157	9
DA 9630-H	2148	96	30	29	164	9


30" DESK SHELL - RIGHT or LEFT


RIGHT

 - 1 recessed and 1 full end panel
 - May be assembled right hand or left hand by reversing end panels


LEFT

DB 2430-H	1022	24	30	29	75	3
DB 3030-H	1067	30	30	29	82	4
DB 3630-H	1109	36	30	29	90	4
DB 4230-H	1167	42	30	29	97	5
DB 4830-H	1225	48	30	29	105	5
DB 5430-H	1281	54	30	29	112	6
DB 6030-H	1352	60	30	29	120	6
DB 6630-H	1397	66	30	29	127	7
DB 7230-H	1453	72	30	29	135	8
DB 7830-H	1640	78	30	29	145	8
DB 8430-H	1789	84	30	29	152	9
DB 9630-H	2148	96	30	29	159	9

30" DESK SHELL BRIDGE


- 2 recessed end panels

DC 2430-H	1022	24	30	29	75	3
DC 3030-H	1067	30	30	29	82	4
DC 3630-H	1109	36	30	29	90	4
DC 4230-H	1167	42	30	29	97	5
DC 4830-H	1225	48	30	29	105	5
DC 5430-H	1281	54	30	29	112	6
DC 6030-H	1352	60	30	29	120	6
DC 6630-H	1397	66	30	29	127	7
DC 7230-H	1453	72	30	29	135	8
DC 7830-H	1640	78	30	29	145	8
DC 8430-H	1789	84	30	29	152	9
DC 9630-H	2148	96	30	29	159	9

OPTIONS
¾ HEIGHT BACK PANEL


- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

/ 3Q n/c - 5/8 20 -3 -

½ HEIGHT BACK PANEL


- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

/ 2Q n/c - 5/8 14 -5 -

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR n/c - - - - -

Desk Shells - Inset Back Panel

Features:


- 1" thick worksurface
- Full height inset back panel standard; with horizontal wood grain pattern
- Back inset 6" for 30" desks, 12" for 36" desks
- Standard without grommets. See Accessories for field-installed grommet option
- Recessed center support panel included with desk shells 78" or wider

Optional Desk Shell Notches

Features:

- Notches enable transition from 30" deep surface to adjacent 24" deep surface, or transition from 24" deep surface to adjacent 18" deep surface
- Notches are not available for 20" deep desk shells and inset back panel desk shells
- Transition notches available below.


DESK SHELL - INSET BACK PANEL



- 2 full end panels


Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
		W	D	H		
DAI 2430-H	1022	24	30	29	80	3
DAI 3030-H	1067	30	30	29	87	4
DAI 3630-H	1109	36	30	29	95	4
DAI 4230-H	1167	42	30	29	102	5
DAI 4830-H	1225	48	30	29	110	5
DAI 5430-H	1281	54	30	29	117	6
DAI 6030-H	1352	60	30	29	125	6
DAI 6630-H	1397	66	30	29	132	7
DAI 7230-H	1453	72	30	29	140	8
DAI 7830-H	1640	78	30	29	150	8
DAI 8430-H	1789	84	30	29	157	9
DAI 9630-H	2148	96	30	29	164	9
DAI 6036-H	1487	60	36	29	135	9
DAI 6636-H	1540	66	36	29	142	10
DAI 7236-H	1600	72	36	29	150	11

DESK SHELL - RIGHT or LEFT - INSET BACK PANEL



RIGHT

- 1 recessed and 1 full end panel





LEFT

- May be assembled right hand or left hand by reversing end panels

DBI 2430-H	1022	24	30	29	75	3
DBI 3030-H	1067	30	30	29	82	4
DBI 3630-H	1109	36	30	29	90	4
DBI 4230-H	1167	42	30	29	97	5
DBI 4830-H	1225	48	30	29	105	5
DBI 5430-H	1281	54	30	29	112	6
DBI 6030-H	1352	60	30	29	120	6
DBI 6630-H	1397	66	30	29	127	7
DBI 7230-H	1453	72	30	29	135	8
DBI 7830-H	1640	78	30	29	145	8
DBI 8430-H	1789	84	30	29	152	9
DBI 9630-H	2148	96	30	29	159	9
DBI 6036-H	1487	60	36	29	130	9
DBI 6636-H	1540	66	36	29	137	10
DBI 7236-H	1600	72	36	29	145	11

OPTIONAL DESK SHELL NOTCHES

TRANSITION NOTCH RIGHT - DESK SHELL LEFT



Curvilinear

- Add suffix to desk shell product code
- When adding a pedestal, refer to notch dimensions below

/ CNR

143

-

-

-

-

-

Straight

/ NR

143

-

-

-

-

-

Extended

/ ENR

143

-



-

-

-

-

TRANSITION NOTCH LEFT - DESK SHELL RIGHT



Curvilinear

- Add suffix to desk shell product code
- When adding a pedestal, refer to notch dimensions below

/ CNL

143

-

-

-

-

-

Straight

/ NL

143

-

-

-

-

-

Extended

/ ENL

143

-

-


-

-

-

SPECIFICATIONS

Diagrams show Right Hand notches. Left Hand are opposite.



Extended Corner Desk Shells

Features:

- 1" thick worksurface
- Black corner post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Back panels standard full height with horizontal wood grain pattern.
- Optional partial height back panel available (see next page)
- Optional curved cutaway in worksurface (see next page)
- 6024 desk shells do not accommodate optional pedestal.

Compete

Compete Plus


Accessories

Conference
Tables

Tables -
Aluminum Legs

Conference
Room

20" - 20" CORNER DESK SHELL - EXTENDED LEFT



2 full end panels

CDLA 6020-H

1772

60

36

29

115

5

CDLA 6620-H

1841

66

36

29

125

6

CDLA 7220-H

1984

72

36

29

135

7

1 full end panel and
1 recessed end panel
- interchangeable

CDLB 6020-H

1772

60

36

29

115

5

CDLB 6620-H

1841

66

36

29

125

6

CDLB 7220-H

1984

72

36

29

135

7

2 recessed end panels

CDLC 6020-H

1772

60

36

29

115

5

CDLC 6620-H

1841

66

36

29

125

6

CDLC 7220-H

1984

72


36

29

135

7

20" - 20" CORNER DESK SHELL - EXTENDED RIGHT



2 full end panels

CDRA 6020-H

1772

60

36

29

115

5

CDRA 6620-H

1841

66

36

29

125

6

CDRA 7220-H

1984

72

36

29

135

7

1 full end panel and
1 recessed end panel
- interchangeable

CDRB 6020-H

1772

60

36

29

115

5

CDRB 6620-H

1841

66

36

29

125

6

CDRB 7220-H

1984

72

36

29

135

7

2 recessed end panels

CDRC 6020-H

1772

60

36

29

115

5

CDRC 6620-H

1841

66

36

29

125

6

CDRC 7220-H

1984

72


36

29

135

7

24" - 24" CORNER DESK SHELL - EXTENDED LEFT



2 full end panels

CDLA 6024-H

1772

60

36

29

115

5

CDLA 6624-H

1841

66

36

29

125

6

CDLA 7224-H

1984

72

36

29

135

7

1 full end panel and
1 recessed end panel
- interchangeable

CDLB 6024-H

1772

60

36

29

115

5

CDLB 6624-H

1841

66

36

29

125

6

CDLB 7224-H

1984

72

36

29

135

7

2 recessed end panels

CDLC 6024-H

1772

60

36

29

115

5

CDLC 6624-H

1841

66

36

29

125

6

CDLC 7224-H

1984

72


36

29

135

7

24" - 24" CORNER DESK SHELL - EXTENDED RIGHT



2 full end panels

CDRA 6024-H

1772

60

36

29

115

5

CDRA 6624-H

1841

66

36

29

125

6

CDRA 7224-H

1984

72

36

29

135

7

1 full end panel and
1 recessed end panel
- interchangeable

CDRB 6024-H

1772

60

36

29

115

5

CDRB 6624-H

1841

66

36

29

125

6

CDRB 7224-H

1984

72

36

29

135

7

2 recessed end panels

CDRC 6024-H

1772

60

36

29

115

5

CDRC 6624-H

1841

66

36

29

125

6

CDRC 7224-H

1984

72

36

29

135

7

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR

n/c

-

-

-





-

-

Extended Corner Desk Shells

Features:

- 1" thick worksurface
- Black corner post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Back panels standard full height with horizontal wood grain pattern.
- Optional partial height back panel available (see below).
- Optional curved cutaway in worksurface (see below).
- 6030 and 6630 desk shells do not accommodate optional pedestal.

		Product Code	List Price	Dimensions			Wt	Cube				
				W	D	H	lbs	ft ³				
24"- 30" CORNER DESK SHELL - EXTENDED LEFT												
 	2 full end panels	CDLA 6030-H	1772	60	36	29	115	5				
		CDLA 6630-H	1841	66	36	29	125	6				
		CDLA 7230-H	1984	72	36	29	135	7				
	1 full end panel and 1 recessed end panel - interchangeable	CDLB 6030-H	1772	60	36	29	115	5				
		CDLB 6630-H	1841	66	36	29	125	6				
		CDLB 7230-H	1984	72	36	29	135	7				
	2 recessed end panels	CDLC 6030-H	1772	60	36	29	115	5				
		CDLC 6630-H	1841	66	36	29	125	6				
		CDLC 7230-H	1984	72	36	29	135	7				
30"- 24" CORNER DESK SHELL - EXTENDED RIGHT												
 	2 full end panels	CDRA 6030-H	1772	60	36	29	115	5				
		CDRA 6630-H	1841	66	36	29	125	6				
		CDRA 7230-H	1984	72	36	29	135	7				
	1 full end panel and 1 recessed end panel - interchangeable	CDRB 6030-H	1772	60	36	29	115	5				
		CDRB 6630-H	1841	66	36	29	125	6				
		CDRB 7230-H	1984	72	36	29	135	7				
	2 recessed end panels	CDRC 6030-H	1772	60	36	29	115	5				
		CDRC 6630-H	1841	66	36	29	125	6				
		CDRC 7230-H	1984	72	36	29	135	7				
OPTIONS												
PARTIAL HEIGHT BACK PANELS												
- Choose suffix below to match back panel preference												
- Add suffix to "CDL" or "CDR" product code												
"CDL" Corner Desk Shells:					/ 3Q / 3QL / 3QR / 2Q / 2QL / 2QR	n/c	-	-	-	-5	-	
(3/4 Height Suffix)	/ 3Q	/ 3QL	/ 3QR									
(1/2 Height Suffix)	/ 2Q	/ 2QL	/ 2QR									
"CDR" Corner Desk Shells:					/ 3Q / 3QL / 3QR / 2Q / 2QL / 2QR	n/c	-	-	-	-5	-	
(3/4 Height Suffix)	/ 3Q	/ 3QL	/ 3QR									
(1/2 Height Suffix)	/ 2Q	/ 2QL	/ 2QR									
CURVED CUTAWAY												
- Add suffix (/CV) to product code												
- Replaces straight cutaway in worksurface												
 LEFT		 RIGHT	/ CV	n/c	-	-	-	-	-	-	-	
NO-GROMMET OPTION												
- Add suffix (/NGR) to product code.			/NGR	n/c	-	-	-	-	-	-	-	

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

D-Tops

Features:

- 1" thick worksurface
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Suspended D-Tops have no grommet.
- Freestanding D-Tops must be attached to adjacent furniture for proper stability.

Complete

Complete Plus


Accessories

Conference
Tables

Tables -
Aluminum Legs

Conference
Room

SUSPENDED



Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
DS 3624-H	990	36	24	29	60	2
DS 4224-H	1008	42	24	29	65	2
DS 4824-H	1022	48	24	29	70	3
DS 5424-H	1041	54	24	29	75	3
DS 6024-H	1052	60	24	29	80	4
DS 6624-H	1082	66	24	29	85	4
DS 4830-H	1050	48	30	29	80	3
DS 5430-H	1088	54	30	29	85	3
DS 6030-H	1114	60	30	29	90	4
DS 6630-H	1160	66	30	29	93	4
DS 7230-H	1250	72	30	29	95	5
DS 6636-H	1250	66	36	29	95	5
DS 7236-H	1297	72	36	29	100	5

SUSPENDED - with centered 14" high modesty panel



DSM 3624-H	1069	36	24	29	75	2
DSM 4224-H	1082	42	24	29	80	2
DSM 4824-H	1099	48	24	29	85	3
DSM 5424-H	1118	54	24	29	90	3
DSM 6024-H	1131	60	24	29	95	4
DSM 6624-H	1163	66	24	29	100	4
DSM 4830-H	1127	48	30	29	95	3
DSM 5430-H	1163	54	30	29	100	3
DSM 6030-H	1193	60	30	29	105	4
DSM 6630-H	1242	66	30	29	108	4
DSM 7230-H	1327	72	30	29	110	5
DSM 6636-H	1327	66	36	29	110	5
DSM 7236-H	1374	72	36	29	115	5

For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.

FREESTANDING



DF 4824-H	1223	48	24	29	85	4
DF 5424-H	1250	54	24	29	95	4
DF 6024-H	1268	60	24	29	105	4
DF 6624-H	1314	66	24	29	115	5
DF 4830-H	1283	48	30	29	110	5
DF 5430-H	1320	54	30	29	115	5
DF 6030-H	1359	60	30	29	120	5
DF 6630-H	1402	66	30	29	125	5
DF 7230-H	1463	72	30	29	130	6
DF 6636-H	1545	66	36	29	130	6
DF 7236-H	1589	72	36	29	135	6

FREESTANDING - with reversible offset 14" high modesty panel



DM 6030-H	1500	60	30	29	125	5
DM 6630-H	1545	66	30	29	130	5
DM 7230-H	1606	72	30	29	135	6
DM 7236-H	1725	72	36	29	135	6

FREESTANDING - with centered 14" high modesty panel











DCM 4824-H	1273	48	24	29	85	4
DCM 5424-H	1327	54	24	29	95	4
DCM 6024-H	1345	60	24	29	105	4
DCM 6624-H	1391	66	24	29	115	5
DCM 4830-H	1362	48	30	29	110	5
DCM 5430-H	1397	54	30	29	115	5
DCM 6030-H	1434	60	30	29	120	5
DCM 6630-H	1479	66	30	29	125	5
DCM 7230-H	1543	72	30	29	130	6
DCM 6636-H	1619	66	36	29	130	6
DCM 7236-H	1661	72	36	29	135	6

For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.

P-Tops

Features:

- 1" thick work surface
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Suspended P-Tops have no grommet.
- Freestanding P-Tops must be attached to adjacent furniture for proper stability.

	Product Code	List Price	Dimensions			Wt	Cube
			W	D	H	lbs	ft³
SUSPENDED - Left Hand							
 	PLS 6036-H	1434	60	36	29	85	4
	PLS 6636-H	1478	66	36	29	90	5
	PLS 7236-H	1589	72	36	29	95	5
	PLS 6042-H	1463	60	42	29	88	4
	PLS 6642-H	1507	66	42	29	93	5
	PLS 7242-H	1615	72	42	29	98	5
SUSPENDED - Right Hand							
 	PRS 6036-H	1434	60	36	29	85	4
	PRS 6636-H	1478	66	36	29	90	5
	PRS 7236-H	1589	72	36	29	95	5
	PRS 6042-H	1463	60	42	29	88	4
	PRS 6642-H	1507	66	42	29	93	5
	PRS 7242-H	1615	72	42	29	98	5
FREESTANDING - Left Hand							
 	PLF 6036-H	1704	60	36	29	115	5
	PLF 6636-H	1750	66	36	29	125	5
	PLF 7236-H	1795	72	36	29	130	5
	PLF 6042-H	1736	60	42	29	120	6
	PLF 6642-H	1782	66	42	29	130	6
	PLF 7242-H	1830	72	42	29	135	6
FREESTANDING - Right Hand							
 	PRF 6036-H	1704	60	36	29	115	5
	PRF 6636-H	1750	66	36	29	125	6
	PRF 7236-H	1795	72	36	29	130	6
	PRF 6042-H	1736	60	42	29	120	5
	PRF 6642-H	1782	66	42	29	130	6
	PRF 7242-H	1830	72	42	29	135	6
FREESTANDING - Left Hand with 14" high modesty panel							
 	PLM 6036-H	1841	60	36	29	115	5
	PLM 6636-H	1887	66	36	29	125	6
	PLM 7236-H	1930	72	36	29	130	6
	PLM 6042-H	1871	60	42	29	120	5
	PLM 6642-H	1917	66	42	29	130	6
	PLM 7242-H	1965	72	42	29	135	6
For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.							
FREESTANDING - Right Hand with 14" high modesty panel							
 	PRM 6036-H	1841	60	36	29	115	5
	PRM 6636-H	1887	66	36	29	125	6
	PRM 7236-H	1930	72	36	29	130	6
	PRM 6042-H	1871	60	42	29	120	5
	PRM 6642-H	1917	66	42	29	130	6
	PRM 7242-H	1965	72	42	29	135	6
For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.							

Compete

Compete Plus


Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Overheads - 36" and 43" High
Features:

- 1" thick top
- 13¾" internal height clearance
- Full width concealed cable pass-thru 1¾" high.
- 36" overheads have 17½" clearance above desktop and 65" installed height.
- 43" overheads have 24" clearance above desktop and 72" installed height.
- Tackboard and paper management options available
- Cutaway gable options available
- Closed overheads standard without handles and non-locking. For lock options, see below.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.


Compete
Compete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room
OPEN OVERHEAD - 36" HIGH


without center divider

OS 2436-H	879	24	16	36	60	9
OS 3036-H	922	30	16	36	70	10
OS 3636-H	1010	36	16	36	80	12
OS 4236-H	1052	42	16	36	90	14

with center divider

OS 4836-H	1182	48	16	36	100	16
OS 5436-H	1281	54	16	36	110	18
OS 6036-H	1352	60	16	36	120	20
OS 6636-H	1439	66	16	36	130	21
OS 7236-H	1542	72	16	36	140	23
OS 7836-H	1610	78	16	36	150	24


OPEN OVERHEAD - 43" HIGH


without center divider

OS 2443-H	1140	24	16	43	60	10
OS 3043-H	1182	30	16	43	70	11
OS 3643-H	1225	36	16	43	80	13
OS 4243-H	1297	42	16	43	90	15

with center divider

OS 4843-H	1535	48	16	43	100	18
OS 5443-H	1555	54	16	43	110	20
OS 6043-H	1622	60	16	43	120	22
OS 6643-H	1697	66	16	43	130	23
OS 7243-H	1783	72	16	43	140	26
OS 7843-H	1868	78	16	43	150	27

CLOSED OVERHEAD - 36" HIGH


2 doors

OD 2436-H	1209	24	16	36	70	9
OD 3036-H	1281	30	16	36	80	10
OD 3636-H	1369	36	16	36	95	12
OD 4236-H	1500	42	16	36	105	14


3 doors

OD 4836-H	1655	48	16	36	120	16
-----------	------	----	----	----	-----	----

4 doors

OD 5436-H	1812	54	16	36	130	18
OD 6036-H	1928	60	16	36	145	20
OD 6636-H	2042	66	16	36	155	21
OD 7236-H	2143	72	16	36	170	23
OD 7836-H	2259	78	16	36	180	24

Lock Option - add suffix (/L) to product code.
 - For 2 doors, add \$115 to list price.
 - For 3 or 4 doors, add \$230 to list price.

CLOSED OVERHEAD - 43" HIGH


2 doors

OD 2443-H	1523	24	16	43	80	10
OD 3043-H	1600	30	16	43	90	11
OD 3643-H	1668	36	16	43	105	13
OD 4243-H	1797	42	16	43	115	15

3 doors

OD 4843-H	1955	48	16	43	130	18
-----------	------	----	----	----	-----	----

4 doors

OD 5443-H	2114	54	16	43	140	20
OD 6043-H	2243	60	16	43	155	22
OD 6643-H	2341	66	16	43	165	23
OD 7243-H	2444	72	16	43	180	26
OD 7843-H	2545	78	16	43	190	27





Lock Option - add suffix (/L) to product code.
 - For 2 doors, add \$115 to list price.
 - For 3 or 4 doors add \$230 to list price.

Overheads - Frosted Glass Doors and Sliding Frosted Acrylic Doors

Features:

- 1" thick top
- 13" internal height clearance
- Tackboard and paper management options available.
- Cutaway gable options available.
- Closed overheads standard without handles and non-locking.
- Full width concealed cable pass-thru 1¾" high on 36" and 43" high units.
- Frosted glass doors are only available w/
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

		Product Code	List Price	Dimensions			Wt	Cube
				W	D	H	lbs	ft³
EXECUTIVE OVERHEAD - FROSTED GLASS DOORS								
	- 36" high	OF 6036-H	3097	60	16	36	145	19
	- 17½" clearance above desktop	OF 6636-H	3205	66	16	36	155	21
	- Not available locking	OF 7236-H	3310	72	16	36	170	23
	- 43" high	OF 6043-H	3402	60	16	43	155	21
	- 24" clearance above desktop	OF 6643-H	3507	66	16	43	165	23
	- Not available locking	OF 7243-H	3613	72	16	43	180	26
	- Wall-mount instructions and hardware included	WMOF 60-H	3097	60	17	18	118	13
	- Not available locking	WMOF 66-H	3205	66	17	18	129	14
		WMOF 72-H	3310	72	17	18	140	15
OVERHEAD - 36" HIGH - SLIDING FROSTED ACRYLIC DOORS								
		OSD 4236-H	1439	42	16	36	120	14
		OSD 4836-H	1597	48	16	36	135	16
		OSD 5436-H	1751	54	16	36	145	18
	- 36" high	OSD 6036-H	1871	60	16	36	160	20
	- 17½" clearance above desktop	OSD 6636-H	1982	66	16	36	175	21
	- Not available locking	OSD 7236-H	2084	72	16	36	190	23
		OSD 7836-H	2198	78	16	36	195	24
	OVERHEAD - 43" HIGH - SLIDING FROSTED ACRYLIC DOORS							
		OSD 4243-H	1738	42	16	43	130	15
		OSD 4843-H	1898	48	16	43	145	18
		OSD 5443-H	2056	54	16	43	155	20
	- 43" high	OSD 6043-H	2185	60	16	43	170	22
	- 24" clearance above desktop	OSD 6643-H	2284	66	16	43	185	23
	- Not available locking	OSD 7243-H	2384	72	16	43	195	26
		OSD 7843-H	2486	78	16	43	205	27
	WALL-MOUNT OVERHEAD - SLIDING FROSTED ACRYLIC DOORS							
		WMOSD 42-H	1439	42	17	18	93	9
		WMOSD 48-H	1597	48	17	18	111	10
		WMOSD 54-H	1751	54	17	18	122	11
	- Wall-mount instructions and hardware included	WMOSD 60-H	1871	60	17	18	133	13
	- Not available locking	WMOSD 66-H	1982	66	17	18	144	14
		WMOSD 72-H	2084	72	17	18	155	15
		WMOSD 78-H	2198	78	17	18	166	16

Compete

Compete Plus


Accessories

Conference
TablesTables -
Aluminum
LegsConference
Room

Overheads - Wall-Mount and Cutaway Gable Options
Features:


- 1" thick top
- 13¾" internal height clearance
- Tackboard and paper management options available.
- Closed overheads standard without handles and non-locking.
- Lock option available for wall-mount (see below).
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**
WALL MOUNT OPEN OVERHEAD


without center divider

WMOS 24-H	879	24	17	18	42	5
WMOS 30-H	922	30	17	18	51	6
WMOS 36-H	1010	36	17	18	59	8
WMOS 42-H	1052	42	17	18	68	9



with center divider


WMOS 48-H	1182	48	17	18	76	10
WMOS 54-H	1281	54	17	18	85	11
WMOS 60-H	1352	60	17	18	93	13
WMOS 66-H	1439	66	17	18	102	14
WMOS 72-H	1542	72	17	18	110	15
WMOS 78-H	1610	78	17	18	119	16

- Wall-mount hardware and instructions included

WALL MOUNT CLOSED OVERHEAD


2 doors

WMOD 24-H	1209	24	17	18	52	5
WMOD 30-H	1281	30	17	18	61	6
WMOD 36-H	1369	36	17	18	72	8
WMOD 42-H	1500	42	17	18	83	9



3 doors

WMOD 48-H	1655	48	17	18	96	10
-----------	------	----	----	----	----	----

4 doors

WMOD 54-H	1812	54	17	18	107	11
WMOD 60-H	1928	60	17	18	118	13
WMOD 66-H	2042	66	17	18	129	14
WMOD 72-H	2143	72	17	18	140	15
WMOD 78-H	2259	78	17	18	151	16

Lock Option - add suffix (/L) to product code
 - For 2 doors, add \$115 to list price.
 - For 3 or 4 doors, add \$230 to list price.

OPTIONS: For all 36" High and 43" High Overheads

CUTAWAY GABLE - LEFT



- Add suffix (/CGL) to product code
 - 6" cutaway

/CGL	125	-	-	-	-	-
------	-----	---	---	---	---	---

CUTAWAY GABLE - RIGHT


- Add suffix (/CGR) to product code
 - 6" cutaway

/CGR	125	-	-	-	-	-
------	-----	---	---	---	---	---

CUTAWAY GABLE - LEFT & RIGHT


- Add suffix (/CGL /CGR) to product code
 - 6" cutaway

















/CGL /CGR	250	-	-	-	-	-
-----------	-----	---	---	---	---	---

NOTES:

- Cutaway Gable option is not designed for stand-alone overhead application or overhead with paper sorter insert.
- Specify No-grommet option on a desk shell if you position two overheads on top and they meet in the middle of the desk.

Corner Overheads - 36" and 43" High
Features:


- 1" thick top
- 13¾" internal height clearance
- Full width concealed cable pass-thru 1¾" high
- 36" overheads have 17½" clearance above desktop and 65" installed height
- 43" overheads have 24" clearance above desktop and 72" installed height
- For tackboard and paper management options, see next page.
- For cutaway gable options, see previous page.
- Corner overheads with doors are non-locking only; standard without handles
- Shipped assembled in two cartons

		Product Code	List Price	Dimensions			Wt	Cube	
				W	D	H	lbs	ft³	
OPEN CORNER OVERHEAD - 36” HIGH									
		OCS 3636-H	1838	36	36	36	140	24	
OPEN CORNER OVERHEAD - 36” HIGH									
		OCS 4236-H OCS 4836-H	1926 2178	42 48	42 48	36 36	150 160	26 28	
OPEN CORNER OVERHEAD - 43” HIGH									
		OCS 3643-H	2260	36	36	43	160	25	
OPEN CORNER OVERHEAD - 43” HIGH									
		OCS 4243-H OCS 4843-H	2397 2651	42 48	42 48	43 43	170 180	27 29	
CLOSED CORNER OVERHEAD - 36” HIGH									
		2 doors	OCD 3636-H	2433	36	36	36	165	24
CLOSED CORNER OVERHEAD - 36” HIGH									
		4 doors	OCD 4236-H OCD 4836-H	2657 2961	42 48	42 48	36 36	175 190	26 28
CLOSED CORNER OVERHEAD - 43” HIGH									
		2 doors	OCD 3643-H	2985	36	36	43	185	25
CLOSED CORNER OVERHEAD - 43” HIGH									
		4 doors	OCD 4243-H OCD 4843-H	3200 3504	42 48	42 48	43 43	195 210	27 29


Complete
Complete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**

Tackboards and Paper Management Options
Features:


- Specify tackboard color
- Tackboard adheres easily to back panel using velcro strips.
- * All directional fabric will be railroaded.

Complete
Complete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room
TACKBOARD FOR 36" HIGH OVERHEADS



Product Code	List Price	W ₁	W ₂	D	H	Wt lbs	Cube ft ³
TK 2436	379	-	22	3/4	17	2	1
TK 3036	392	-	28	3/4	17	3	1
TK 3636	405	-	34	3/4	17	4	1
TK 4236	434	-	40	3/4	17	5	1
TK 4836	449	-	46	3/4	17	6	1
TK 5436	509	-	52	3/4	17	7	1
TK 6036	566	-	58	3/4	17	8	1
TK 6636	622	-	64	3/4	17	9	1
TK 7236	679	-	70	3/4	17	10	1
TK 7836	709	-	76	3/4	17	10	1

TACKBOARD FOR 43" HIGH OVERHEADS



TK 2443	379	-	22	3/4	23.5	2	1
TK 3043	392	-	28	3/4	23.5	3	1
TK 3643	405	-	34	3/4	23.5	4	1
TK 4243	434	-	40	3/4	23.5	5	1
TK 4843	449	-	46	3/4	23.5	6	1
TK 5443	509	-	52	3/4	23.5	7	1
TK 6043	566	-	58	3/4	23.5	8	1
TK 6643	622	-	64	3/4	23.5	9	1
TK 7243	679	-	70	3/4	23.5	10	1
TK 7843	709	-	76	3/4	23.5	10	1

TACKBOARD FOR 36" HIGH CORNER OVERHEAD



TKC 3636	767	33	32.5	3/4	17	8	1
TKC 4236	823	39	38.5	3/4	17	10	1
TKC 4836	851	45	44.5	3/4	17	10	1

TACKBOARD FOR 43" HIGH CORNER OVERHEAD


TKC 3643	767	33	32.5	3/4	23.5	8	1
TKC 4243	823	39	38.5	3/4	23.5	10	1
TKC 4843	851	45	44.5	3/4	23.5	10	1

WALL-MOUNT TACKBOARDS


WMTK 24	379	-	24	3/4	17	2	1
WMTK 30	392	-	30	3/4	17	3	1
WMTK 36	405	-	36	3/4	17	4	1
WMTK 42	434	-	42	3/4	17	5	1
WMTK 48	449	-	48	3/4	17	6	1
WMTK 54	509	-	54	3/4	17	7	1
WMTK 60	566	-	60	3/4	17	8	1
WMTK 66	622	-	66	3/4	17	9	1
WMTK 72	679	-	72	3/4	17	10	1
WMTK 78	709	-	78	3/4	17	10	1

STACK-ON ORGANIZER HUTCH


SOH 6022-H	1061	-	60	16	22	105	15
SOH 6622-H	1112	-	66	16	22	112	17
SOH 7222-H	1163	-	72	16	22	120	18
SOH 7822-H	1273	-	78	16	22	129	19

PAPER ORGANIZER



- Horizontal Dividers

POHD 1713-H	399	-	17	13.5	17.25	30	3
-------------	-----	---	----	------	-------	----	---

PAPER ORGANIZER


- Horizontal and Vertical Dividers

POHVD 1713-H	399	-	17	13.5	17.25	31	3
--------------	-----	---	----	------	-------	----	---

OVERHEAD PAPER SORTER INSERT



- Field installed (mount optional tackboard first)
- Not available for Corner Overheads and Wall-Mount Overheads, or with cutaway gable
- 2 1/2" clearance below (4 1/2" below shelf)

OPS 24-H	605	-	22	13.5	5.25	14	2
OPS 30-H	651	-	28	13.5	5.25	17	2
OPS 36-H	692	-	34	13.5	5.25	20	2
OPS 42-H	738	-	40	13.5	5.25	23	2
OPS 48-H	782	-	46	13.5	5.25	26	2
OPS 54-H	828	-	52	13.5	5.25	29	2
OPS 60-H	871	-	58	13.5	5.25	32	2
OPS 66-H	915	-	64	13.5	5.25	35	2
OPS 72-H	960	-	70	13.5	5.25	38	2
OPS 78-H	1004	-	76	13.5	5.25	41	2


Reception Galleries

Features:

- 1" thick top
- Laminate back panel standard - optional fabric covered tackboards available
- Transaction top 12" deep
- Bow front transaction top 18" deep with 6" overhang.
- Installed height 44"
- Clearance above desktop is 14".



	Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
			W	D	H		
RECEPTION GALLERY 	OSG 24-H	709	24	12	15	30	2
	OSG 30-H	730	30	12	15	35	3
	OSG 36-H	802	36	12	15	40	3
	OSG 42-H	841	42	12	15	45	4
	OSG 48-H	873	48	12	15	50	4
	OSG 54-H	969	54	12	15	55	5
	OSG 60-H	1008	60	12	15	60	5
	OSG 66-H	1036	66	12	15	65	6
	OSG 72-H	1207	72	12	15	70	6
	OSG 78-H	1295	78	12	15	75	7
	OSG 84-H	1320	84	12	15	80	7
	OSG 96-H	1389	96	12	15	90	8

BOW FRONT RECEPTION GALLERY





BOSG 24-H	802	24	18	15	35	3
BOSG 30-H	823	30	18	15	40	4
BOSG 36-H	897	36	18	15	45	5
BOSG 42-H	933	42	18	15	50	6
BOSG 48-H	969	48	18	15	55	6
BOSG 54-H	1061	54	18	15	60	7
BOSG 60-H	1099	60	18	15	65	8
BOSG 66-H	1131	66	18	15	70	9
BOSG 72-H	1302	72	18	15	75	10
BOSG 78-H	1387	78	18	15	80	10
BOSG 84-H	1412	84	18	15	85	11
BOSG 96-H	1484	96	18	15	95	12

CORNER RECEPTION GALLERY - 36" x 36"





OSGC 36-H	1463	36	36	15	45	3
-----------	------	----	----	----	----	---

CORNER RECEPTION GALLERY - 42" x 42"



OSGC 42-H	1525	42	42	15	55	4
-----------	------	----	----	----	----	---

CORNER RECEPTION GALLERY - 48" x 48"



OSGC 48-H	1592	48	48	15	65	4
-----------	------	----	----	----	----	---

Compete

Compete Plus

Accessories


Conference
TablesTables -
Aluminum LegsConference
Room

Extended Corner Reception Galleries
Features:


- 1" thick top
- Laminate back panel standard - optional fabric covered tackboards available (see next page)
- Installed height is 44".
- Clearance above desktop is 14".

Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**


Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
		W	D	H		

24" CORNER RECEPTION GALLERY - LEFT



OSGCL 6024-H	1434	60	24	15	70	2
OSGCL 6624-H	1448	66	24	15	75	2
OSGCL 7224-H	1463	72	24	15	80	3
OSGCL 8424-H	1505	84	24	15	90	3
OSGCL 9624-H	1542	96	24	15	100	3

24" CORNER RECEPTION GALLERY - RIGHT



OSGCR 6024-H	1434	60	24	15	70	2
OSGCR 6624-H	1448	66	24	15	75	2
OSGCR 7224-H	1463	72	24	15	80	3
OSGCR 8424-H	1505	84	24	15	90	3
OSGCR 9624-H	1542	96	24	15	100	3

30" CORNER RECEPTION GALLERY - LEFT



OSGCL 6030-H	1463	60	30	15	75	2
OSGCL 6630-H	1479	66	30	15	80	3
OSGCL 7230-H	1505	72	30	15	85	3
OSGCL 8430-H	1542	84	30	15	95	3
OSGCL 9630-H	1577	96	30	15	105	4

30" CORNER RECEPTION GALLERY - RIGHT



OSGCR 6030-H	1463	60	30	15	75	2
OSGCR 6630-H	1479	66	30	15	80	3
OSGCR 7230-H	1505	72	30	15	85	3
OSGCR 8430-H	1542	84	30	15	95	3
OSGCR 9630-H	1577	96	30	15	105	4

36" CORNER RECEPTION GALLERY - LEFT



OSGCL 6036-H	1505	60	36	15	80	3
OSGCL 6636-H	1523	66	36	15	85	3
OSGCL 7236-H	1542	72	36	15	90	3
OSGCL 8436-H	1577	84	36	15	100	4
OSGCL 9636-H	1610	96	36	15	110	4

36" CORNER RECEPTION GALLERY - RIGHT


OSGCR 6036-H	1505	60	36	15	80	3
OSGCR 6636-H	1523	66	36	15	85	3
OSGCR 7236-H	1542	72	36	15	90	3
OSGCR 8436-H	1577	84	36	15	100	4
OSGCR 9636-H	1610	96	36	15	110	4

42" CORNER RECEPTION GALLERY - LEFT


OSGCL 6642-H	1553	66	42	15	90	3
OSGCL 7242-H	1577	72	42	15	95	3
OSGCL 8442-H	1610	84	42	15	105	4
OSGCL 9642-H	1655	96	42	15	115	4




42" CORNER RECEPTION GALLERY - RIGHT


OSGCR 6642-H	1553	66	42	15	90	3
OSGCR 7242-H	1577	72	42	15	95	3
OSGCR 8442-H	1610	84	42	15	105	4
OSGCR 9642-H	1655	96	42	15	115	4

Reception Gallery Options

Features:

- Specify tackboard color
- Tackboard adheres easily to back panel using velcro strips.
- * All directional fabric will be railroaded.

	Product Code	List Price	Dimensions				Wt	Cube
			W ₁	W ₂	D	H	lbs	ft ³
RECEPTION GALLERY PAPER SORTER INSERT  - Field installed - Not available for Corner Galleries - Not to be used with tackboard option	GPS 24-H	605	-	22	10.25	4.5	14	2
	GPS 30-H	651	-	28	10.25	4.5	17	2
	GPS 36-H	692	-	34	10.25	4.5	20	2
	GPS 42-H	738	-	40	10.25	4.5	23	2
	GPS 48-H	782	-	46	10.25	4.5	26	2
	GPS 54-H	828	-	52	10.25	4.5	29	2
	GPS 60-H	871	-	58	10.25	4.5	32	2
	GPS 66-H	915	-	64	10.25	4.5	35	2
	GPS 72-H	960	-	70	10.25	4.5	38	2
	GPS 78-H	1004	-	76	10.25	4.5	41	2
	TACKBOARD FOR RECEPTION GALLERY & RECEPTION DESK 	TKG 24	379	-	22	3/4	13	2
TKG 30		392	-	28	3/4	13	3	1
TKG 36		405	-	34	3/4	13	4	1
TKG 42		434	-	40	3/4	13	5	1
TKG 48		449	-	46	3/4	13	6	1
TKG 54		509	-	52	3/4	13	7	1
TKG 60		566	-	58	3/4	13	8	1
TKG 66		622	-	64	3/4	13	9	1
TKG 72		679	-	70	3/4	13	10	1
TKG 78		709	-	76	3/4	13	10	1
TKG 84		738	-	82	3/4	13	10	1
TKG 96		797	-	94	3/4	13	11	1
TACKBOARD FOR CORNER RECEPTION GALLERY 		TKG 3636	767	34	34.5	3/4	13	8
	TKG 4242	823	40	40.5	3/4	13	10	1
	TKG 4848	851	46	46.5	3/4	13	10	1
TACKBOARD FOR EXTENDED CORNER RECEPTION GALLERY 	TKG 6024	895	58	22.5	3/4	13	10	1
	TKG 6624	949	64	22.5	3/4	13	11	1
	TKG 7224	1002	70	22.5	3/4	13	12	1
	TKG 8424	1056	82	22.5	3/4	13	12	1
	TKG 9624	1112	94	22.5	3/4	13	13	1
	TKG 6030	907	58	28.5	3/4	13	10	1
	TKG 6630	960	64	28.5	3/4	13	11	1
	TKG 7230	1014	70	28.5	3/4	13	12	1
	TKG 8430	1069	82	28.5	3/4	13	12	1
	TKG 9630	1125	94	28.5	3/4	13	13	1
	TKG 6036	918	58	34.5	3/4	13	11	1
	TKG 6636	972	64	34.5	3/4	13	12	1
	TKG 7236	1014	70	34.5	3/4	13	13	1
	TKG 8436	1080	82	34.5	3/4	13	13	1
	TKG 9636	1136	94	34.5	3/4	13	14	1
	TKG 6642	982	64	40.5	3/4	13	12	1
	TKG 7242	1036	70	40.5	3/4	13	14	1
	TKG 8442	1096	82	40.5	3/4	13	14	1
	TKG 9642	1149	94	40.5	3/4	13	15	1

Pedestals
Features:

- Pedestal standard with all drawers locking.
- Five-sided drawer construction
- Full extension ball bearing slides on all drawers
- File drawers accommodate letter / legal filing.
- Pencil tray standard in upper box drawer.
- 5 wheel anti-tip feature on mobile pedestals.
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³

HANGING PEDESTAL - BOX / BOX


H2B-H

933

15.5

19

14

40

4

HANGING PEDESTAL - BOX / FILE


HBF-H

1080

15.5

19

19

55

4

HANGING PEDESTAL - FILE


HF-H

887

15.5

19

14

45

4

FULL HEIGHT PEDESTAL - BOX / BOX / FILE


F2BF-H

1417

15.5

19

28

85

6

FULL HEIGHT PEDESTAL - FILE / FILE


F2F-H

1417


15.5

19

28

85

6

FULL HEIGHT PEDESTAL - SHELF / BOX / FILE


FSBF-H

1417

15.5

19

28

80

7

MOBILE PEDESTAL - BOX / FILE


- 5/8" thick top

MBF-H

1417

15.5

19

21.5

80

7

MOBILE PEDESTAL - BOX / BOX / FILE


- 5/8" thick top

M2BF-H

1575

15.5

19

27.75

95

7

MOBILE PEDESTAL - FILE / FILE


- 5/8" thick top

M2F-H

1575

15.5

19

27.75

95

7

MOBILE PEDESTAL - SHELF / BOX / FILE


- 5/8" thick top

MSBF-H

1575

15.5

19

27.75

95



7

Lateral Files - Under Desk, Integrated and Stand Alone

Features:

- 1" thick top
- Steel drawers
- Anti-tip interlock system
- Heavy duty full extension ball bearing drawer slides
- Accommodates letter and legal filing
- Integrated 2-drawer lateral file is available in 20" and 24" depth to match adjacent items.
- Stand Alone lateral files are designed to be used with each other so base and grain pattern match.
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

		Product Code	List Price	Dimensions			Wt	Cube
				W	D	H	lbs	ft³
2-DRAWER LATERAL FILE - UNDER DESK								
	- Fits below 20", 24" or 30" deep desk shell	LFT 30-H	2110	30	19	28	105	13
	- Vertical grain standard on fronts	LFT 36-H	2168	36	19	28	125	15
2-DRAWER LATERAL FILE - INTEGRATED								
	- Matches depth and height of adjacent items	LF2 3020-H	2247	30	20	29	105	13
	- Vertical grain standard on fronts	LF2 3024-H	2307	30	24	29	115	13
	- Locking	LF2 3620-H	2335	36	20	29	130	15
		LF2 3624-H	2536	36	24	29	140	15
2-DRAWER LATERAL FILE - STAND ALONE								
	- Horizontal grain on drawer fronts	SLF2 3020-H	2247	30	20	30	105	13
	- Locking	SLF2 3620-H	2335	30	20	30	130	15
3-DRAWER LATERAL FILE - STAND ALONE								
	- Horizontal grain on drawer fronts	SLF3 3020-H	3126	30	20	44	175	18
	- 2 locks keyed-alike	SLF3 3620-H	3236	36	20	44	200	21
4-DRAWER LATERAL FILE - STAND ALONE								
	- Horizontal grain on drawer fronts	SLF4 3020-H	3823	30	20	58	220	24
	- 2 locks keyed-alike	SLF4 3620-H	3960	36	20	58	260	29
OPTIONS								
FRONT-TO-BACK FILING HARDWARE								
	- Set of four bars for one drawer	FTBF	n/c	-	-	-	-	-
	- Order separately for each drawer as required							

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum
LegsConference
Room

Lower Storage Units – Under Desk and Freestanding
Features:

- 1" thick top on freestanding units
- 20" and 24" deep units match workstation configurations.
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Multi-file storage cabinets are not grain-matched and upper drawers and doors are non-locking only.
- For lateral file front to back filing hardware, see previous page.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete
Compete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³

STORAGE CABINET - UNDER DESK


- Fits below 20", 24" or 30" desk shell
- 1 adjustable shelf:
 - 27-1/2"w for 30" cabinet
 - 33-3/8"w for 36" cabinet
- Non-locking only

SCT 30-H	890	30	19	28	80	13
SCT 36-H	940	36	19	28	90	15

STORAGE & FILE CABINET - UNDER DESK


- Fits below 20", 24" or 30" desk shell
- 2 file drawers right
- Storage left (18½"w)
- 1 adjustable shelf

Non-locking
Locking
(2 locks keyed-alike)

BSCT-H	1516	36	19	28	110	15
BSCTL-H	1772	36	19	28	110	15

MULTI-FILE STORAGE CABINET - UNDER DESK


- Fits below 20", 24" or 30" desk shell
- 2 box drawers upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

MFSBT 30-H	2069	30	19	28	105	13
MFSFT 30-H	2069	30	19	28	105	13



- Fits below 20", 24" or 30" desk shell
- File drawer upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

STORAGE CABINET


- 1 adjustable shelf:
 - 27-1/2"w for 30" cabinet
 - 33-3/8"w for 36" cabinet

Non-locking
Locking

SC 3020-H	1239	30	20	29	85	13
SC 3024-H	1291	30	24	29	95	14
SC 3620-H	1346	36	20	29	100	13
SC 3624-H	1404	36	24	29	110	15
SCL 3020-H	1395	30	20	29	85	13
SCL 3024-H	1448	30	24	29	95	14
SCL 3620-H	1512	36	20	29	100	13
SCL 3624-H	1567	36	24	29	110	15

STORAGE & FILE CABINET


- 2 file drawers right
- Storage left (18½"w)
- 1 adjustable shelf

Non-locking
Locking
(2 locks keyed-alike)

BSC 3620-H	1800	36	20	29	115	13
BSC 3624-H	1840	36	24	29	125	15
BSCL 3620-H	2056	36	20	29	115	13
BSCL 3624-H	2096	36	24	29	125	15

MULTI-FILE STORAGE CABINET


- 2 box drawers upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

MFSB 3020-H	2205	30	20	29	105	13
MFSB 3024-H	2262	30	24	29	105	13
MFSF 3020-H	2205	30	20	29	105	13
MFSF 3024-H	2262	30	24	29	105	13



- File drawer upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

Storage Towers - 30" and 36" Wide
Features:

- 1" thick top
- Doors standard non-locking. For lock option add suffix (/L) to product code and \$64 to list price.
- Frosted doors non-locking only with silver door frame
- Black integral pull standard. For optional silver finish, add suffix (/FPS) to product code.
- Optional surface-mounted handles available.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**
STORAGE TOWER WITH LATERAL FILES - FROSTED GLASS DOORS


- Locking lateral files
- Frosted doors non-locking only with silver frame
- Door knob finish matches drawer handles
- 2 adjustable shelves
- Front-to-back filing hardware

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
FFS 302065-H	3665	30	20	65	185	24
FFS 302465-H	3876	30	24	65	210	28
FFS 302072-H	3804	30	20	72	205	27
FFS 302472-H	4023	30	24	72	230	31
FFS 362065-H	3902	36	20	65	215	29
FFS 362465-H	4122	36	24	65	240	33
FFS 362072-H	4069	36	20	72	235	32
FFS 362472-H	4289	36	24	72	260	36

STORAGE TOWER WITH LATERAL FILES


- Locking lateral files
- Non-locking upper storage
- 2 adjustable shelves (27½" or 33-3/8"w)
- Front-to-back filing hardware

FS 302065-H	2867	30	20	65	185	24
FS 302465-H	3425	30	24	65	210	28
FS 302072-H	3030	30	20	72	205	27
FS 302472-H	3584	30	24	72	230	31
FS 362065-H	3273	36	20	65	215	29
FS 362465-H	3834	36	24	65	240	33
FS 362072-H	3433	36	20	72	235	32
FS 362472-H	3992	36	24	72	260	36

STORAGE TOWER


- 4 full-width adjustable shelves (33-3/8"w)

ST 362065-H	2657	36	20	65	200	29
ST 362465-H	2904	36	24	65	220	33
ST 362072-H	2803	36	20	72	215	32
ST 362472-H	3062	36	24	72	240	36

WARDROBE TOWER


- Full-width wardrobe
- Hat shelf
- Coat hanger bar (33-3/8"w)

WT 362065-H	2657	36	20	65	165	29
WT 362465-H	2904	36	24	65	175	33
WT 362072-H	2803	36	20	72	170	32
WT 362472-H	3062	36	24	72	185	36

STORAGE & WARDROBE TOWER


- 4 adjustable shelves (26"w)
- Coat hanger bar (6-3/8"w)






SW 362065-H	2657	36	20	65	200	29
SW 362465-H	2904	36	24	65	220	33
SW 362072-H	2803	36	20	72	215	32
SW 362472-H	3062	36	24	72	240	36

Bookcases

Features:

- 1" thick top and shelves
- Adjustable shelves
- Quarter-round and corner-square bookcases have evenly spaced fixed shelves
- Select grain direction on quarter-round and corner-square bookcases to match adjacent units
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

				Product Code	List Price	Dimensions			Wt	Cube	
						W	D	H	lbs	ft³	
BOOKCASE											
 (65 & 72" h) (48" h) (29" h) P = fixed	1 adj shelf	BC 2429-H	969	24	14	29	50	9			
	2 adj shelves	BC 2448-H	1085	24	14	48	65	13			
	4 adj shelves	BC 2465-H	1266	24	14	65	90	17			
	4 adj shelves	BC 2472-H	1376	24	14	72	105	20			
	1 adj shelf	BC 3029-H	1050	30	14	29	55	10			
	2 adj shelves	BC 3048-H	1163	30	14	48	75	15			
	4 adj shelves	BC 3065-H	1345	30	14	65	105	20			
	4 adj shelves	BC 3072-H	1456	30	14	72	120	22			
	1 adj shelf	BC 3629-H	1163	36	14	29	60	11			
	2 adj shelves	BC 3648-H	1254	36	14	48	85	18			
	4 adj shelves	BC 3665-H	1453	36	14	65	120	24			
	4 adj shelves	BC 3672-H	1584	36	14	72	135	26			
	24" shelf - extra	ES 24-H	192	22	13	1	4	1			
	30" shelf - extra	ES 30-H	192	28	13	1	5	1			
	36" shelf - extra	ES 36-H	192	34	13	1	6	1			
DESKTOP BOOKCASE											
 - Use with lateral files and storage cabinets - 12" clearance above desktop P = fixed	1 adj shelf	XCB 3036-H	1118	30	16	36	70	11			
	2 adj shelves	XCB 3043-H	1195	30	16	43	80	12			
	1 adj shelf	XCB 3636-H	1195	36	16	36	80	12			
	2 adj shelves	XCB 3643-H	1315	36	16	43	90	13			
	30" shelf - extra	XES 30-H	183	28	13	1	5	1			
	36" shelf - extra	XES 36-H	183	34	13	1	6	1			
QUARTER-ROUND BOOKCASE - LEFT and RIGHT											
 - Matches depth and height of overheads - For desktop use - No bottom shelf  - Matches depth and height of desk/credenza - 2 fixed shelves  - 16" matches depth and height of overhead - 20" and 24" match depth and height of towers - 4 fixed shelves left right	QRB 1636* -H	1000	16	16	36	65	5				
	QRB 1643* -H	1080	16	16	43	70	6				
	QRB 2029* -H	969	20	20	29	65	5				
	QRB 2429* -H	1106	24	24	29	70	6				
	QRB 1665* -H	1120	16	16	65	90	8				
	QRB 1672* -H	1193	16	16	72	95	9				
	QRB 2065* -H	1257	20	20	65	100	20				
	QRB 2072* -H	1352	20	20	72	110	22				
	QRB 2465* -H	1533	24	24	65	105	22				
	QRB 2472* -H	1615	24	24	72	115	24				
	CORNER-SQUARE BOOKCASE - LEFT and RIGHT										
 - Matches depth and height of desk/credenza - 2 fixed shelves  - 20" and 24" match depth and height of towers - 4 fixed shelves left right	CSB 2029* -H	915	20	20	29	60	9				
	CSB 2429* -H	1082	24	24	29	65	10				
	CSB 2065* -H	1381	20	20	65	110	20				
	CSB 2465* -H	1689	24	24	65	115	22				
	CSB 2072* -H	1493	20	20	72	120	22				
	CSB 2472* -H	1779	24	24	72	125	24				
					Select (L) or (R) to match grain direction of adjacent units						

Compete

Compete Plus



Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Desktop Panels and Connector Tops
Features:

- 1/4" thick frosted acrylic panels
- Simple surface-mounted attachment secures panel supports to desktop.
- Quick, easy field installation
- Desktop panel supports ordered separately; available in Charcoal, Aluminum and Black Finish.
- Extension table and connector tops are 1" thick.
- 3" diameter post leg and X-base standard in black. For optional silver finish add suffix (/SL) to product code.

Complete
Complete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room

		Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
				W	D	H		
	DESKTOP PANEL - 12" HIGH - 2 desktop panel supports required (order separately - see below) - 3 desktop panel supports required (order separately - see below)	DTP 2412	195	21	0.25	12	2	1
		DTP 3012	232	27	0.25	12	3	1
		DTP 3612	263	33	0.25	12	4	1
		DTP 4212	334	39	0.25	12	5	1
		DTP 4812	334	45	0.25	12	6	1
		DTP 5412	430	51	0.25	12	7	1
		DTP 6012	430	57	0.25	12	8	1
		DTP 6612	430	63	0.25	12	9	1
		DTP 7212	489	69	0.25	12	10	1
	DESKTOP PANEL - 17" HIGH - 2 desktop panel supports required (order separately - see below) - 3 desktop panel supports required (order separately - see below)	DTP 2417	279	21	0.25	17	3	1
		DTP 3017	390	27	0.25	17	5	1
		DTP 3617	390	33	0.25	17	6	1
		DTP 4217	507	39	0.25	17	8	1
		DTP 4817	507	45	0.25	17	9	1
		DTP 5417	619	51	0.25	17	11	1
		DTP 6017	619	57	0.25	17	12	1
		DTP 6617	728	63	0.25	17	14	1
		DTP 7217	740	69	0.25	17	15	1
	DESKTOP PANEL SUPPORTS Charcoal Finish Aluminum Finish Black Finish	DTPSC	79	1.5	1.5	6	1	0.5
		DTPSA	79	1.5	1.5	6	1	0.5
		DTPSB	79	1.5	1.5	6	1	0.5
	DESK EXTENSION TABLE -30" by 30" X-base standard in black woodgrain direction	ECT 2424-H	1412	24	28	29	40	17
		ECT 3030-H	1466	30	35	29	48	17
	HALF-ROUND CONNECTOR TOP -3" diameter post leg standard in black woodgrain direction	HRCT 2424-H	912	48	24	29	40	2
		HRCT 2430-H	1056	54	27	29	45	3
		HRCT 3030-H	1210	60	30	29	50	3
	QUARTER-ROUND CONNECTOR TOP woodgrain direction	QRCT 2424-H	603	24	24	29	20	1
		QRCT 2430-H	786	24	30	29	25	1
		QRCT 3024-H	786	30	24	29	25	1
		QRCT 3030-H	887	30	30	29	30	1
	BRIDGE CONNECTOR TOP woodgrain direction	BCT 2424-H	520	24	24	n/a	15	1
		BCT 3024-H	541	30	24	n/a	20	1
		BCT 3624-H	573	36	24	n/a	25	2
		BCT 4224-H	603	42	24	n/a	30	2
		BCT 2430-H	541	24	30	n/a	20	1
		BCT 3030-H	573	30	30	n/a	25	2
		BCT 3630-H	603	36	30	n/a	30	2
		BCT 4230-H	626	42	30	n/a	35	2

[illegible]

[illegible]

[illegible]


[illegible]


Compete Plus makes a distinctive statement with its 1.5" thick top and sophisticated styling details. With the same AIS precision engineering and uncompromising quality built into every component, Compete Plus offers an elegant design alternative.

Features Overview

- 1.5" thick worksurfaces as well as 1.5" thick tops on all lateral files, credenzas, overhead storage, storage towers and bookcases
- Freestanding independent components provide maximum flexibility
- Most product is shipped pre-assembled; products that are shipped ready-to-configure have most fittings pre-attached for quick installation
- Worksurfaces and tops are available with choice of 3 edge details: 1 Flat (-F) and 2 Profiled (-P3, -P4)
- Profiled edge detail is standard on ALL sides of worksurfaces and tops
- Edgebanding is 2.5 mm thick and always matches laminate finish
- Drawer fronts with woodgrain finish are grain-matched unless noted otherwise
- Surface-mounted handles are standard where shown; 7 choices are available (Waterfall Handle Black will be provided as the standard default handle if one is not specified)
- 9 laminate color choices, 30 tackboard fabric options

Profiled Edge Locations:




Example 1

Part Number
CDLB6624
OD6636
RR3624A
TK6636


Part Description

66x36 Ext'd cm Dsk Straight cm LH 24-24, 1 Cutaway End
66" Closed Overhead, hinged doors
36"w x 24"d Pedestal Return, Right, BF Locking
66"w Tackboard for 36" high Overhead

List

\$2,200.00
\$2,273.00
\$1,640.00
\$622.00

Total: \$6,735.00


Example 2

Part Number
BR3620
CDLB7220
F2BF
OD7236
PRM7242
TK7236


Part Description

36"w x 20"d Bridge
72x36 Ext'd cm Dsk Straight cm LH 20-20, 1 Cutaway End
Freestanding Pedestal, box/box/file Locking
72" Closed Overhead, hinged doors
72"w x 42"d Freestanding P-Top, w/ Modesty, Right
72"w Tackboard for 36" high Overhead

List

\$780.00
\$2,304.00
\$1,492.00
\$2,400.00
\$2,361.00
\$679.00

Total: \$10,016.00


Example 3

Part Number
BR4824
CPL7224A
DF7230
OD7236
SW362465
TK7236


Part Description

48"w x 24"d Bridge
72"w x 24"d Single Pedestal Credenza Ped Left, BF Locking
72"w x 30"d Freestanding D-Top
72" Closed Overhead, hinged doors
36"w x 24"d x 65"h, Storage + Wardrobe
72"w Tackboard for 36" high Overhead

List

\$982.00
\$2,415.00
\$1,887.00
\$2,400.00
\$3,069.00
\$679.00

Total: \$11,432.00


Example 4

Part Number
CDP7224A
DP7236A
OD7236
TK7236


Part Description

72w X 24d, Double pedestal Credenza, 2 B/F Locking
72"w x 36"d Double Pedestal Desk, 2 BF Locking
72" Closed Overhead, hinged doors
72"w Tackboard for 36" high Overhead

List

\$2,891.00
\$3,420.00
\$2,400.00
\$679.00

Total: \$9,390.00


Example 5

Part Number
BR4824
CPL7224A
OD7236
SPR7236A
TK7236


Part Description

48"w x 24"d Bridge
72"w x 24"d Single Pedestal Credenza Ped Left, BF Locking
72" Closed Overhead, hinged doors
72"w x 36"d Single Pedestal Desk, Ped Right, BF Locking
72"w Tackboard for 36" high Overhead


List

\$982.00
\$2,415.00
\$2,400.00
\$2,774.00
\$679.00


Total: \$9,250.00

**Example 6**


Part Number	Part Description	List
BDP7242A	72x42 Double Pedestal Bow-Front Desk, 2 B/F Lock	\$3,733.00
CDP7224A	72w X 24d, Double pedestal Credenza, 2 B/F Locking	\$2,891.00
Total:		\$6,624.00

**Example 7**


Part Number	Part Description	List
BDP7242A	72x42 Double Pedestal Bow-Front Desk, 2 B/F Locking	\$3,733.00
CF7224	72w X 24d Double Lat File Credenza Locking	\$4,616.00
FS362465	36" w x 24" d x 65" h, Storage w/ Lateral (Lat File Locking)	\$3,971.00
FS362465	36" w x 24" d x 65" h, Storage w/ Lateral (Lat File Locking)	\$3,971.00
OD7236	72" Closed Overhead, hinged doors	\$2,400.00
TK7236	72" w Tackboard for 36" high Overhead	\$679.00
Total:		\$19,370.00

**Example 8**

Part Number	Part Description	List
BR3624	36" w x 24" d Bridge	\$807.00
CDRB7224CV	72x36 Ext'd cmn Dsk Curved cmn RH, 24-24, 1 Cutaway End	\$2,304.00
F2BF	Freestanding Pedestal, box/box/file Locking	\$1,492.00
OD7236	72" Closed Overhead, hinged doors	\$2,400.00
PLM7236	72" w x 36" d Freestanding P-Top, w/ Modesty, Left	\$2,328.00
SW242465R	24" w x 24" d x 65" h Storage/Wardrobe Tower, hinge Right	\$2,359.00
TK7236	72" w Tackboard for 36" high Overhead	\$679.00
Total:		\$12,369.00

**Example 9**

Part Number	Part Description	List
CV361818	36" w x 18" d x 18" d Corner Units Curvilinear Corner	\$1,567.00
DB3624CNL	36" w x 24" d Desk Shells Curvilinear Notch Left	\$1,263.00
DC3624CNR	36" w x 24" d Desk Bridge Curvilinear Notch R	\$1,299.00
M2BF	Mobile Pedestal, box/box/file Locking	\$1,653.00
OD7236	72" Closed Overhead, hinged doors	\$2,400.00
SPL7236A	72" w x 36" d Single Pedestal Desk, Ped Left, BF Locking	\$2,774.00
TK7236	72" w Tackboard for 36" high Overhead	\$679.00
Total:		\$11,635.00

**Example 10**

Part Number	Part Description	List
BR4824	48" w x 24" d Bridge	\$982.00
BSPL7242A	72x42 Single Pedestal Bow-Front Desk, Ped Left, BF Locking	\$3,002.00
CPR7224A	72" w x 24" d Single Pedestal Credenza Ped Right, B/F Locking	\$2,415.00
FS362465	36" w x 24" d x 65" h, Storage w/ Lateral (Lat File Locking)	\$3,971.00
OD7236	72" Closed Overhead, hinged doors	\$2,400.00
TK7236	72" w Tackboard for 36" high Overhead	\$679.00
Total:		\$13,449.00

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Standard & Bow Front Double Pedestal Desks
Features:

- 1½" thick top with choice of 3 edge details.
- Bow Front desktop extends 6" on visitor side.
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" desks and 14¾" for 42" desks).
- Desk standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestals standard and keyed-alike; full-depth drawers maximize storage capacity.
- Heavy duty full extension ball bearing drawer slides
- Drawer handles standard. See specifying instructions below.
- 84" desks have center support panel.
- Shipped assembled



Flat Edge



Profiled Edge



Profiled Edge

Compete


Compete Plus

Accessories

 Conference
Tables

 Tables -
Aluminum Legs

 Conference
Room

DOUBLE PEDESTAL DESK - Pedestal Option A


- 2 box/file pedestals

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³
DP 6030A	3031	60	30	29.5	270	32
DP 6630A	3146	66	30	29.5	280	35
DP 7230A	3276	72	30	29.5	290	38
DP 7236A	3420	72	36	29.5	305	45
DP 8436A	3605	84	36	29.5	325	53

DOUBLE PEDESTAL DESK - Pedestal Option B

 - 2 box/box/file pedestals
- Upper box non-locking

DP 6030B	3478	60	30	29.5	330	32
DP 6630B	3592	66	30	29.5	340	35
DP 7230B	3733	72	30	29.5	350	38
DP 7236B	3881	72	36	29.5	365	45
DP 8436B	4066	84	36	29.5	385	53

DOUBLE PEDESTAL DESK - Pedestal Option C


- 2 file/file pedestals

DP 6030C	3478	60	30	29.5	330	32
DP 6630C	3592	66	30	29.5	340	35
DP 7230C	3733	72	30	29.5	350	38
DP 7236C	3881	72	36	29.5	365	45
DP 8436C	4066	84	36	29.5	385	53

DOUBLE PEDESTAL DESK - Pedestal Option F

 - 1 box/box/file pedestal - left
- 1 file/file pedestal - right
- Upper box non-locking

DP 6030F	3478	60	30	29.5	330	32
DP 6630F	3592	66	30	29.5	340	35
DP 7230F	3733	72	30	29.5	350	38
DP 7236F	3881	72	36	29.5	365	45
DP 8436F	4066	84	36	29.5	385	53

DOUBLE PEDESTAL DESK - Pedestal Option G


 - 1 file/file pedestal - left
- 1 box/box/file pedestal - right
- Upper box non-locking

DP 6030G	3478	60	30	29.5	330	32
DP 6630G	3592	66	30	29.5	340	35
DP 7230G	3733	72	30	29.5	350	38
DP 7236G	3881	72	36	29.5	365	45
DP 8436G	4066	84	36	29.5	385	53

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option A


- 2 box/file pedestals

BDP 6636A	3665	66	36	29.5	295	42
BDP 7242A	3733	72	42	29.5	320	53
BDP 8442A	3881	84	42	29.5	335	62

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option B

 - 2 box/box/file pedestals
- Upper box non-locking

BDP 6636B	4133	66	36	29.5	355	42
BDP 7242B	4179	72	42	29.5	380	53
BDP 8442B	4322	84	42	29.5	395	62

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option C


- 2 file/file pedestals

BDP 6636C	4133	66	36	29.5	355	42
BDP 7242C	4179	72	42	29.5	380	53
BDP 8442C	4322	84	42	29.5	395	62

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option F

 - 1 box/box/file pedestal - left
- 1 file/file pedestal - right
- Upper box non-locking

BDP 6636F	4133	66	36	29.5	355	42
BDP 7242F	4179	72	42	29.5	380	53
BDP 8442F	4322	84	42	29.5	395	62

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option G

 - 1 file/file pedestal - left
- 1 box/box/file pedestal - right
- Upper box non-locking

BDP 6636G	4133	66	36	29.5	355	42
BDP 7242G	4179	72	42	29.5	380	53
BDP 8442G	4322	84	42	29.5	395	62

Select edge code: -F, -P3, -P4

* Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

Standard & Bow Front Single Pedestal Desks - Left

Features:

- 1½" thick top with choice of 3 edge details
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" and 14¾" for 42" desks).
- Bow Front desktop extends 6" on visitor side.
- Desk standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestal standard; full-depth drawers maximize storage capacity.
- Heavy duty full extension ball bearing drawer slides
- Drawer handles standard. See specifying instructions below.
- 84" desks have center support panel.
- Shipped assembled



Flat Edge



Profiled Edge



Profiled Edge

SINGLE PEDESTAL DESK - LEFT - Pedestal Option A



- Box/file pedestal

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³
SPL 4830A	2130	48	30	29.5	190	26
SPL 5430A	2356	54	30	29.5	200	29
SPL 6030A	2444	60	30	29.5	215	32
SPL 6630A	2574	66	30	29.5	225	35
SPL 7230A	2657	72	30	29.5	240	38
SPL 7236A	2774	72	36	29.5	250	45
SPL 8436A	2961	84	36	29.5	265	53

SINGLE PEDESTAL DESK - LEFT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

SPL 4830B	2375	48	30	29.5	220	26
SPL 5430B	2589	54	30	29.5	230	29
SPL 6030B	2674	60	30	29.5	245	32
SPL 6630B	2788	66	30	29.5	255	35
SPL 7230B	2891	72	30	29.5	270	38
SPL 7236B	3018	72	36	29.5	280	45
SPL 8436B	3188	84	36	29.5	295	53

SINGLE PEDESTAL DESK - LEFT - Pedestal Option C



- File/file pedestal

SPL 4830C	2375	48	30	29.5	220	26
SPL 5430C	2589	54	30	29.5	230	29
SPL 6030C	2674	60	30	29.5	245	32
SPL 6630C	2788	66	30	29.5	255	35
SPL 7230C	2891	72	30	29.5	270	38
SPL 7236C	3070	72	36	29.5	280	45
SPL 8436C	3188	84	36	29.5	295	53

SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option A



- Box/file pedestal

BSPL 6636A	2882	66	36	29.5	240	42
BSPL 7242A	3002	72	42	29.5	265	53
BSPL 8442A	3205	84	42	29.5	280	62

SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

BSPL 6636B	3121	66	36	29.5	270	42
BSPL 7242B	3218	72	42	29.5	295	53
BSPL 8442B	3433	84	42	29.5	310	62

SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option C



- File/file pedestal

BSPL 6636C	3121	66	36	29.5	270	42
BSPL 7242C	3218	72	42	29.5	295	53
BSPL 8442C	3433	84	42	29.5	310	62

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

OPTIONS

CUTAWAY END PANEL - RIGHT



- Replaces 30" or 36" right end panel
- Add suffix (/CGR) to product code
- Not available for Bow Front Desk

/CGR

n/c

- - - - -

Standard & Bow Front Single Pedestal Desks - Right
Features:

- 1½" thick top with choice of 3 edge details
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" and 14¾" for 42" desks).
- Bow Front desktop extends 6" on visitor side.
- Desk standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestal standard; full-depth drawers maximize storage capacity.
- Heavy duty full extension ball bearing drawer slides
- Drawer handles standard. See specifying instructions below.
- 84" desks have center support panel.
- Shipped assembled



Flat Edge Profiled Edge Profiled Edge

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³

SINGLE PEDESTAL DESK - RIGHT - Pedestal Option A


- Box/file pedestal

SPR 4830A	• *	2130	48	30	29.5	190	26
SPR 5430A	• *	2356	54	30	29.5	200	29
SPR 6030A	• *	2444	60	30	29.5	215	32
SPR 6630A	• *	2574	66	30	29.5	225	35
SPR 7230A	• *	2657	72	30	29.5	240	38
SPR 7236A	• *	2774	72	36	29.5	250	45
SPR 8436A	• *	2961	84	36	29.5	265	53

SINGLE PEDESTAL DESK - RIGHT - Pedestal Option B

 - Box/box/file pedestal
 - Upper box non-locking

SPR 4830B	• *	2375	48	30	29.5	220	26
SPR 5430B	• *	2589	54	30	29.5	230	29
SPR 6030B	• *	2674	60	30	29.5	245	32
SPR 6630B	• *	2788	66	30	29.5	255	35
SPR 7230B	• *	2891	72	30	29.5	270	38
SPR 7236B	• *	3018	72	36	29.5	280	45
SPR 8436B	• *	3188	84	36	29.5	295	53

SINGLE PEDESTAL DESK - RIGHT - Pedestal Option C


- File/file pedestal

SPR 4830C	• *	2375	48	30	29.5	220	26
SPR 5430C	• *	2589	54	30	29.5	230	29
SPR 6030C	• *	2674	60	30	29.5	245	32
SPR 6630C	• *	2788	66	30	29.5	255	35
SPR 7230C	• *	2891	72	30	29.5	270	38
SPR 7236C	• *	3018	72	36	29.5	280	45
SPR 8436C	• *	3188	84	36	29.5	295	53

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option A


- Box/file pedestal

BSPR 6636A	• *	2882	66	36	29.5	240	42
BSPR 7242A	• *	3002	72	42	29.5	265	53
BSPR 8442A	• *	3205	84	42	29.5	280	62

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option B

 - Box/box/file pedestal
 - Upper box non-locking

BSPR 6636B	• *	3121	66	36	29.5	270	42
BSPR 7242B	• *	3218	72	42	29.5	295	53
BSPR 8442B	• *	3433	84	42	29.5	310	62

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option C


- File/file pedestal

BSPR 6636C	• *	3121	66	36	29.5	270	42
BSPR 7242C	• *	3218	72	42	29.5	295	53
BSPR 8442C	• *	3433	84	42	29.5	310	62

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

OPTIONS
CUTAWAY END PANEL - LEFT


- Replaces 30" or 36" left end panel
- Add suffix (/CGL) to product code
- Not available for Bow Front Desk

/CGL

n/c

- - - - -

Executive Corner Desks**Features:**

- 1½" thick top with choice of 3 edge details
- Bow Front desktop extends 6" on visitor side.
- Full height back panel, inset 14¼"
- Pedestal options available.
- Return options available.

* Optional pedestals not recommended for 6630 desks.




Flat Edge




Profiled Edge




Profiled Edge

EXTENDED LEFT - STRAIGHT CUTAWAY


Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
ECDS 6620L	2769	66	48	29.5	200	9
ECDS 6624L	2769	66	48	29.5	200	9
ECDS 6630L	2769	66	48	29.5	200	9
ECDS 7220L	2861	72	48	29.5	215	9
ECDS 7224L	2861	72	48	29.5	215	9
ECDS 7230L	2861	72	48	29.5	215	9
ECDS 7820L	2948	78	48	29.5	231	10
ECDS 7824L	2948	78	48	29.5	231	10
ECDS 7830L	2948	78	48	29.5	231	10

EXTENDED RIGHT - STRAIGHT CUTAWAY

ECDS 6620R	2769	66	48	29.5	200	9
ECDS 6624R	2769	66	48	29.5	200	9
ECDS 6630R	2769	66	48	29.5	200	9
ECDS 7220R	2861	72	48	29.5	215	9
ECDS 7224R	2861	72	48	29.5	215	9
ECDS 7230R	2861	72	48	29.5	215	9
ECDS 7820R	2948	78	48	29.5	231	10
ECDS 7824R	2948	78	48	29.5	231	10
ECDS 7830R	2948	78	48	29.5	231	10

EXTENDED LEFT - CURVED CUTAWAY

ECDC 6620L	2769	66	48	29.5	200	9
ECDC 6624L	2769	66	48	29.5	200	9
ECDC 6630L	2769	66	48	29.5	200	9
ECDC 7220L	2861	72	48	29.5	215	9
ECDC 7224L	2861	72	48	29.5	215	9
ECDC 7230L	2861	72	48	29.5	215	9
ECDC 7820L	2948	78	48	29.5	231	10
ECDC 7824L	2948	78	48	29.5	231	10
ECDC 7830L	2948	78	48	29.5	231	10

EXTENDED RIGHT - CURVED CUTAWAY

ECDC 6620R	2769	66	48	29.5	200	9
ECDC 6624R	2769	66	48	29.5	200	9
ECDC 6630R	2769	66	48	29.5	200	9
ECDC 7220R	2861	72	48	29.5	215	9
ECDC 7224R	2861	72	48	29.5	215	9
ECDC 7230R	2861	72	48	29.5	215	9
ECDC 7820R	2948	78	48	29.5	231	10
ECDC 7824R	2948	78	48	29.5	231	10
ECDC 7830R	2948	78	48	29.5	231	10

Select edge code: -F, -P3, -P4

Executive P-Top Corner Desks

Features:

- 1½" thick top with choice of 3 edge details
- Modesty panel 14" high.
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Return options available



Flat Edge



Profiled Edge



Profiled Edge

Product Code

List Price

Dimensions

W₁

W₂

D

H


Wt

lbs

Cube


ft³

P-TOP LEFT - STRAIGHT CUTAWAY




PTCS 6620L •	3077	66	20	48	29.5	158
PTCS 6624L •	3077	66	24	48	29.5	158
PTCS 6630L •	3077	66	30	48	29.5	158
PTCS 7220L •	3163	72	20	48	29.5	170
PTCS 7224L •	3163	72	24	48	29.5	170
PTCS 7230L •	3163	72	30	48	29.5	170
PTCS 7820L •	3256	78	20	48	29.5	183
PTCS 7824L •	3256	78	24	48	29.5	183
PTCS 7830L •	3256	78	30	48	29.5	183

P-TOP RIGHT - STRAIGHT CUTAWAY




PTCS 6620R •	3077	66	20	48	29.5	158
PTCS 6624R •	3077	66	24	48	29.5	158
PTCS 6630R •	3077	66	30	48	29.5	158
PTCS 7220R •	3163	72	20	48	29.5	170
PTCS 7224R •	3163	72	24	48	29.5	170
PTCS 7230R •	3163	72	30	48	29.5	170
PTCS 7820R •	3256	78	20	48	29.5	183
PTCS 7824R •	3256	78	24	48	29.5	183
PTCS 7830R •	3256	78	30	48	29.5	183

P-TOP LEFT - CURVED CUTAWAY



PTCC 6620L •	3077	66	20	48	29.5	158
PTCC 6624L •	3077	66	24	48	29.5	158
PTCC 6630L •	3077	66	30	48	29.5	158
PTCC 7220L •	3163	72	20	48	29.5	170
PTCC 7224L •	3163	72	24	48	29.5	170
PTCC 7230L •	3163	72	30	48	29.5	170
PTCC 7820L •	3256	78	20	48	29.5	183
PTCC 7824L •	3256	78	24	48	29.5	183
PTCC 7830L •	3256	78	30	48	29.5	183

P-TOP RIGHT - CURVED CUTAWAY




PTCC 6620R •	3077	66	20	48	29.5	158
PTCC 6624R •	3077	66	24	48	29.5	158
PTCC 6630R •	3077	66	30	48	29.5	158
PTCC 7220R •	3163	72	20	48	29.5	170
PTCC 7224R •	3163	72	24	48	29.5	170
PTCC 7230R •	3163	72	30	48	29.5	170
PTCC 7820R •	3256	78	20	48	29.5	183
PTCC 7824R •	3256	78	24	48	29.5	183
PTCC 7830R •	3256	78	30	48	29.5	183

Select edge code: -F, -P3, -P4

OPTIONS

FULL HEIGHT MODESTY PANEL



- Add suffix (/FMP) to product code

/FMP

115

-

-

5/8 28

-

-

Executive D-Top Corner Desks - 24"

Features:

- 1½" thick top with choice of 3 edge details
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Modesty panel 14" high.
- Return options available.



Flat Edge




Profiled Edge




Profiled Edge

D-TOP LEFT - STRAIGHT CUTAWAY




Product Code	List Price	Dimensions				Wt lbs	Cube ft³
		W ₁	W ₂	D	H		
DTCS 662420L •	2769	66	20	42	29.5	158	
DTCS 662424L •	2769	66	24	42	29.5	158	
DTCS 662430L •	2769	66	30	42	29.5	158	
DTCS 722420L •	2861	72	20	42	29.5	170	
DTCS 722424L •	2861	72	24	42	29.5	170	
DTCS 722430L •	2861	72	30	42	29.5	170	
DTCS 782420L •	2948	78	20	42	29.5	183	
DTCS 782424L •	2948	78	24	42	29.5	183	
DTCS 782430L •	2948	78	30	42	29.5	183	

D-TOP RIGHT - STRAIGHT CUTAWAY




DTCS 662420R •	2769	66	20	42	29.5	158	
DTCS 662424R •	2769	66	24	42	29.5	158	
DTCS 662430R •	2769	66	30	42	29.5	158	
DTCS 722420R •	2861	72	20	42	29.5	170	
DTCS 722424R •	2861	72	24	42	29.5	170	
DTCS 722430R •	2861	72	30	42	29.5	170	
DTCS 782420R •	2948	78	20	42	29.5	183	
DTCS 782424R •	2948	78	24	42	29.5	183	
DTCS 782430R •	2948	78	30	42	29.5	183	

D-TOP LEFT - CURVED CUTAWAY



DTCC 662420L •	2769	66	20	42	29.5	158	
DTCC 662424L •	2769	66	24	42	29.5	158	
DTCC 662430L •	2769	66	30	42	29.5	158	
DTCC 722420L •	2861	72	20	42	29.5	170	
DTCC 722424L •	2861	72	24	42	29.5	170	
DTCC 722430L •	2861	72	30	42	29.5	170	
DTCC 782420L •	2948	78	20	42	29.5	183	
DTCC 782424L •	2948	78	24	42	29.5	183	
DTCC 782430L •	2948	78	30	42	29.5	183	

D-TOP RIGHT - CURVED CUTAWAY




DTCC 662420R •	2769	66	20	42	29.5	158	
DTCC 662424R •	2769	66	24	42	29.5	158	
DTCC 662430R •	2769	66	30	42	29.5	158	
DTCC 722420R •	2861	72	20	42	29.5	170	
DTCC 722424R •	2861	72	24	42	29.5	170	
DTCC 722430R •	2861	72	30	42	29.5	170	
DTCC 782420R •	2948	78	20	42	29.5	183	
DTCC 782424R •	2948	78	24	42	29.5	183	
DTCC 782430R •	2948	78	30	42	29.5	183	

Select edge code: -F, -P3, -P4

OPTIONS

FULL HEIGHT MODESTY PANEL



- Add suffix (/FMP) to product code

/FMP

115

-

-

5/8

28

-

-

Executive D-Top Corner Desks - 30"

Features:

- 1½" thick top with choice of 3 edge details
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Modesty panel 14" high.
- Return options available



Flat Edge



Profiled Edge



Profiled Edge

Product Code

List Price

Dimensions

W₁

W₂

D

H


Wt

Cube

lbs


ft³

D-TOP LEFT - STRAIGHT CUTAWAY




DTCS 663020L •	2769	66	20	42	29.5	158
DTCS 663024L •	2769	66	24	42	29.5	158
DTCS 663030L •	2769	66	30	42	29.5	158
DTCS 723020L •	2861	72	20	42	29.5	170
DTCS 723024L •	2861	72	24	42	29.5	170
DTCS 723030L •	2861	72	30	42	29.5	170
DTCS 783020L •	2948	78	20	42	29.5	183
DTCS 783024L •	2948	78	24	42	29.5	183
DTCS 783030L •	2948	78	30	42	29.5	183

D-TOP RIGHT - STRAIGHT CUTAWAY





DTCS 663020R •	2769	66	20	42	29.5	158
DTCS 663024R •	2769	66	24	42	29.5	158
DTCS 663030R •	2769	66	30	42	29.5	158
DTCS 723020R •	2861	72	20	42	29.5	170
DTCS 723024R •	2861	72	24	42	29.5	170
DTCS 723030R •	2861	72	30	42	29.5	170
DTCS 783020R •	2948	78	20	42	29.5	183
DTCS 783024R •	2948	78	24	42	29.5	183
DTCS 783030R •	2948	78	30	42	29.5	183

D-TOP LEFT - CURVED CUTAWAY



DTCC 663020L •	2769	66	20	42	29.5	158
DTCC 663024L •	2769	66	24	42	29.5	158
DTCC 663030L •	2769	66	30	42	29.5	158
DTCC 723020L •	2861	72	20	42	29.5	170
DTCC 723024L •	2861	72	24	42	29.5	170
DTCC 723030L •	2861	72	30	42	29.5	170
DTCC 783020L •	2948	78	20	42	29.5	183
DTCC 783024L •	2948	78	24	42	29.5	183
DTCC 783030L •	2948	78	30	42	29.5	183

D-TOP RIGHT - CURVED CUTAWAY




DTCC 663020R •	2769	66	20	42	29.5	158
DTCC 663024R •	2769	66	24	42	29.5	158
DTCC 663030R •	2769	66	30	42	29.5	158
DTCC 723020R •	2861	72	20	42	29.5	170
DTCC 723024R •	2861	72	24	42	29.5	170
DTCC 723030R •	2861	72	30	42	29.5	170
DTCC 783020R •	2948	78	20	42	29.5	183
DTCC 783024R •	2948	78	24	42	29.5	183
DTCC 783030R •	2948	78	30	42	29.5	183

Select edge code: -F, -P3, -P4

OPTIONS

FULL HEIGHT MODESTY PANEL



- Add suffix (/FMP) to product code

/FMP

115

-

-

5/8

28

-

-

Left Returns

Features:

- 1½" thick top with choice of 3 edge details
- One grommet center rear
- Pedestal standard locking with heavy duty full extension ball bearing drawer slides.
- Back panels have vertical wood grain pattern to match adjacent desk end panel.
- Drawer handles standard. See specifying instructions below.
- Optional open back panel available for pedestal returns only.
- Pedestal returns shipped assembled; Non-pedestal returns shipped ready-to-assemble.



Flat Edge



Profiled Edge



Profiled Edge

PEDESTAL RETURN LEFT - Pedestal Option A



- Box/file pedestal

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
RL 3020A	1573	30	20	29.5	108	13
RL 3620A	1600	36	20	29.5	115	15
RL 4220A	1655	42	20	29.5	123	18
RL 4820A	1841	48	20	29.5	130	20
RL 5420A	1955	54	20	29.5	138	23
RL 6020A	2025	60	20	29.5	145	25
RL 3024A	1615	30	24	29.5	113	13
RL 3624A	1640	36	24	29.5	120	15
RL 4224A	1697	42	24	29.5	128	18
RL 4824A	1886	48	24	29.5	135	20
RL 5424A	2028	54	24	29.5	143	23
RL 6024A	2128	60	24	29.5	150	25

PEDESTAL RETURN LEFT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

RL 3020B	1856	30	20	29.5	138	13
RL 3620B	1881	36	20	29.5	145	15
RL 4220B	1945	42	20	29.5	153	18
RL 4820B	2130	48	20	29.5	160	20
RL 5420B	2189	54	20	29.5	168	23
RL 6020B	2259	60	20	29.5	175	25
RL 3024B	1907	30	24	29.5	143	13
RL 3624B	1930	36	24	29.5	150	15
RL 4224B	1984	42	24	29.5	158	18
RL 4824B	2174	48	24	29.5	165	20
RL 5424B	2284	54	24	29.5	173	23
RL 6024B	2403	60	24	29.5	180	25

PEDESTAL RETURN LEFT - Pedestal Option C



- File/file pedestal

RL 3020C	1856	30	20	29.5	138	13
RL 3620C	1881	36	20	29.5	145	15
RL 4220C	1945	42	20	29.5	153	18
RL 4820C	2130	48	20	29.5	160	20
RL 5420C	2189	54	20	29.5	168	23
RL 6020C	2259	60	20	29.5	175	25
RL 3024C	1907	30	24	29.5	143	13
RL 3624C	1930	36	24	29.5	150	15
RL 4224C	1984	42	24	29.5	158	18
RL 4824C	2174	48	24	29.5	165	20
RL 5424C	2284	54	24	29.5	173	23
RL 6024C	2403	60	24	29.5	180	25

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

20" RETURN LEFT - NO PEDESTAL



- Cannot accommodate
field-installed hanging
and mobile pedestal options.

FRL 3020	937	30	20	29.5	78	3
FRL 3620	964	36	20	29.5	80	3
FRL 4220	1,028	42	20	29.5	83	3
FRL 4820	1,107	48	20	29.5	87	4
FRL 5420	1,171	54	20	29.5	91	4
FRL 6020	1,250	60	20	29.5	95	4

24" RETURN LEFT - NO PEDESTAL



- Can accommodate
field-installed hanging
and mobile pedestal options.

FRL 3024	969	30	24	29.5	78	3
FRL 3624	990	36	24	29.5	80	3
FRL 4224	1,054	42	24	29.5	83	3
FRL 4824	1,136	48	24	29.5	87	4
FRL 5424	1,197	54	24	29.5	91	4
FRL 6024	1,281	60	24	29.5	95	4

Select edge code: -F, -P3, -P4

OPTIONS Note: Do not use this option if return is supporting overhead storage unit.

OPEN BACK PEDESTAL RETURN



- Add suffix (/OB) to product code

/OB

n/c

- - - - -

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Right Returns

Features:

- 1½" thick top with choice of 3 edge details
- One grommet center rear
- Pedestal standard locking with heavy duty full extension ball bearing drawer slides.
- Back panels have vertical wood grain pattern to match adjacent desk end panel.
- Drawer handles standard. See specifying instructions below.
- Optional open back panel available for pedestal returns only.
- Pedestal returns shipped assembled; Non-pedestal returns shipped ready-to-assemble.



Flat Edge




Profiled Edge



Profiled Edge


PEDESTAL RETURN RIGHT - Pedestal Option A



- Box/file pedestal

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
RR 3020A	1573	30	20	29.5	108	13
RR 3620A	1600	36	20	29.5	115	15
RR 4220A	1655	42	20	29.5	123	18
RR 4820A	1841	48	20	29.5	130	20
RR 5420A	1955	54	20	29.5	138	23
RR 6020A	2025	60	20	29.5	145	25
RR 3024A	1615	30	24	29.5	113	13
RR 3624A	1640	36	24	29.5	120	15
RR 4224A	1697	42	24	29.5	128	18
RR 4824A	1886	48	24	29.5	135	20
RR 5424A	2028	54	24	29.5	143	23
RR 6024A	2128	60	24	29.5	150	25

PEDESTAL RETURN RIGHT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

RR 3020B	1856	30	20	29.5	138	13
RR 3620B	1881	36	20	29.5	145	15
RR 4220B	1945	42	20	29.5	153	18
RR 4820B	2130	48	20	29.5	160	20
RR 5420B	2189	54	20	29.5	168	23
RR 6020B	2259	60	20	29.5	175	25
RR 3024B	1907	30	24	29.5	143	13
RR 3624B	1930	36	24	29.5	150	15
RR 4224B	1984	42	24	29.5	158	18
RR 4824B	2174	48	24	29.5	165	20
RR 5424B	2284	54	24	29.5	173	23
RR 6024B	2403	60	24	29.5	180	25

PEDESTAL RETURN RIGHT - Pedestal Option C




- File/file pedestal

RR 3020C	1856	30	20	29.5	138	13
RR 3620C	1881	36	20	29.5	145	15
RR 4220C	1945	42	20	29.5	153	18
RR 4820C	2130	48	20	29.5	160	20
RR 5420C	2189	54	20	29.5	168	23
RR 6020C	2259	60	20	29.5	175	25
RR 3024C	1907	30	24	29.5	143	13
RR 3624C	1930	36	24	29.5	150	15
RR 4224C	1984	42	24	29.5	158	18
RR 4824C	2174	48	24	29.5	165	20
RR 5424C	2284	54	24	29.5	173	23
RR 6024C	2403	60	24	29.5	180	25

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP


20" RETURN RIGHT - NO PEDESTAL



- cannot accommodate
field-installed hanging
and mobile pedestal options.

FRR 3020	937	30	20	29.5	78	3
FRR 3620	964	36	20	29.5	80	3
FRR 4220	1028	42	20	29.5	83	3
FRR 4820	1107	48	20	29.5	85	4
FRR 5420	1171	54	20	29.5	88	4
FRR 6020	1250	60	20	29.5	90	4

24" RETURN RIGHT - NO PEDESTAL



- can accommodate
field-installed hanging
and mobile pedestal options.

FRR 3024	969	30	24	29.5	78	3
FRR 3624	990	36	24	29.5	80	3
FRR 4224	1054	42	24	29.5	83	3
FRR 4824	1136	48	24	29.5	85	4
FRR 5424	1197	54	24	29.5	88	4
FRR 6024	1281	60	24	29.5	90	4

Select edge code: -F, -P3, -P4

OPTIONS Note: Do not use this option if return is supporting overhead storage unit.

OPEN BACK PEDESTAL RETURN



- Add suffix (/OB) to product code

/OB

n/c

- - - - -

Returns - Aluminum Legs and Acrylic Panels; Bridges

Features:

- 1½" thick top with choice of 3 edge details
- Return standard without grommet. Field-installed grommet option available.
- Aluminum legs with clear anodized finish and wire management capabilities.




Flat Edge




Profiled Edge



Profiled Edge

	Product Code	List Price	Dimensions			Wt lbs	Cube ft³
			W	D	H		
RETURN WITH ALUMINUM LEGS  - Non-handed - Standard with 2 support legs - Optional acrylic end panels	RAL 4224 •	1686	42	24	29.5	45	4
	RAL 4824 •	1710	48	24	29.5	50	4
	RAL 5424 •	1825	54	24	29.5	55	4
	RAL 6024 •	1872	60	24	29.5	61	5
	RAL 4230 •	1932	42	30	29.5	54	4
	RAL 4830 •	1956	48	30	29.5	61	5
	RAL 5430 •	1977	54	30	29.5	67	5
	RAL 6030 •	2236	60	30	29.5	74	5

RETURN WITH ALUMINUM LEGS, ACRYLIC END PANEL & MODESTY PANEL




- Non-handed
- Standard with 3 support legs, 1 acrylic end panel and modesty panel.
- Optional add-on acrylic end panel (order separately - see below).

RAL 4224EM •	2736	42	24	29.5	55	4
RAL 4824EM •	2794	48	24	29.5	61	4
RAL 5424EM •	2950	54	24	29.5	67	4
RAL 6024EM •	3037	60	24	29.5	74	5
RAL 4230EM •	3020	42	30	29.5	65	4
RAL 4830EM •	3082	48	30	29.5	73	5
RAL 5430EM •	3141	54	30	29.5	80	5
RAL 6030EM •	3435	60	30	29.5	88	5

Select edge code: -F, -P3, -P4


ADD-ON ACRYLIC END PANEL



- Use to add an end panel to RAL return
- Use to create a double end panel on an RAL-EM return

AEP 24	224	16	0.25	10	1	1
AEP 30	263	22	0.25	10	1	1


ADD-ON ACRYLIC MODESTY PANEL



- Not to be used with RAL-EM returns
- Includes the 3rd support leg


AMPL 42	305	34	1/4	10	3	1
AMPL 48	341	40	1/4	10	4	1
AMPL 54	381	46	1/4	10	4	1
AMPL 60	419	52	1/4	10	5	1
AMPL 66	458	58	1/4	10	5	1
AMPL 72	496	64	1/4	10	6	1

20" BRIDGE



BR 3020 •	756	30	20	29.5	70	2
BR 3620 •	780	36	20	29.5	72	2
BR 4220 •	866	42	20	29.5	75	2
BR 4820 •	935	48	20	29.5	77	3
BR 5420 •	1017	54	20	29.5	80	3
BR 6020 •	1094	60	20	29.5	82	4

24" BRIDGE



BR 3024 •	784	30	24	29.5	70	2
BR 3624 •	807	36	24	29.5	72	2
BR 4224 •	897	42	24	29.5	75	2
BR 4824 •	982	48	24	29.5	77	3
BR 5424 •	1069	54	24	29.5	80	3
BR 6024 •	1152	60	24	29.5	82	4

Select edge code: -F, -P3, -P4

OPTIONS Note: Do not use this option if bridge is supporting overhead storage unit.

¾ HEIGHT BACK PANEL



- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

/ 3Q	n/c	-	5/8	20	-3	-
------	-----	---	-----	----	----	---

½ HEIGHT BACK PANEL



- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

/ 2Q	n/c	-	5/8	14	-5	-
------	-----	---	-----	----	----	---

Single Pedestal Credenzas - Left and Right
Features:

- 1½" thick top with choice of 3 edge details
- Full height back panel
- Credenzas standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestal standard
- Heavy duty full extension ball bearing drawer slides
- Drawer handles standard. See specifying instructions below.
- Shipped assembled



Flat Edge



Profiled Edge



Profiled Edge

Product Code
List Price
Dimensions
Wt
Cube

W

D

H

lbs

ft³

SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option A


- Box/file pedestal

CPL 6020A	• *	1984	60	20	29.5	165	22
CPL 6620A	• *	2042	66	20	29.5	185	24
CPL 7220A	• *	2154	72	20	29.5	195	26
CPL 6024A	• *	2304	60	24	29.5	170	25
CPL 6624A	• *	2359	66	24	29.5	190	27
CPL 7224A	• *	2415	72	24	29.5	200	30

SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option B

 - Box/box/file pedestal
- Upper box non-locking

CPL 6020B	• *	2273	60	20	29.5	205	22
CPL 6620B	• *	2328	66	20	29.5	215	24
CPL 7220B	• *	2444	72	20	29.5	225	26
CPL 6024B	• *	2589	60	24	29.5	210	25
CPL 6624B	• *	2647	66	24	29.5	220	27
CPL 7224B	• *	2701	72	24	29.5	230	30

SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option C


- File/file pedestal

CPL 6020C	• *	2273	60	20	29.5	205	22
CPL 6620C	• *	2328	66	20	29.5	215	24
CPL 7220C	• *	2444	72	20	29.5	225	26
CPL 6024C	• *	2589	60	24	29.5	210	25
CPL 6624C	• *	2647	66	24	29.5	220	27
CPL 7224C	• *	2701	72	24	29.5	230	30

SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option A


- Box/file pedestal

CPR 6020A	• *	1984	60	20	29.5	165	22
CPR 6620A	• *	2042	66	20	29.5	185	24
CPR 7220A	• *	2154	72	20	29.5	195	26
CPR 6024A	• *	2304	60	24	29.5	170	25
CPR 6624A	• *	2359	66	24	29.5	190	27
CPR 7224A	• *	2415	72	24	29.5	200	30

SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option B

 - Box/box/file pedestal
- Upper box non-locking

CPR 6020B	• *	2273	60	20	29.5	205	22
CPR 6620B	• *	2328	66	20	29.5	215	24
CPR 7220B	• *	2444	72	20	29.5	225	26
CPR 6024B	• *	2589	60	24	29.5	210	25
CPR 6624B	• *	2647	66	24	29.5	220	27
CPR 7224B	• *	2701	72	24	29.5	230	30

SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option C


- File/file pedestal

CPR 6020C	• *	2273	60	20	29.5	205	22
CPR 6620C	• *	2328	66	20	29.5	215	24
CPR 7220C	• *	2444	72	20	29.5	225	26
CPR 6024C	• *	2589	60	24	29.5	210	25
CPR 6624C	• *	2647	66	24	29.5	220	27
CPR 7224C	• *	2701	72	24	29.5	230	30

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

OPTIONS
CUTAWAY END PANEL - RIGHT

 - Replaces 20" or 24" right end panel on CPL
- Add suffix (/CGR) to product code

/CGR

n/c


-

-

-

-

-

CUTAWAY END PANEL - LEFT

 - Replaces 20" or 24" left end panel on CPR
- Add suffix (/CGL) to product code

/CGL

n/c

-

-

-

-

-

Double Pedestal Credenzas

Features:

- 1½" thick top with choice of 3 edge details
- Full height back panel
- Credenza standard without grommets. See Accessories for field-installed grommet option.
- Locking pedestals standard and keyed-alike.
- Heavy duty full extension ball bearing drawer slides
- Drawer handles standard. See specifying instructions below.
- Shipped assembled



Flat Edge



Profiled Edge



Profiled Edge


DOUBLE PEDESTAL CREDENZA - Pedestal Option A



- 2 box/file pedestals

Product Code		List Price	Dimensions			Wt lbs	Cube ft³
			W	D	H		
CDP 6020A	• *	2732	60	20	29.5	230	22
CDP 6620A	• *	2788	66	20	29.5	240	24
CDP 7220A	• *	2846	72	20	29.5	250	26
CDP 6024A	• *	2774	60	24	29.5	235	25
CDP 6624A	• *	2830	66	24	29.5	245	27
CDP 7224A	• *	2891	72	24	29.5	255	30


DOUBLE PEDESTAL CREDENZA - Pedestal Option B



- 2 box/box/file pedestals
- Upper box non-locking

CDP 6020B	• *	3308	60	20	29.5	290	22
CDP 6620B	• *	3361	66	20	29.5	300	24
CDP 7220B	• *	3420	72	20	29.5	310	26
CDP 6024B	• *	3348	60	24	29.5	295	25
CDP 6624B	• *	3408	66	24	29.5	305	27
CDP 7224B	• *	3464	72	24	29.5	315	30

DOUBLE PEDESTAL CREDENZA - Pedestal Option C



- 2 file/file pedestals

CDP 6020C	• *	3308	60	20	29.5	290	22
CDP 6620C	• *	3361	66	20	29.5	300	24
CDP 7220C	• *	3420	72	20	29.5	310	26
CDP 6024C	• *	3348	60	24	29.5	295	25
CDP 6624C	• *	3408	66	24	29.5	305	27
CDP 7224C	• *	3464	72	24	29.5	315	30


DOUBLE PEDESTAL CREDENZA - Pedestal Option F



- 1 box/box/file pedestal - left
- 1 file/file pedestal - right
- Upper box non-locking

CDP 6020F	• *	3308	60	20	29.5	290	22
CDP 6620F	• *	3361	66	20	29.5	300	24
CDP 7220F	• *	3420	72	20	29.5	310	26
CDP 6024F	• *	3348	60	24	29.5	295	25
CDP 6624F	• *	3408	66	24	29.5	305	27
CDP 7224F	• *	3464	72	24	29.5	315	30

DOUBLE PEDESTAL CREDENZA - Pedestal Option G



- 1 file/file pedestal - left
- 1 box/box/file pedestal - right
- Upper box non-locking

CDP 6020G	• *	3308	60	20	29.5	290	22
CDP 6620G	• *	3361	66	20	29.5	300	24
CDP 7220G	• *	3420	72	20	29.5	310	26
CDP 6024G	• *	3348	60	24	29.5	295	25
CDP 6624G	• *	3408	66	24	29.5	305	27
CDP 7224G	• *	3464	72	24	29.5	315	30

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

Storage & Lateral File Credenzas
Features:

- 1½" thick top with choice of 3 edge details
- Full height back panel
- Credenza standard without grommets. See Accessories for field-installed grommet option.
- All credenza drawers & doors standard locking and keyed-alike.
- Heavy duty full extension ball bearing drawer slides
- "Front-to-back filing" hardware available no charge for lateral files. See page 47.
- Handles standard for drawers and doors. See specifying instructions below.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.



Flat Edge



Profiled Edge



Profiled Edge

Compete

Compete Plus

Accessories

 Conference
Tables

 Tables -
Aluminum Legs

 Conference
Room

CREDENZA - CENTER STORAGE & DBL BOX/FILE PEDESTAL


- 2 box/file pedestals
- Center storage cabinet
- 3 locks keyed alike

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³
CZ 6020A	3084	60	20	29.5	245	22
CZ 6620A	3186	66	20	29.5	255	24
CZ 7220A	3293	72	20	29.5	270	26
CZ 6024A	3146	60	24	29.5	250	25
CZ 6624A	3238	66	24	29.5	260	27
CZ 7224A	3357	72	24	29.5	275	30

CREDENZA - CENTER STORAGE & DBL BOX/BOX/FILE PEDESTAL


- 2 box/box/file pedestals
- Upper box non-locking
- Center storage cabinet
- 3 locks keyed alike

CZ 6020B	3574	60	20	29.5	305	22
CZ 6620B	3679	66	20	29.5	315	24
CZ 7220B	3783	72	20	29.5	330	26
CZ 6024B	3640	60	24	29.5	310	25
CZ 6624B	3729	66	24	29.5	320	27
CZ 7224B	3849	72	24	29.5	335	30

CREDENZA - CENTER STORAGE & DBL FILE/FILE PEDESTAL


- 2 file/file pedestals
- Center storage cabinet
- 3 locks keyed alike

CZ 6020C	3574	60	20	29.5	305	22
CZ 6620C	3679	66	20	29.5	315	24
CZ 7220C	3783	72	20	29.5	330	26
CZ 6024C	3640	60	24	29.5	310	25
CZ 6624C	3729	66	24	29.5	320	27
CZ 7224C	3849	72	24	29.5	335	30

CREDENZA - LATERAL FILE LEFT


- 36" wide lateral file
- Accommodates letter and legal filing

CFL 6020	2880	60	20	29.5	195	22
CFL 6620	2954	66	20	29.5	205	24
CFL 7220	3087	72	20	29.5	220	26
CFL 6024	3130	60	24	29.5	200	25
CFL 6624	3213	66	24	29.5	210	27
CFL 7224	3313	72	24	29.5	225	30

CREDENZA - LATERAL FILE RIGHT


- 36" wide lateral file
- Accommodates letter and legal filing

CFR 6020	2880	60	20	29.5	195	22
CFR 6620	2954	66	20	29.5	205	24
CFR 7220	3087	72	20	29.5	220	26
CFR 6024	3130	60	24	29.5	200	25
CFR 6624	3213	66	24	29.5	210	27
CFR 7224	3313	72	24	29.5	225	30

CREDENZA - DOUBLE LATERAL FILE


- 30" wide lateral files on 60" credenza
- 36" wide lateral files on 72" credenza
- Accommodates letter and legal filing

CFF 6020	3865	60	20	29.5	275	22
CFF 7220	4246	72	20	29.5	290	26
CFF 6024	4203	60	24	29.5	280	25
CFF 7224	4616	72	24	29.5	295	30

CREDENZA - LATERAL FILE LEFT & STORAGE RIGHT


- 36" wide lateral file
- Accommodates letter and legal filing
- 1 adjustable shelf in storage cabinet

CFS 6620	3571	60	20	29.5	245	22
CFS 7220	3664	66	20	29.5	255	24
CFS 6624	3881	72	20	29.5	270	26
CFS 7224	3979	60	24	29.5	250	25

CREDENZA - STORAGE LEFT & LATERAL FILE RIGHT


- 36" wide lateral file
- Accommodates letter and legal filing
- 1 adjustable shelf in storage cabinet

CSF 6620	3571	66	20	29.5	275	24
CSF 7220	3664	72	20	29.5	290	26
CSF 6624	3881	66	24	29.5	280	27
CSF 7224	3979	72	24	29.5	295	30

CREDENZA - DOUBLE STORAGE


- 1 adjustable shelf in left and right storage cabinets

CSS 6620	2897	66	20	29.5	265	24
CSS 7220	2973	72	20	29.5	280	26
CSS 6624	3084	66	24	29.5	270	27
CSS 7224	3163	72	24	29.5	285	30

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

OPTIONS
CUTAWAY END PANEL - RIGHT


- Replaces 20" or 24" right end panel on CFL
- Add suffix (/CGR) to product code

/CGR

n/c

- - - - -

CUTAWAY END PANEL - LEFT


- Replaces 20" or 24" left end panel on CFR
- Add suffix (/CGL) to product code

/CGL

n/c

- - - - -

Reception Workstations

Features:

- 1½" thick top and transaction top with choice of 3 edge details
- Desk 30" deep with full height back panel & 2 grommets
- Return 24" deep with 1 grommet center rear
- Transaction top 12" deep; Bow Front transaction top 18" deep with 6" overhang.
- 14" clearance above desktop
- Locking pedestal standard; Heavy duty full extension ball bearing drawer slides
- Drawer handles standard. See specifying instructions below.
- Reception desk tackboard options available
- Shipped assembled - except where noted*



Flat Edge



Profiled Edge



Profiled Edge

RECEPTION DESK - Pedestal Option A



Left



Right

- Box/file pedestal

Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft³
Left GDL 6630A	3040	66 30 45	280	55
Left GDL 7230A	3230	72 30 45	295	60
Right GDR 6630A	3040	66 30 45	280	55
Right GDR 7230A	3230	72 30 45	295	60

RECEPTION DESK - Pedestal Option B



Left



Right

- Box/box/file pedestal
- Upper box non-locking

Left GDL 6630B	3276	66 30 45	310	55
Left GDL 7230B	3464	72 30 45	325	60
Right GDR 6630B	3276	66 30 45	310	55
Right GDR 7230B	3464	72 30 45	325	60

RECEPTION DESK - Pedestal Option C



Left



Right

- File/file pedestal

Left GDL 6630C	3276	66 30 45	310	55
Left GDL 7230C	3464	72 30 45	325	60
Right GDR 6630C	3276	66 30 45	310	55
Right GDR 7230C	3464	72 30 45	325	60

BOW FRONT RECEPTION DESK - Pedestal Option A



Left



Right

- Box/file pedestal

Left GDBL 6636A	3172	66 36 45	290	55
Left GDBL 7236A	3357	72 36 45	305	60
Right GDBR 6636A	3172	66 36 45	290	55
Right GDBR 7236A	3357	72 36 45	305	60

BOW FRONT RECEPTION DESK - Pedestal Option B



Left



Right

- Box/box/file pedestal
- Upper box non-locking

Left GDBL 6636B	3406	66 36 45	320	55
Left GDBL 7236B	3592	72 36 45	335	60
Right GDBR 6636B	3406	66 36 45	320	55
Right GDBR 7236B	3592	72 36 45	335	60

BOW FRONT RECEPTION DESK - Pedestal Option C



Left



Right

- File/file pedestal

Left GDBL 6636C	3406	66 36 45	320	55
Left GDBL 7236C	3592	72 36 45	335	60
Right GDBR 6636C	3406	66 36 45	320	55
Right GDBR 7236C	3592	72 36 45	335	60

RECEPTION RETURN - Pedestal Option A



Left



Right

- Box/file pedestal

Left GRL 4224A	1945	42 24 43.5	140	27
Left GRL 4824A	2143	48 24 43.5	145	30
Right GRR 4224A	1945	42 24 43.5	140	27
Right GRR 4824A	2144	48 24 43.5	145	30

RECEPTION RETURN - Pedestal Option B



Left



Right

- Box/box/file pedestal
- Upper box non-locking

Left GRL 4224B	2227	42 24 43.5	170	27
Left GRL 4824B	2430	48 24 43.5	175	30
Right GRR 4224B	2227	42 24 43.5	170	27
Right GRR 4824B	2430	48 24 43.5	175	30

RECEPTION RETURN - Pedestal Option C



Left



Right

- File/file pedestal

Left GRL 4224C	2227	42 24 43.5	170	27
Left GRL 4824C	2430	48 24 43.5	175	30
Right GRR 4224C	2227	42 24 43.5	170	27
Right GRR 4824C	2430	48 24 43.5	175	30

RECEPTION RETURN - No Pedestal



Left



Right

* Shipped ready to assemble

Left GRL 4224	1114	42 24 43.5	95	4
Left GRL 4824	1210	48 24 43.5	105	4
Right GRR 4224	1114	42 24 43.5	95	4
Right GRR 4824	1210	48 24 43.5	105	4

RECEPTION RETURN - TRANSACTION TOP



Left



Right

- Field installation with brackets
- Lines up with desk transaction top
- Use with left or right returns

GRTT 42	358	60 12 1	22	1
GRTT 48	380	66 12 1	25	1

Select edge code: -F, -P3, -P4
Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

Corner Units

Features:

- 1½" thick top with choice of 3 edge details
- Black corner post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Back panels standard full height with horizontal wood grain pattern.
- Optional partial height back panels available (see below).
- Left and right recessed end panels standard.
- For keyboard options, see Accessories



Flat Edge



Profiled Edge



Profiled Edge


Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³

STRAIGHT CORNER



Keyboard Option:

- AKS 22
- AKS 30
- ARK
- DARK



CC 361818 •	1567	36	36	29.5	85	3
CC 362020 •	1567	36	36	29.5	85	3
CC 362424 •	1567	36	36	29.5	85	3
CC 422424 •	1841	42	42	29.5	105	4
CC 423030 •	1841	42	42	29.5	105	4
CC 422430 •	1841	42	42	29.5	105	4
CC 423024 •	1841	42	42	29.5	105	4
CC 482430 •	2143	48	48	29.5	125	5
CC 483024 •	2143	48	48	29.5	125	5
CC 482424 •	2143	48	48	29.5	125	5
CC 483030 •	2143	48	48	29.5	125	5


CURVILINEAR CORNER



★ = Not intended for keyboard tray

Keyboard Option:

- ARK
- DARK



CV 361818 •	1567	36	36	29.5	85	3
CV 362020 •	1567	36	36	29.5	85	3
CV 362424 •	1567	36	36	29.5	85	3
CV 422424 •	1841	42	42	29.5	105	4
CV 423030 •	1841	42	42	29.5	105	4
CV 482424 •	2143	48	48	29.5	125	5
CV 483030 •	2143	48	48	29.5	125	5

Select edge code: -F, -P3, -P4

OPTIONS

PARTIAL HEIGHT BACK PANELS

- Choose suffix below to match back panel preference
- Add suffix to "CDL" or "CDR" product code

Corner Units:



(¾ Height Suffix)

/ 3Q

/ 3QL

/ 3QR

(½ Height Suffix)

/ 2Q

/ 2QL

/ 2QR

/ 3Q
/ 3QL
/ 3QR
/ 2Q
/ 2QL
/ 2QR

n/c

-

-

-

-5

-

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR

n/c

-

-

-

-


-

Specifying Guide - Using Keyboards, Corner Units & Desk Shell Notches


Features:

- Keyboard options - see Accessories
- Corner units - see previous page
- Desk shells - see following pages
- Optional Desk shell notches available


STRAIGHT CORNERS 36" x 36"



STRAIGHT CORNERS 42" x 42" and 48" x 48"



CURVILINEAR CORNERS



Desk Shells - 20"
Features:

- 1½" thick tops with choice of 3 edge details
- Back panel standard full height with horizontal wood grain pattern.
- Optional partial height back panel available (see below).
- Desk shelf available (see Accessories)
- Recessed center support panel included with desk shells 78" or wider.
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle.




Flat Edge



Profiled Edge




Profiled Edge

20" DESK SHELL


- 2 full end panels


Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
DA 2420 •	1019	24	20	29.5	73	3
DA 3020 •	1063	30	20	29.5	78	3
DA 3620 •	1118	36	20	29.5	82	3
DA 4220 •	1165	42	20	29.5	87	4
DA 4820 •	1244	48	20	29.5	96	4
DA 5420 •	1315	54	20	29.5	106	5
DA 6020 •	1372	60	20	29.5	115	5
DA 6620 •	1448	66	20	29.5	120	6
DA 7220 •	1507	72	20	29.5	129	6
DA 7820 •	1621	78	20	29.5	133	7
DA 8420 •	1743	84	20	29.5	138	7
DA 9620 •	2026	96	20	29.5	142	7

20" DESK SHELL - RIGHT or LEFT


RIGHT


- 1 recessed and 1 full end panel

- May be assembled right hand or left hand by reversing end panels



LEFT

DB 2420 •	1019	24	20	29.5	68	3
DB 3020 •	1063	30	20	29.5	73	3
DB 3620 •	1118	36	20	29.5	77	3
DB 4220 •	1165	42	20	29.5	82	4
DB 4820 •	1244	48	20	29.5	91	4
DB 5420 •	1315	54	20	29.5	101	5
DB 6020 •	1372	60	20	29.5	110	5
DB 6620 •	1448	66	20	29.5	115	6
DB 7220 •	1507	72	20	29.5	124	6
DB 7820 •	1621	78	20	29.5	128	7
DB 8420 •	1743	84	20	29.5	133	7
DB 9620 •	2026	96	20	29.5	137	7

20" DESK SHELL BRIDGE


- 2 recessed end panels

DC 2420 •	1019	24	20	29.5	68	3
DC 3020 •	1063	30	20	29.5	73	3
DC 3620 •	1118	36	20	29.5	77	3
DC 4220 •	1165	42	20	29.5	82	4
DC 4820 •	1244	48	20	29.5	91	4
DC 5420 •	1315	54	20	29.5	101	5
DC 6020 •	1372	60	20	29.5	110	5
DC 6620 •	1448	66	20	29.5	115	6
DC 7220 •	1507	72	20	29.5	124	6
DC 7820 •	1621	78	20	29.5	128	7
DC 8420 •	1743	84	20	29.5	133	7
DC 9620 •	2026	96	20	29.5	137	7

Select edge code: -F, -P3, -P4

OPTIONS
¾ HEIGHT BACK PANEL


- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

/ 3Q n/c - 5/8 20 -3 -

½ HEIGHT BACK PANEL


- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

/ 2Q n/c - 5/8 14 -5 -

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR n/c - - - - -

Desk Shells - 24"

Features:

- 1½" thick tops with choice of 3 edge details
- Back panel standard full height with horizontal wood grain pattern.
- Optional partial height back panel available (see below).
- Desk shelf available (see Accessories)
- Transition notches available
- Recessed center support panel included with desk shells 78" or wider.
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle.



Flat Edge




Profiled Edge



Profiled Edge


24" DESK SHELL



- 2 full end panels

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
DA 2424 •	1052	24	24	29.5	80	3
DA 3024 •	1096	30	24	29.5	85	3
DA 3624 •	1154	36	24	29.5	90	3
DA 4224 •	1195	42	24	29.5	95	4
DA 4824 •	1268	48	24	29.5	105	4
DA 5424 •	1352	54	24	29.5	115	5
DA 6024 •	1412	60	24	29.5	125	5
DA 6624 •	1500	66	24	29.5	130	6
DA 7224 •	1555	72	24	29.5	140	6
DA 7824 •	1710	78	24	29.5	145	7
DA 8424 •	1834	84	24	29.5	150	7
DA 9624 •	2133	96	24	29.5	155	7


24" DESK SHELL - RIGHT or LEFT



RIGHT

- 1 recessed and 1 full end panel


- May be assembled right hand or left hand by reversing end panels



LEFT

DB 2424 •	1052	24	24	29.5	75	3
DB 3024 •	1096	30	24	29.5	80	3
DB 3624 •	1154	36	24	29.5	85	3
DB 4224 •	1195	42	24	29.5	90	4
DB 4824 •	1268	48	24	29.5	100	4
DB 5424 •	1352	54	24	29.5	110	5
DB 6024 •	1412	60	24	29.5	120	5
DB 6624 •	1500	66	24	29.5	125	6
DB 7224 •	1555	72	24	29.5	135	6
DB 7824 •	1710	78	24	29.5	140	7
DB 8424 •	1834	84	24	29.5	145	7
DB 9624 •	2133	96	24	29.5	150	7

24" DESK SHELL BRIDGE



- 2 recessed end panels

DC 2424 •	1052	24	24	29.5	75	3
DC 3024 •	1096	30	24	29.5	80	3
DC 3624 •	1154	36	24	29.5	85	3
DC 4224 •	1195	42	24	29.5	90	4
DC 4824 •	1268	48	24	29.5	100	4
DC 5424 •	1352	54	24	29.5	110	5
DC 6024 •	1412	60	24	29.5	120	5
DC 6624 •	1500	66	24	29.5	125	6
DC 7224 •	1555	72	24	29.5	135	6
DC 7824 •	1710	78	24	29.5	140	7
DC 8424 •	1834	84	24	29.5	145	7
DC 9624 •	2133	96	24	29.5	150	7

Select edge code: -F, -P3, -P4

OPTIONS

¾ HEIGHT BACK PANEL



- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

/ 3Q n/c - 5/8 20 -3 -

½ HEIGHT BACK PANEL



- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

/ 2Q n/c - 5/8 14 -5 -

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR n/c - - - - -

Desk Shells - 30"
Features:

- 1½" thick tops with choice of 3 edge details
- Back panel standard full height with horizontal wood grain pattern.
- Optional partial height back panel available (see below).
- Desk shelf available (see Accessories)
- Transition notches available.
- Recessed center support panel included with desk shells 78" or wider.
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle.



Flat Edge



P3 Profiled Edge



P4 Profiled Edge

Compete


Compete Plus

Accessories

 Conference
Tables


 Tables -
Aluminum Legs

 Conference
Room

30" DESK SHELL



- 2 full end panels

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
DA 2430 •	1096	24	30	29.5	90	3
DA 3030 •	1154	30	30	29.5	100	4
DA 3630 •	1225	36	30	29.5	110	4
DA 4230 •	1312	42	30	29.5	120	5
DA 4830 •	1382	48	30	29.5	130	5
DA 5430 •	1466	54	30	29.5	140	6
DA 6030 •	1555	60	30	29.5	150	6
DA 6630 •	1610	66	30	29.5	160	7
DA 7230 •	1668	72	30	29.5	170	8
DA 7830 •	1856	78	30	29.5	180	8
DA 8430 •	2005	84	30	29.5	190	9
DA 9630 •	2361	96	30	29.5	200	9

30" DESK SHELL - RIGHT or LEFT


RIGHT

- 1 recessed and 1 full end panel

 - May be assembled right hand
or left hand by reversing end panels


LEFT

DB 2430 •	1096	24	30	29.5	85	3
DB 3030 •	1154	30	30	29.5	95	4
DB 3630 •	1225	36	30	29.5	105	4
DB 4230 •	1312	42	30	29.5	115	5
DB 4830 •	1382	48	30	29.5	125	5
DB 5430 •	1466	54	30	29.5	135	6
DB 6030 •	1555	60	30	29.5	145	6
DB 6630 •	1610	66	30	29.5	155	7
DB 7230 •	1668	72	30	29.5	165	8
DB 7830 •	1856	78	30	29.5	175	8
DB 8430 •	2005	84	30	29.5	185	9
DB 9630 •	2361	96	30	29.5	195	9

30" DESK SHELL BRIDGE


- 2 recessed end panels

DC 2430 •	1096	24	30	29.5	85	3
DC 3030 •	1154	30	30	29.5	95	4
DC 3630 •	1225	36	30	29.5	105	4
DC 4230 •	1312	42	30	29.5	115	5
DC 4830 •	1382	48	30	29.5	125	5
DC 5430 •	1466	54	30	29.5	135	6
DC 6030 •	1555	60	30	29.5	145	6
DC 6630 •	1610	66	30	29.5	155	7
DC 7230 •	1668	72	30	29.5	165	8
DC 7830 •	1856	78	30	29.5	175	8
DC 8430 •	2005	84	30	29.5	185	9
DC 9630 •	2361	96	30	29.5	195	9

Select edge code: -F, -P3, -P4

OPTIONS
¾ HEIGHT BACK PANEL


- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

/ 3Q	n/c	-	5/8	20	-3	-
------	-----	---	-----	----	----	---

½ HEIGHT BACK PANEL


- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

/ 2Q	n/c	-	5/8	14	-5	-
------	-----	---	-----	----	----	---

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR	n/c	-	-	-	-	-
------	-----	---	---	---	---	---

Desk Shells - Inset Back Panel

Features:

- 1½" thick tops with choice of 3 edge details
- Full height inset back panel standard with horizontal wood grain pattern.
- Back inset 6" for 30" desks, 12" for 36" desks.
- Standard without grommets. See Accessories for field-installed grommet option.
- Recessed center support panel included with desk shells 78" or wider.



Flat Edge




Profiled Edge



Profiled Edge


INSET BACK PANEL

DESK SHELL - INSET BACK PANEL



- 2 full end panels


DESK SHELL - RIGHT or LEFT - INSET BACK PANEL



RIGHT

- 1 recessed and 1 full end panel

- May be assembled right hand or left hand by reversing end panels





LEFT

Select edge code: -F, -P3, -P4

OPTIONAL DESK SHELL NOTCHES

TRANSITION NOTCH RIGHT - DESK SHELL LEFT



Curvilinear

Straight

Extended

/ CNR

143

-

-

-

-

-

/ NR

143

-

-

-

-

-

/ ENR

143

-



-

-

-

-

TRANSITION NOTCH LEFT - DESK SHELL RIGHT



Curvilinear

Straight

Extended

/ CNL

143

-

-

-

-

-

/ NL

143

-

-

-

-

-

/ ENL

143

-

-


-

-

-

SPECIFICATIONS

Diagrams show Right Hand notches.
Left Hand are opposite.



Optional Desk Shell Notches

Features:

- Notches enable transition from 30" deep surface to adjacent 24" deep surface or transition from 24" deep surface to adjacent 18" deep surface.
- Notches are not available for 20" deep desk shells and inset back panel desk shells.

Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
		W	D	H		
DAI 2430 •	1096	24	30	29.5	90	3
DAI 3030 •	1154	30	30	29.5	100	4
DAI 3630 •	1225	36	30	29.5	110	4
DAI 4230 •	1312	42	30	29.5	120	5
DAI 4830 •	1382	48	30	29.5	130	5
DAI 5430 •	1466	54	30	29.5	140	6
DAI 6030 •	1555	60	30	29.5	150	6
DAI 6630 •	1610	66	30	29.5	160	7
DAI 7230 •	1668	72	30	29.5	170	8
DAI 7830 •	1856	78	30	29.5	180	8
DAI 8430 •	2005	84	30	29.5	190	9
DAI 9630 •	2361	96	30	29.5	200	9
DAI 6036 •	1710	60	36	29.5	160	9
DAI 6636 •	1772	66	36	29.5	170	10
DAI 7236 •	1838	72	36	29.5	180	11
DBI 2430 •	1096	24	30	29.5	90	3
DBI 3030 •	1154	30	30	29.5	100	4
DBI 3630 •	1225	36	30	29.5	110	4
DBI 4230 •	1312	42	30	29.5	120	5
DBI 4830 •	1382	48	30	29.5	130	5
DBI 5430 •	1466	54	30	29.5	140	6
DBI 6030 •	1555	60	30	29.5	150	6
DBI 6630 •	1610	66	30	29.5	160	7
DBI 7230 •	1668	72	30	29.5	170	8
DBI 7830 •	1856	78	30	29.5	180	8
DBI 8430 •	2005	84	30	29.5	190	9
DBI 9630 •	2361	96	30	29.5	200	9
DBI 6036 •	1710	60	36	29.5	160	9
DBI 6636 •	1772	66	36	29.5	170	10
DBI 7236 •	1838	72	36	29.5	180	11

Compete

Compete Plus

Accessories

Conference
Tables

Tables -
Aluminum
Legs

Conference
Room

Extended Corner Desk Shells
Features:

- 1½" thick top with choice of 3 edge details
- Black corner post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Back panels standard full height with horizontal wood grain pattern.
- Optional partial height back panels available (see next page)
- Optional curved cutaway in worksurface (see next page)
- 6024 desk shells do not accommodate optional pedestal.



Flat Edge



Profiled Edge



Profiled Edge

Product Code
List Price
Dimensions

W

D


H

Wt

lbs

Cube

ft³

20"- 20" CORNER DESK SHELL - EXTENDED LEFT


2 full end panels

CDLA 6020 •

2133


60

36

29.5

145

5


 1 full end panel and
1 recessed end panel
- interchangeable

CDLB 6020 •

2133


60

36

29.5

145

5



2 recessed end panels

CDLC 6020 •

2133


60

36

29.5

145

5



CDLA 7220 •

2304

72

36

29.5

170

7

CDLB 6620 •

2200

66

36

29.5

155

6

CDLB 7220 •

2304

72

36

29.5

170

7

CDLC 6620 •

2200

66

36

29.5

155

6

CDLC 7220 •

2304


72

36

29.5

170

7

20"- 20" CORNER DESK SHELL - EXTENDED RIGHT


2 full end panels

CDRA 6020 •

2133


60

36

29.5

145

5


 1 full end panel and
1 recessed end panel
- interchangeable

CDRB 6020 •

2133

60

36

29.5

145

5



2 recessed end panels

CDRC 6020 •

2133


60

36

29.5

145

5



CDRB 6620 •

2200

66

36

29.5

155

6

CDRB 7220 •

2304

72

36

29.5

170

7

CDRC 6620 •

2200

66

36

29.5

155

6

CDRC 7220 •

2304


72

36

29.5

170

7

24"- 24" CORNER DESK SHELL - EXTENDED LEFT


2 full end panels

CDLA 6024 •

2133


60

36

29.5

145

5


 1 full end panel and
1 recessed end panel
- interchangeable

CDLB 6024 •

2133


60

36

29.5

145

5



2 recessed end panels

CDLC 6024 •

2133


60

36

29.5

145

5



CDLB 6624 •

2200

66

36

29.5

155

6

CDLB 7224 •

2304

72

36

29.5

170

7

CDLC 6624 •

2200

66

36

29.5

155

6

CDLC 7224 •

2304


72

36

29.5

170

7

24"- 24" CORNER DESK SHELL - EXTENDED RIGHT


2 full end panels

CDRA 6024 •

2133


60

36

29.5

145

5


 1 full end panel and
1 recessed end panel
- interchangeable

CDRB 6024 •

2133

60

36

29.5

145

5



2 recessed end panels

CDRC 6024 •

2133


60

36

29.5

145

5



CDRB 6624 •

2200

66

36

29.5

155

6

CDRB 7224 •

2304

72

36

29.5

170

7

CDRC 6624 •

2200

66

36

29.5

155

6

CDRC 7224 •

2304

72

36

29.5

170

7

Select edge code: -F, -P3, -P4

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR

n/c

-

-

-

-

-

Extended Corner Desk Shells**Features:**

- 1½" thick tops with choice of 3 edge details
- Black corner post leg standard. For optional silver finish add suffix (/SL) to product code
- Back panels standard full height with horizontal wood grain pattern
- Optional partial height back panels available (see below)
- Optional curved cutaway in worksurface (see below)
- 6030 and 6630 desk shells do not accommodate optional pedestal



Flat Edge





Profiled Edge



Profiled Edge

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		

24" - 30" CORNER DESK SHELL - EXTENDED LEFT

2 full end panels



CDLA 6030 •	2133	60	36	29.5	145	5
CDLA 6630 •	2200	66	36	29.5	155	6
CDLA 7230 •	2304	72	36	29.5	170	7

1 full end panel and
1 recessed end panel
- interchangeable

CDLB 6030 •	2133	60	36	29.5	145	5
CDLB 6630 •	2200	66	36	29.5	155	6
CDLB 7230 •	2304	72	36	29.5	170	7

2 recessed end panels

CDLC 6030 •	2133	60	36	29.5	145	5
CDLC 6630 •	2200	66	36	29.5	155	6
CDLC 7230 •	2304	72	36	29.5	170	7

30" - 24" CORNER DESK SHELL - EXTENDED RIGHT

2 full end panels

CDRA 6030 •	2133	60	36	29.5	145	5
CDRA 6630 •	2200	66	36	29.5	155	6
CDRA 7230 •	2304	72	36	29.5	170	7

1 full end panel and
1 recessed end panel
- interchangeable

CDRB 6030 •	2133	60	36	29.5	145	5
CDRB 6630 •	2200	66	36	29.5	155	6
CDRB 7230 •	2304	72	36	29.5	170	7

2 recessed end panels

CDRC 6030 •	2133	60	36	29.5	145	5
CDRC 6630 •	2200	66	36	29.5	155	6
CDRC 7230 •	2304	72	36	29.5	170	7




Select edge code: -F, -P3, -P4

OPTIONS**PARTIAL HEIGHT BACK PANELS**

- Choose suffix below to match back panel preference
- Add suffix to "CDL" or "CDR" product code

"CDL"

Corner Desk Shells:

(3/4 Height Suffix) / 3Q
(1/2 Height Suffix) / 2Q/ 3Q
/ 2Q/ 3QL
/ 2QL/ 3QR
/ 2QR/ 3Q
/ 3QL
/ 3QR
/ 2Q
/ 2QL
/ 2QR

n/c

-

-




-

-5

-

"CDR"

Corner Desk Shells:

(3/4 Height Suffix) / 3Q
(1/2 Height Suffix) / 2Q/ 3Q
/ 2Q/ 3QL
/ 2QL/ 3QR
/ 2QR/ 3Q
/ 3QL
/ 3QR
/ 2Q
/ 2QL
/ 2QR

n/c

-

-

-

-5

-

CURVED CUTAWAY

- Add suffix (/CV) to product code
- Replaces straight cutaway in worksurface



LEFT



RIGHT

/ CV

n/c

-

-

-

-

-

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR

n/c

-

-

-

-

-

P-Tops
Features:

- 1½" thick top with choice of 3 edge details
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Suspended D-Tops have no grommet.
- Freestanding D-Tops must be attached to adjacent furniture for proper stability.



Flat Edge



Profiled Edge



Profiled Edge

Product Code
List Price
Dimensions

W

D



H

Wt

lbs

Cube

ft³

SUSPENDED - Left Hand

 PLS 6036 •
 PLS 6636 •
 PLS 7236 •
 PLS 6042 •
 PLS 6642 •
 PLS 7242 •

 1856
 1905
 2009
 1887
 1932
 2041



 60
 66
 72
 60
 66
 72

 36
 36
 36
 42
 42
 42

 29.5
 29.5
 29.5
 29.5
 29.5
 29.5

 120
 130
 135
 123
 133
 138

 4
 5
 5
 4
 5
 5

SUSPENDED - Right Hand

 PRS 6036 •
 PRS 6636 •
 PRS 7236 •
 PRS 6042 •
 PRS 6642 •
 PRS 7242 •

 1856
 1905
 2009
 1887
 1932
 2041



 60
 66
 72
 60
 66
 72

 36
 36
 36
 42
 42
 42

 29.5
 29.5
 29.5
 29.5
 29.5
 29.5

 120
 130
 135
 123
 133
 138

 4
 5
 5
 4
 5
 5

FREESTANDING - Left Hand

 PLF 6036 •
 PLF 6636 •
 PLF 7236 •
 PLF 6042 •
 PLF 6642 •
 PLF 7242 •

 2042
 2103
 2191
 2072
 2133
 2224



 60
 66
 72
 60
 66
 72

 36
 36
 36
 42
 42
 42

 29.5
 29.5
 29.5
 29.5
 29.5
 29.5

 150
 165
 170
 155
 170
 175

 5
 5
 5
 6
 6
 6

FREESTANDING - Right Hand

 PRF 6036 •
 PRF 6636 •
 PRF 7236 •
 PRF 6042 •
 PRF 6642 •
 PRF 7242 •

 2042
 2103
 2191
 2072
 2133
 2224



 60
 66
 72
 60
 66
 72

 36
 36
 36
 42
 42
 42

 29.5
 29.5
 29.5
 29.5
 29.5
 29.5

 150
 165
 170
 155
 170
 175

 5
 6
 6
 5
 6
 6

FREESTANDING - Left Hand with 14" high modesty panel

 PLM 6036 •
 PLM 6636 •
 PLM 7236 •
 PLM 6042 •
 PLM 6642 •
 PLM 7242 •

 2181
 2240
 2328
 2209
 2271
 2361

 60
 66
 72
 60
 66
 72



 36
 36
 36
 42
 42
 42

 29.5
 29.5
 29.5
 29.5
 29.5
 29.5

 165
 180
 185
 170
 185
 190

 5
 6
 6
 5
 6
 6

For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.

FREESTANDING - Right Hand with 14" high modesty panel

 PRM 6036 •
 PRM 6636 •
 PRM 7236 •
 PRM 6042 •
 PRM 6642 •
 PRM 7242 •

 2181
 2240
 2328
 2209
 2271
 2361

 60
 66
 72
 60
 66
 72

 36
 36
 36
 42
 42
 42

 29.5
 29.5
 29.5
 29.5
 29.5
 29.5

 165
 180
 185
 170
 185
 190

 5
 6
 6
 5
 6
 6

For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.

Select edge code: -F, -P3, -P4

D-Tops
Features:

- 1½" thick top with choice of 3 edge details
- 6" diameter black post leg standard. For optional silver finish, add suffix (/SL) to product code.
- Suspended P-Tops have no grommet.
- Freestanding P-Tops must be attached to adjacent furniture for proper stability.



Flat Edge



Profiled Edge



Profiled Edge

SUSPENDED


Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
DS 3624 •	1325	36	24	29.5	75	2
DS 4224 •	1364	42	24	29.5	80	2
DS 4824 •	1402	48	24	29.5	85	3
DS 5424 •	1441	54	24	29.5	90	3
DS 6024 •	1479	60	24	29.5	95	4
DS 6624 •	1520	66	24	29.5	105	4
DS 4830 •	1472	48	30	29.5	108	3
DS 5430 •	1553	54	30	29.5	112	3
DS 6030 •	1627	60	30	29.5	115	4
DS 6630 •	1736	66	30	29.5	118	4
DS 7230 •	1798	72	30	29.5	125	5
DS 6636 •	1881	66	36	29.5	130	5
DS 7236 •	1932	72	36	29.5	135	5

SUSPENDED - with centered 14" high modesty panel


DSM 3624 •	1461	36	24	29.5	90	2
DSM 4224 •	1501	42	24	29.5	95	2
DSM 4824 •	1542	48	24	29.5	100	3
DSM 5424 •	1575	54	24	29.5	105	3
DSM 6024 •	1615	60	24	29.5	110	4
DSM 6624 •	1659	66	24	29.5	120	4
DSM 4830 •	1610	48	30	29.5	123	3
DSM 5430 •	1690	54	30	29.5	127	3
DSM 6030 •	1768	60	30	29.5	130	4
DSM 6630 •	1871	66	30	29.5	133	4
DSM 7230 •	1933	72	30	29.5	140	5
DSM 6636 •	2017	66	36	29.5	145	5
DSM 7236 •	2069	72	36	29.5	150	5

For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.

FREESTANDING


DF 4824 •	1555	48	24	29.5	100	4
DF 5424 •	1602	54	24	29.5	110	4
DF 6024 •	1648	60	24	29.5	120	4
DF 6624 •	1723	66	24	29.5	135	5
DF 4830 •	1704	48	30	29.5	120	5
DF 5430 •	1743	54	30	29.5	130	5
DF 6030 •	1782	60	30	29.5	140	5
DF 6630 •	1843	66	30	29.5	150	5
DF 7230 •	1887	72	30	29.5	160	6
DF 6636 •	1975	66	36	29.5	165	6
DF 7236 •	2026	72	36	29.5	170	6

FREESTANDING - with reversible, offset 14" high modesty panel


DM 6030 •	1920	60	30	29.5	155	5
DM 6630 •	1984	66	30	29.5	165	5
DM 7230 •	2028	72	30	29.5	175	6
DM 7236 •	2168	72	36	29.5	185	6

FREE STANDING - with centered 14" high modesty panel


DCM 4824 •	1648	48	24	29.5	100	4
DCM 5424 •	1697	54	24	29.5	110	4
DCM 6024 •	1745	60	24	29.5	120	4
DCM 6624 •	1830	66	24	29.5	135	5
DCM 4830 •	1782	48	30	29.5	135	5
DCM 5430 •	1818	54	30	29.5	145	5
DCM 6030 •	1859	60	30	29.5	155	5
DCM 6630 •	1918	66	30	29.5	165	5
DCM 7230 •	1965	72	30	29.5	175	6
DCM 6636 •	2052	66	36	29.5	180	6
DCM 7236 •	2104	72	36	29.5	185	6

For full-height modesty panel, add suffix (/FMP) to product code and \$115 to list price.

Select edge code: -F, -P3, -P4

Compete

Compete Plus

Accessories

Conference
Tables

Tables -
Aluminum Legs

Conference
Room

Overheads - 36" and 43" High
Features:

- 1½" thick top with choice of 3 edge details
- 13¾" internal height clearance
- Full width concealed cable pass-thru 1¾" high.
- 36" overheads have 17" clearance above desktop and 65½" installed height.
- 43" overheads have 23½" clearance above desktop and 72½" installed height.
- Tackboard and paper management options available
- Cutaway gable options available.
- Closed overhead standard without handles and non-locking. For lock option, see below.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.



Flat Edge




Profiled Edge




Profiled Edge

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		

OPEN OVERHEAD - 36" HIGH


without center divider

OS 2436 •	1010	24	16	36	65	9
OS 3036 •	1022	30	16	36	75	10
OS 3636 •	1167	36	16	36	90	12
OS 4236 •	1209	42	16	36	100	14




with center divider

OS 4836 •	1325	48	16	36	110	16
OS 5436 •	1453	54	16	36	120	18
OS 6036 •	1567	60	16	36	130	20
OS 6636 •	1668	66	16	36	140	21
OS 7236 •	1797	72	16	36	150	23
OS 7836 •	1900	78	16	36	160	24

OPEN OVERHEAD - 43" HIGH



without center divider

OS 2443 •	1268	24	16	43	75	10
OS 3043 •	1382	30	16	43	85	11
OS 3643 •	1439	36	16	43	100	13
OS 4243 •	1523	42	16	43	110	15



with center divider

OS 4843 •	1640	48	16	43	120	18
OS 5443 •	1668	54	16	43	130	20
OS 6043 •	1712	60	16	43	140	22
OS 6643 •	1969	66	16	43	150	23
OS 7243 •	2086	72	16	43	160	26
OS 7843 •	2187	78	16	43	170	27

CLOSED OVERHEAD - 36" HIGH



2 doors

OD 2436 •	1352	24	16	36	75	9
OD 3036 •	1439	30	16	36	85	10
OD 3636 •	1542	36	16	36	105	12
OD 4236 •	1655	42	16	36	115	14



3 doors


OD 4836 •	1812	48	16	36	130	16
-----------	------	----	----	----	-----	----



4 doors

OD 5436 •	1969	54	16	36	140	18
OD 6036 •	2130	60	16	36	155	20
OD 6636 •	2273	66	16	36	170	21
OD 7236 •	2400	72	16	36	185	23
OD 7836 •	2558	78	16	36	190	24

Lock Option - add suffix (/L) to product code
 - For 2 doors, add \$115 to list price
 - For 3 or 4 doors, add \$230 to list price.

CLOSED OVERHEAD - 43" HIGH



2 doors

OD 2443 •	1697	24	16	43	85	10
OD 3043 •	1797	30	16	43	95	11
OD 3643 •	1886	36	16	43	115	13
OD 4243 •	2002	42	16	43	125	15



3 doors

OD 4843 •	2154	48	16	43	140	18
-----------	------	----	----	----	-----	----



4 doors

OD 5443 •	2328	54	16	43	150	20
OD 6043 •	2474	60	16	43	165	22
OD 6643 •	2618	66	16	43	180	23
OD 7243 •	2743	72	16	43	190	26
OD 7843 •	2891	78	16	43	200	27

Lock Option - add suffix (/L) to product code
 - For 2 doors, add \$115 to list price
 - For 3 or 4 doors, add \$230 to list price.

Select edge code: -F, -P3, -P4

Overheads - Frosted Glass Doors and Sliding Frosted Acrylic Doors

Features:

- 1½" thick top with choice of 3 edge details
- 13" internal height clearance
- Tackboard and paper management options available.
- For cutaway gable options, see below.
- Closed overhead standard without handles and non-locking.
- Full width concealed cable pass-thru 1¾" high on 36" and 43" high units
- Shipped assembled



Flat Edge



Profiled Edge



Profiled Edge

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.


Compete

Compete Plus


Accessories

Conference
TablesTables -
Aluminum
LegsConference
Room


EXECUTIVE OVERHEAD - FROSTED GLASS DOORS



- 36" high
- 17½" clearance above desktop
- Not available locking




- 43" high
- 24" clearance above desktop
- Not available locking



- Wall-mount instructions and hardware included
- Not available locking

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
OF 6036 •	3295	60	16	36	160	19
OF 6636 •	3432	66	16	36	170	21
OF 7236 •	3566	72	16	36	185	23
OF 6043 •	3642	60	16	43	170	21
OF 6643 •	3779	66	16	43	180	23
OF 7243 •	3915	72	16	43	190	26
WMOF 60 •	3295	60	17	18.5	133	13
WMOF 66 •	3432	66	17	18.5	144	14
WMOF 72 •	3566	72	17	18.5	155	15

OVERHEAD - 36" HIGH - SLIDING FROSTED ACRYLIC DOORS



- 36" high
- 17½" clearance above desktop
- Not available locking

OSD 4236 •	1597	42	16	36	130	14
OSD 4836 •	1751	48	16	36	145	16
OSD 5436 •	1911	54	16	36	155	18
OSD 6036 •	2069	60	16	36	170	20
OSD 6636 •	2215	66	16	36	185	21
OSD 7236 •	2339	72	16	36	200	23
OSD 7836 •	2499	78	16	36	205	24


OVERHEAD - 43" HIGH - SLIDING FROSTED ACRYLIC DOORS



- 43" high
- 24" clearance above desktop
- Not available locking

OSD 4243 •	1943	42	16	43	140	15
OSD 4843 •	2096	48	16	43	155	18
OSD 5443 •	2271	54	16	43	165	20
OSD 6043 •	2417	60	16	43	180	22
OSD 6643 •	2558	66	16	43	195	23
OSD 7243 •	2686	72	16	43	205	26
OSD 7843 •	2830	78	16	43	215	27

WALL-MOUNT OVERHEAD - SLIDING FROSTED ACRYLIC DOORS



- Wall-mount instructions and hardware included
- Not available locking

WMOSD 42 •	1597	42	17	18.5	103	9
WMOSD 48 •	1751	48	17	18.5	121	10
WMOSD 54 •	1911	54	17	18.5	132	11
WMOSD 60 •	2069	60	17	18.5	143	13
WMOSD 66 •	2215	66	17	18.5	154	14
WMOSD 72 •	2339	72	17	18.5	165	15
WMOSD 78 •	2499	78	17	18.5	176	16

Select edge code: -F, -P3, -P4

Overheads - Wall-Mount and Cutaway Gable Options
Features:

- 1½" thick top with choice of 3 edge details
- 13¾" internal height clearance
- Tackboard and paper management options available.
- For cutaway gable options, see below.
- Closed overhead standard without handles and non-locking.
- Lock option available for wall-mount (see below).
- Shipped assembled



Flat Edge



Profiled Edge




Profiled Edge

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		

WALL-MOUNT OVERHEAD - OPEN

 without center
divider

WMOS 24 •	1010	24	17	18.5	47	5
WMOS 30 •	1022	30	17	18.5	56	6
WMOS 36 •	1167	36	17	18.5	65	8
WMOS 42 •	1209	42	17	18.5	73	9


 with center
divider

WMOS 48 •	1325	48	17	18.5	86	10
WMOS 54 •	1453	54	17	18.5	95	11
WMOS 60 •	1567	60	17	18.5	103	13
WMOS 66 •	1668	66	17	18.5	112	14
WMOS 72 •	1797	72	17	18.5	120	15
WMOS 78 •	1900	78	17	18.5	129	16

- Wall-mount hardware and instructions included

WALL-MOUNT OVERHEAD - CLOSED



2 doors

WMOD 24 •	1352	24	17	18.5	57	5
WMOD 30 •	1439	30	17	18.5	66	6
WMOD 36 •	1542	36	17	18.5	77	8
WMOD 42 •	1655	42	17	18.5	88	9



3 doors

WMOD 48 •	1812	48	17	18.5	106	10
-----------	------	----	----	------	-----	----




4 doors

WMOD 54 •	1969	54	17	18.5	117	11
WMOD 60 •	2130	60	17	18.5	128	13
WMOD 66 •	2273	66	17	18.5	139	14
WMOD 72 •	2400	72	17	18.5	150	15
WMOD 78 •	2558	78	17	18.5	161	16

Lock Option - add suffix (/L) to product code
 - For 2 doors, add \$115 to list price.
 - For 3 or 4 doors, add \$230 to list price.


Select edge code: -F, -P3, -P4

OPTIONS: For all 36" High and 43" High Overheads

CUTAWAY GABLE - LEFT



- Add suffix (/CGL) to product code
 - 6" cutaway

/CGL	125	-	-	-	-	-
------	-----	---	---	---	---	---

CUTAWAY GABLE - RIGHT


- Add suffix (/CGR) to product code
 - 6" cutaway

/CGR	125	-	-	-	-	-
------	-----	---	---	---	---	---

CUTAWAY GABLE - LEFT & RIGHT


- Add suffix (/CGL /CGR) to product code
 - 6" cutaway

/CGL /CGR	250	-	-	-	-	-
-----------	-----	---	---	---	---	---

NOTES:

- Cutaway Gable option is not designed for stand-alone overhead application or overhead with paper sorter insert.
- Specify No-grommet option on a desk shell if you position two overheads on top and they meet in the middle of the desk.

Corner Overheads - 36" and 43" High

Features:

- 1½" thick top with choice of 3 edge details
- 13¾" internal height clearance
- Full width concealed cable pass-thru 1¾" high.
- 36" overheads have 17" clearance above desktop and 65½" installed height.
- 43" overheads have 23½" clearance above desktop and 72½" installed height.
- Tackboard and paper management options available.
- For cutaway gable options, see previous page.
- Corner overheads with doors are non-locking only; standard without handles.
- Shipped assembled in 2 cartons



Flat Edge





Profiled Edge





Profiled Edge

OPEN CORNER OVERHEAD - 36" HIGH





Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft³
OCS 3636 •	2185	36 36 36	150	24

OPEN CORNER OVERHEAD - 36" HIGH





OCS 4236 •	2297	42 42 36	165	26
OCS 4836 •	2569	48 48 36	180	28

OPEN CORNER OVERHEAD - 43" HIGH





OCS 3643 •	2607	36 36 43	170	25
------------	------	----------	-----	----

OPEN CORNER OVERHEAD - 43" HIGH



OCS 4243 •	2772	42 42 43	185	27
OCS 4843 •	3047	48 48 43	200	29



CLOSED CORNER OVERHEAD - 36" HIGH



2 doors

OCD 3636 •	2772	36 36 36	175	24
------------	------	----------	-----	----



CLOSED CORNER OVERHEAD - 36" HIGH



4 doors

OCD 4236 •	3020	42 42 36	190	26
OCD 4836 •	3350	48 48 36	210	28



CLOSED CORNER OVERHEAD - 43" HIGH



2 doors

OCD 3643 •	3320	36 36 43	195	25
------------	------	----------	-----	----

CLOSED CORNER OVERHEAD - 43" HIGH




4 doors

OCD 4243 •	3564	42 42 43	205	27
OCD 4843 •	3889	48 48 43	230	29


Select edge code: -F, -P3, -P4

Tackboards and Paper Management Options
Features:


- Specify tackboard color.
- Tackboard adheres easily to back panel using velcro strips.
- * All directional fabric will be railroaded.

Compete
Compete Plus
Accessories
Conference Tables
Tables - Aluminum Legs
Conference Room
TACKBOARD FOR 36" HIGH OVERHEADS



Product Code	List Price	Dimensions				Wt lbs	Cube ft³
		W ₁	W ₂	D	H		
TK 2436	379		22	0.75	17	2	1
TK 3036	392		28	0.75	17	3	1
TK 3636	405		34	0.75	17	4	1
TK 4236	434		40	0.75	17	5	1
TK 4836	449		46	0.75	17	6	1
TK 5436	509		52	0.75	17	7	1
TK 6036	566		58	0.75	17	8	1
TK 6636	622		64	0.75	17	9	1
TK 7236	679		70	0.75	17	10	1
TK 7836	709		76	0.75	17	10	1

TACKBOARD FOR 43" HIGH OVERHEADS



TK 2443	379		22	0.75	23.5	2	1
TK 3043	392		28	0.75	23.5	3	1
TK 3643	405		34	0.75	23.5	4	1
TK 4243	434		40	0.75	23.5	5	1
TK 4843	449		46	0.75	23.5	6	1
TK 5443	509		52	0.75	23.5	7	1
TK 6043	566		58	0.75	23.5	8	1
TK 6643	622		64	0.75	23.5	9	1
TK 7243	679		70	0.75	23.5	10	1
TK 7843	709		76	0.75	23.5	10	1

TACKBOARD FOR 36" HIGH CORNER OVERHEAD



TKC 3636	767	33	32.5	0.75	17	8	1
TKC 4236	823	39	38.5	0.75	17	10	1
TKC 4836	851	45	44.5	0.75	17	10	1

TACKBOARD FOR 43" HIGH CORNER OVERHEAD


TKC 3643	767	33	32.5	0.75	23.5	8	1
TKC 4243	823	39	38.5	0.75	23.5	10	1
TKC 4843	851	45	44.5	0.75	23.5	10	1

WALL-MOUNT TACKBOARDS


WMTK 24	379		24	0.75	17	2	1
WMTK 30	392		30	0.75	17	3	1
WMTK 36	405		36	0.75	17	4	1
WMTK 42	434		42	0.75	17	5	1
WMTK 48	449		48	0.75	17	6	1
WMTK 54	509		54	0.75	17	7	1
WMTK 60	566		60	0.75	17	8	1
WMTK 66	622		66	0.75	17	9	1
WMTK 72	679		72	0.75	17	10	1
WMTK 78	709		78	0.75	17	10	1

STACK-ON ORGANIZER HUTCH


SOH 6022	• 1182	60	16	22.5	105	15
SOH 6622	• 1244	66	16	22.5	112	17
SOH 7222	• 1306	72	16	22.5	120	18
SOH 7822	• 1426	78	16	22.5	129	19

Select edge code: -F, -P3, -P4

PAPER ORGANIZER



- Horizontal Dividers

POHD 1713-H	399	17	13.5	17.25	30	3
-------------	-----	----	------	-------	----	---

PAPER ORGANIZER


- Horizontal and Vertical Dividers

POHVD 1713-H	399	17	13.5	17.25	31	3
--------------	-----	----	------	-------	----	---

OVERHEAD PAPER SORTER INSERT


- Field installed (mount optional tackboard first)
- Not available for Corner Overheads and Wall-Mount Overheads, or with cutaway gable
- 2 1/2" clearance below doors (4 1/2" below shelf)

OPS 24-H	605	22	13.5	5.25	14	2
OPS 30-H	651	28	13.5	5.25	17	2
OPS 36-H	692	34	13.5	5.25	20	2
OPS 42-H	738	40	13.5	5.25	23	2
OPS 48-H	782	46	13.5	5.25	26	2
OPS 54-H	828	52	13.5	5.25	29	2
OPS 60-H	871	58	13.5	5.25	32	2
OPS 66-H	915	64	13.5	5.25	35	2
OPS 72-H	960	70	13.5	5.25	38	2
OPS 78-H	1004	76	13.5	5.25	41	2

Reception Galleries
Features:

- 1½" thick top with choice of 3 edge details
- Laminate back panel standard - optional fabric covered tackboards available.
- Transaction top 12" deep
- Bow front transaction top 18" deep with 6" overhang.
- Installed height 45"
- Clearance above desktop is 14"




Flat Edge




Profiled Edge





Profiled Edge

RECEPTION GALLERY




Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
OSG 24 •	867	24	12	15.5	35	2
OSG 30 •	915	30	12	15.5	40	3
OSG 36 •	1017	36	12	15.5	50	3
OSG 42 •	1052	42	12	15.5	55	4
OSG 48 •	1088	48	12	15.5	60	4
OSG 54 •	1182	54	12	15.5	65	5
OSG 60 •	1246	60	12	15.5	75	5
OSG 66 •	1331	66	12	15.5	80	6
OSG 72 •	1525	72	12	15.5	85	6
OSG 78 •	1640	78	12	15.5	90	7
OSG 84 •	1661	84	12	15.5	100	7
OSG 96 •	1770	96	12	15.5	110	8

BOW FRONT RECEPTION GALLERY




BOSG 24 •	962	24	18	15.5	40	3
BOSG 30 •	1010	30	18	15.5	45	4
BOSG 36 •	1109	36	18	15.5	55	5
BOSG 42 •	1146	42	18	15.5	60	6
BOSG 48 •	1182	48	18	15.5	65	6
BOSG 54 •	1273	54	18	15.5	70	7
BOSG 60 •	1338	60	18	15.5	80	8
BOSG 66 •	1426	66	18	15.5	85	9
BOSG 72 •	1619	72	18	15.5	90	10
BOSG 78 •	1734	78	18	15.5	95	10
BOSG 84 •	1754	84	18	15.5	105	11
BOSG 96 •	1861	96	18	15.5	115	12

CORNER RECEPTION GALLERY - 36" x 36"


OSGC 36 •	1810	36	36	15.5	55	3
-----------	------	----	----	------	----	---

CORNER RECEPTION GALLERY - 42" x 42"


OSGC 42 •	1900	42	42	15.5	70	4
-----------	------	----	----	------	----	---

CORNER RECEPTION GALLERY - 48" x 48"


OSGC 48 •	1984	48	48	15.5	85	4
-----------	------	----	----	------	----	---

Select edge code: -F, -P3, -P4

Extended Corner Reception Galleries
Features:

- 1½" thick top with choice of 3 edge details
- Laminate back panel standard - optional fabric covered tackboards available (see next page).
- Installed height is 45".
- Clearance above desktop is 14".



Flat Edge



Profiled Edge



Profiled Edge

Product Code
List Price
Dimensions


W

D


H

 Wt
lbs


 Cube
ft³

24" CORNER RECEPTION GALLERY - LEFT



OSGCL 6024 •	1834	60	24	15.5	80	2
OSGCL 6624 •	1900	66	24	15.5	85	2
OSGCL 7224 •	1945	72	24	15.5	95	3
OSGCL 8424 •	2010	84	24	15.5	105	3
OSGCL 9624 •	2069	96	24	15.5	115	3

24" CORNER RECEPTION GALLERY - RIGHT



OSGCR 6024 •	1834	60	24	15.5	80	2
OSGCR 6624 •	1900	66	24	15.5	85	2
OSGCR 7224 •	1945	72	24	15.5	95	3
OSGCR 8424 •	2010	84	24	15.5	105	3
OSGCR 9624 •	2069	96	24	15.5	115	3

30" CORNER RECEPTION GALLERY - LEFT



OSGCL 6030 •	1889	60	30	15.5	85	2
OSGCL 6630 •	1958	66	30	15.5	90	3
OSGCL 7230 •	2010	72	30	15.5	100	3
OSGCL 8430 •	2069	84	30	15.5	110	3
OSGCL 9630 •	2134	96	30	15.5	120	4

30" CORNER RECEPTION GALLERY - RIGHT



OSGCR 6030 •	1889	60	30	15.5	85	2
OSGCR 6630 •	1958	66	30	15.5	90	3
OSGCR 7230 •	2010	72	30	15.5	100	3
OSGCR 8430 •	2069	84	30	15.5	110	3
OSGCR 9630 •	2134	96	30	15.5	120	4

36" CORNER RECEPTION GALLERY - LEFT



OSGCL 6036 •	1956	60	36	15.5	90	3
OSGCL 6636 •	2028	66	36	15.5	95	3
OSGCL 7236 •	2069	72	36	15.5	105	3
OSGCL 8436 •	2134	84	36	15.5	115	4
OSGCL 9636 •	2196	96	36	15.5	125	4

36" CORNER RECEPTION GALLERY - RIGHT


OSGCR 6036 •	1956	60	36	15.5	90	3
OSGCR 6636 •	2028	66	36	15.5	95	3
OSGCR 7236 •	2069	72	36	15.5	105	3
OSGCR 8436 •	2134	84	36	15.5	115	4
OSGCR 9636 •	2196	96	36	15.5	125	4

42" CORNER RECEPTION GALLERY - LEFT


OSGCL 6642 •	2057	66	42	15.5	100	3
OSGCL 7242 •	2108	72	42	15.5	110	3
OSGCL 8442 •	2174	84	42	15.5	120	4
OSGCL 9642 •	2238	96	42	15.5	130	4





42" CORNER RECEPTION GALLERY - RIGHT


OSGCR 6642 •	2057	66	42	15.5	100	3
OSGCR 7242 •	2108	72	42	15.5	110	3
OSGCR 8442 •	2174	84	42	15.5	120	4
OSGCR 9642 •	2238	96	42	15.5	130	4

Select edge code: -F, -P3, -P4

Reception Gallery Options
Features:

- Specify tackboard color.
- Tackboard adheres easily to back panel using velcro strips.
- * All directional fabric will be railroaded.

	Product Code	List Price	W ₁	W ₂	D	H	Wt lbs	Cube ft ³
RECEPTION GALLERY PAPER SORTER INSERT  - Field installed - mount optional tackboard first - Not available for Corner Galleries - Not to be used with tackboard option	GPS 24-H	605	-	22	10.25	4.5	14	2
	GPS 30-H	651	-	28	10.25	4.5	17	2
	GPS 36-H	692	-	34	10.25	4.5	20	2
	GPS 42-H	738	-	40	10.25	4.5	23	2
	GPS 48-H	782	-	46	10.25	4.5	26	2
	GPS 54-H	828	-	52	10.25	4.5	29	2
	GPS 60-H	871	-	58	10.25	4.5	32	2
	GPS 66-H	915	-	64	10.25	4.5	35	2
	GPS 72-H	960	-	70	10.25	4.5	38	2
	GPS 78-H	1004	-	76	10.25	4.5	41	2
TACKBOARD FOR RECEPTION GALLERY & RECEPTION DESK 	TKG 24	379	-	22	0.75	13	2	1
	TKG 30	392	-	28	0.75	13	3	1
	TKG 36	405	-	34	0.75	13	4	1
	TKG 42	434	-	40	0.75	13	5	1
	TKG 48	449	-	46	0.75	13	6	1
	TKG 54	509	-	52	0.75	13	7	1
	TKG 60	566	-	58	0.75	13	8	1
	TKG 66	622	-	64	0.75	13	9	1
	TKG 72	679	-	70	0.75	13	10	1
	TKG 78	709	-	76	0.75	13	10	1
	TKG 84	738	-	82	0.75	13	10	1
	TKG 96	797	-	94	0.75	13	11	1
TACKBOARD FOR CORNER RECEPTION GALLERY 	TKG 3636	767	34	34.5	0.75	13	8	1
	TKG 4242	823	40	40.5	0.75	13	10	1
	TKG 4848	851	46	46.5	0.75	13	10	1
TACKBOARD FOR EXTENDED CORNER RECEPTION GALLERY 	TKG 6024	895	58	22.5	0.75	13	10	1
	TKG 6624	949	64	22.5	0.75	13	11	1
	TKG 7224	1002	70	22.5	0.75	13	12	1
	TKG 8424	1056	82	22.5	0.75	13	12	1
	TKG 9624	1112	94	22.5	0.75	13	13	1
	TKG 6030	907	58	28.5	0.75	13	10	1
	TKG 6630	960	64	28.5	0.75	13	11	1
	TKG 7230	1014	70	28.5	0.75	13	12	1
	TKG 8430	1069	82	28.5	0.75	13	12	1
	TKG 9630	1125	94	28.5	0.75	13	13	1
	TKG 6036	918	58	34.5	0.75	13	11	1
	TKG 6636	972	64	34.5	0.75	13	12	1
	TKG 7236	1014	70	34.5	0.75	13	13	1
	TKG 8436	1080	82	34.5	0.75	13	13	1
	TKG 9636	1136	94	34.5	0.75	13	14	1
	TKG 6642	982	64	40.5	0.75	13	12	1
	TKG 7242	1036	70	40.5	0.75	13	14	1
	TKG 8442	1096	82	40.5	0.75	13	14	1
	TKG 9642	1149	94	40.5	0.75	13	15	1

Compete

Compete Plus

Accessories

Conference
Tables

Tables -
Aluminum
Legs

Conference
Room

Pedestals
Features:

- Pedestal standard with all drawers locking.
- Five-sided drawer construction.
- Full extension ball bearing slides on all drawers.
- File drawers accommodate letter/legal filing.
- Pencil tray standard in upper box drawer.
- 5 wheel anti-tip feature on mobile pedestals.
- Drawer handles standard. See specifying instructions below.
- Shipped assembled

Compete
Compete Plus
Accessories
**Conference
Tables**
**Tables -
Aluminum Legs**
**Conference
Room**

		Product Code	List Price	Dimensions			Wt	Cube
				W	D	H	lbs	ft ³
HANGING PEDESTAL - BOX / BOX								
		H2B •	982	15.5	19	14	40	4
HANGING PEDESTAL - BOX / FILE								
		HBF •	1133	15.5	19	19	55	4
HANGING PEDESTAL - FILE								
		HF •	915	15.5	19	14	45	4
FULL HEIGHT PEDESTAL - BOX / BOX / FILE								
		F2BF •	1492	15.5	19	28	85	6
FULL HEIGHT PEDESTAL - FILE / FILE								
		F2F •	1464	15.5	19	28	85	6
FULL HEIGHT PEDESTAL - SHELF / BOX / FILE								
		FSBF •	1464	15.5	19	28	80	7
MOBILE PEDESTAL - BOX / FILE								
	- 5/8" thick top	MBF •	1464	15.5	19	21.5	80	7
MOBILE PEDESTAL - BOX / BOX / FILE								
	- 5/8" thick top	M2BF •	1653	15.5	19	27.75	95	7
MOBILE PEDESTAL - FILE / FILE								
	- 5/8" thick top	M2F •	1622	15.5	19	27.75	95	7
MOBILE PEDESTAL - SHELF / BOX / FILE								
	- 5/8" thick top	MSBF •	1622	15.5	19	27.75	90	7

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

Lateral Files - Under Desk Intergrated and Stand Alone

Features:

- 1½" thick top with choice of 3 edge details on freestanding units
- Steel drawers
- Anti-tip interlock system
- Heavy duty full extension ball bearing drawer slides
- Accommodate letter and legal filing
- Integrated 2-drawer lateral file is available in 20" and 24" depth to match adjacent items.
- Stand Alone lateral files are designed to be used with each other so base and grain pattern match.
- 20" and 24" depth units to match adjacent items.
- Drawer handles standard. See specifying instructions below.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.



Flat Edge



Profiled Edge



Profiled Edge

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		

2-DRAWER LATERAL FILE - UNDER DESK



- Fits below 20", 24" or 30" deep desk shell
- Vertical grain standard on fronts
- Locking

LFT 30 *	2158	30	19	28	105	13
LFT 36 *	2213	36	19	28	125	15

2-DRAWER LATERAL FILE - INTEGRATED



- Matches depth and height of adjacent items
- Vertical grain standard on fronts
- Locking

LF2 3020 *	2359	30	20	29.5	115	13
LF2 3024 *	2458	30	24	29.5	125	13
LF2 3620 *	2443	36	20	29.5	140	15
LF2 3624 *	2645	36	24	29.5	150	15

2-DRAWER LATERAL FILE - STAND ALONE



- Horizontal grain on drawer fronts
- Locking

SLF2 3020 *	2359	30	20	30.5	115	13
SLF2 3620 *	2443	36	20	30.5	140	15

3-DRAWER LATERAL FILE - STAND ALONE



- Horizontal grain on drawer fronts
- 2 locks keyed-alike

SLF3 3020 *	3236	30	20	44.5	185	18
SLF3 3620 *	3344	36	20	44.5	210	21

4-DRAWER LATERAL FILE - STAND ALONE



- Horizontal grain on drawer fronts
- 2 locks keyed-alike

SLF4 3020 *	3960	30	20	58.5	230	24
SLF4 3620 *	4071	36	20	58.5	270	29

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

OPTIONS

FRONT-TO-BACK FILING HARDWARE



- Set of 4 bars for 1 drawer
- Order separately for each drawer as required

FTBF	n/c	-	-	-	-	-
------	-----	---	---	---	---	---

Lower Storage Units - Under Desk and Freestanding
Features:

- 1½" thick top with choice of 3 edge details on freestanding units
- 20" and 24" deep units match workstation configurations.
- Handles standard for drawers and doors. See specifying instructions below.
- Multi-file storage cabinets are not grain-matched and upper drawers and doors are non-locking only.
- For lateral file front-to-back filing hardware, see previous page.
- Shipped assembled

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.



Flat Edge



Profiled Edge



Profiled Edge

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		

STORAGE CABINET - UNDER DESK


- Fits below 20", 24" or 30" deep desk shell
- 1 adjustable shelf:
 - 27-1/2"w for 30" cabinet
 - 33-3/8"w for 36" cabinet
- Non-locking only

SCT 30 *	936	30	19	28	85	13
SCT 36 *	988	36	19	28	95	15

STORAGE & FILE CABINET - UNDER DESK


- Fits below 20", 24" or 30" desk shell
- 2 file drawers right
- Storage left (18½"w)
- 1 adjustable shelf

<i>Non-locking</i>	BSCT *	1453	36	19	28	110	15
<i>Locking (2 locks keyed-alike)</i>	BSCTL *	1699	36	19	28	110	15

MULTI-FILE STORAGE CABINET - UNDER DESK


- Fits below 20", 24" or 30" desk shell
- 2 box drawers upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

MFSBT 30 *	1984	30	19	28	105	13
------------	------	----	----	----	-----	----



- Fits below 20", 24" or 30" desk shell
- File drawer upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

MFSFT 30 *	1984	30	19	28	105	13
------------	------	----	----	----	-----	----

STORAGE CABINET


- 1 adjustable shelf:
 - 27-1/2"w for 30" cabinet
 - 33-3/8"w for 36" cabinet

<i>Non-locking</i>	SC 3020 *	1376	30	20	29.5	95	13
	SC 3024 *	1499	30	24	29.5	105	14
	SC 3620 *	1492	36	20	29.5	110	13
	SC 3624 *	1619	36	24	29.5	120	15
<i>Locking</i>	SCL 3020 *	1518	30	20	29.5	95	13
	SCL 3024 *	1655	30	24	29.5	105	14
	SCL 3620 *	1655	36	20	29.5	110	13
	SCL 3624 *	1783	36	24	29.5	120	15

STORAGE & FILE CABINET


- 2 file drawers right
- Storage left (18 ½"w)
- 1 adjustable shelf

<i>Non-locking</i>	BSC 3620 *	1933	36	20	29.5	125	13
	BSC 3624 *	1971	36	24	29.5	135	15
<i>Locking (2 locks keyed-alike)</i>	BSCL 3620 *	2191	36	20	29.5	125	13
	BSCL 3624 *	2236	36	24	29.5	135	15

MULTI-FILE STORAGE CABINET


- 2 box drawers upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

MFSB 3020 *	2339	30	20	29.5	115	13
MFSB 3024 *	2396	30	24	29.5	115	13



- File drawer upper left
- Closed storage upper right (12½"w)
- Lower locking lateral file drawer

MFSF 3020 *	2339	30	20	29.5	115	13
MFSF 3024 *	2396	30	24	29.5	115	13

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

Storage Towers - 24" Wide

Features:

- 1½" thick top with choice of 3 edge details
- For locking door(s) options, add suffix (/L) to product code and \$115 to list price.
- Handles and knobs standard where shown. See specifying instructions below.
- Shipped assembled



Flat Edge



Profiled Edge



Profiled Edge

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum
LegsConference
Room

STORAGE TOWER - 48" and 54" HIGH

Hinged
RightHinged
Left


- 2 full-width adjustable shelves (21½" w)

Hinged Right

Hinged Left

Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft³
ST 242048R • *	1902	24 20 48.5	170	15
ST 242448R • *	1990	24 24 48.5	175	17
ST 242054R • *	2028	24 20 54.5	180	17
ST 242454R • *	2174	24 24 54.5	190	19
ST 242048L • *	1902	24 20 48.5	170	15
ST 242448L • *	1990	24 24 48.5	175	17
ST 242054L • *	2028	24 20 54.5	180	17
ST 242454L • *	2174	24 24 54.5	190	19

STORAGE TOWER - 65" and 72" HIGH

Hinged
RightHinged
Left

- 4 full-width adjustable shelves (21½" w)

Hinged Right

Hinged Left

ST 242065R • *	2064	24 20 65.5	185	21
ST 242465R • *	2359	24 24 65.5	190	23
ST 242072R • *	2151	24 20 72.5	190	23
ST 242472R • *	2454	24 24 72.5	200	25
ST 242065L • *	2064	24 20 65.5	185	21
ST 242465L • *	2359	24 24 65.5	190	23
ST 242072L • *	2151	24 20 72.5	190	23
ST 242472L • *	2454	24 24 72.5	200	25

WARDROBE TOWER - 48" and 54" HIGH

Hinged
RightHinged
Left



- Full-width coat hanger bar (21½" w)

Hinged Right

Hinged Left

WT 242048R • *	1902	24 20 48.5	160	15
WT 242448R • *	1990	24 24 48.5	165	17
WT 242054R • *	2028	24 20 54.5	170	17
WT 242454R • *	2174	24 24 54.5	180	19
WT 242048L • *	1902	24 20 48.5	160	15
WT 242448L • *	1990	24 24 48.5	165	17
WT 242054L • *	2028	24 20 54.5	170	17
WT 242454L • *	2174	24 24 54.5	180	19

STORAGE & WARDROBE TOWER - 65" and 72" HIGH

Hinged
RightHinged
Left



- 4 adjustable shelves (14-1¼" w)
- Coat hanger bar (6 3/8" w)

Hinged Right

Hinged Left

SW 242065R • *	2064	24 20 65.5	185	21
SW 242465R • *	2359	24 24 65.5	190	23
SW 242072R • *	2151	24 20 72.5	190	23
SW 242472R • *	2454	24 24 72.5	200	25
SW 242065L • *	2064	24 20 65.5	185	21
SW 242465L • *	2359	24 24 65.5	190	23
SW 242072L • *	2151	24 20 72.5	190	23
SW 242472L • *	2454	24 24 72.5	200	25

STORAGE, WARDROBE & FILE TOWER - 65" and 72" HIGH

Hinged
RightHinged
Left

- 1 adjustable shelf (14-1¼" w)
- 3 letter/legal file drawers
- Coat hanger bar (6 3/8" w)
- Full width door

Hinged Right

Hinged Left

SWF 242065R • *	2865	24 20 65.5	200	21
SWF 242465R • *	3130	24 24 65.5	205	23
SWF 242072R • *	2953	24 20 72.5	205	23
SWF 242472R • *	3218	24 24 72.5	215	25
SWF 242065L • *	2865	24 20 65.5	200	21
SWF 242465L • *	3130	24 24 65.5	205	23
SWF 242072L • *	2953	24 20 72.5	205	23
SWF 242472L • *	3218	24 24 72.5	215	25

WARDROBE, FILE & STORAGE TOWER - 65" and 72" HIGH

Hinged
RightHinged
Left

- Upper closed storage
- Middle open storage
- Lower letter/legal file drawers, locking
- Coat hanger bar (6-3/8")
- Separate wardrobe door, available non-locking only

Hinged Right

Hinged Left

WFS 242065R • *	2724	24 20 65.5	185	21
WFS 242465R • *	2973	24 24 65.5	190	23
WFS 242072R • *	2807	24 20 72.5	190	23
WFS 242472R • *	3061	24 24 72.5	200	25
WFS 242065L • *	2724	24 20 65.5	185	21
WFS 242465L • *	2973	24 24 65.5	190	23
WFS 242072L • *	2807	24 20 72.5	190	23
WFS 242472L • *	3061	24 24 72.5	200	25

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

Storage Towers - 30" and 36" Wide

Features:

- 1½" thick top with choice of 3 edge details
- Doors standard non-locking
- For locking door(s) options, add suffix (/L) to product code and \$115 to list price.
- Frosted doors non-locking only with silver door frame
- Handles and knobs standard where shown. See specifying instructions below.
- Shipped assembled



Flat Edge



Profiled Edge



Profiled Edge

NOTE: Due to dimensional differences, AIS Compete products are NOT compatible with other AIS Systems and should not be combined in paneled workstation environments. See AIS Calibrate products for use with other AIS Systems.

Compete

Compete Plus

Accessories

Conference Tables

Tables - Aluminum Legs

Conference Room

STORAGE TOWER W/ LATERAL FILES - FROSTED GLASS DOORS



- Locking lateral files
- Frosted doors non-locking only with silver frame
- Door knob finish matches drawer handles
- 2 adjustable shelves
- Front-to-back filing hardware

Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft³
FFS 302065 • *	3785	30 20 65	185	24
FFS 302465 • *	4015	30 24 65	210	28
FFS 302072 • *	3927	30 20 72	205	27
FFS 302472 • *	4166	30 24 72	230	31
FFS 362065 • *	4045	36 20 65	215	29
FFS 362465 • *	4285	36 24 65	240	33
FFS 362072 • *	4210	36 20 72	235	32
FFS 362472 • *	4446	36 24 72	260	36

STORAGE TOWER WITH LATERAL FILES



- Locking lateral files
- Non-locking upper storage
- 2 adjustable shelves (27 ½" or 33-3/8"w)
- Front-to-back filing hardware

FS 302065 • *	3002	30 20 65	185	24
FS 302465 • *	3564	30 24 65	210	28
FS 302072 • *	3163	30 20 72	205	27
FS 302472 • *	3721	30 24 72	230	31
FS 362065 • *	3412	36 20 65	215	29
FS 362465 • *	3971	36 24 65	240	33
FS 362072 • *	3571	36 20 72	235	32
FS 362472 • *	4127	36 24 72	260	36

STORAGE TOWER



- 4 full-width adjustable shelves (33-3/8"w)

ST 362065 • *	2929	36 20 65	200	29
ST 362465 • *	3069	36 24 65	220	33
ST 362072 • *	3062	36 20 72	215	32
ST 362472 • *	3205	36 24 72	240	36

WARDROBE TOWER



- Full-width wardrobe
- Hat shelf
- Coat hanger bar (33-3/8"w)

WT 362065 • *	2929	36 20 65	165	29
WT 362465 • *	3069	36 24 65	175	33
WT 362072 • *	3062	36 20 72	170	32
WT 362472 • *	3205	36 24 72	185	36

STORAGE & WARDROBE TOWER



- 4 adjustable shelves (26"w)
- Coat hanger bar (6-3/8"w)

SW 362065 • *	2929	36 20 65	200	29
SW 362465 • *	3069	36 24 65	220	33
SW 362072 • *	3062	36 20 72	215	32
SW 362472 • *	3205	36 24 72	240	36

Select edge code: -F, -P3, -P4

Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

Bookcases

Features:

- 1½" thick top with choice of 3 edge details
- 1" thick shelves
- Adjustable shelves
- Quarter-round and corner-square bookcases have evenly spaced fixed shelves
- Select grain direction on quarter-round and corner-square bookcases to match adjacent units
- Shipped assembled



Flat Edge




Profiled Edge




Profiled Edge

BOOKCASE



(65 & 72"h)



(48"h)




(29"h)

= fixed

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		

1 adj shelf	BC 2429 •	1069	24	14	29.5	55	9
2 adj shelves	BC 2448 •	1189	24	14	48.5	70	13
4 adj shelves	BC 2465 •	1370	24	14	65.5	95	17
4 adj shelves	BC 2472 •	1481	24	14	72.5	110	20
1 adj shelf	BC 3029 •	1127	30	14	29.5	60	10
2 adj shelves	BC 3048 •	1244	30	14	48.5	80	15
4 adj shelves	BC 3065 •	1426	30	14	65.5	110	20
4 adj shelves	BC 3072 •	1540	30	14	72.5	125	22
1 adj shelf	BC 3629 •	1297	36	14	29.5	65	11
2 adj shelves	BC 3648 •	1426	36	14	48.5	90	18
4 adj shelves	BC 3665 •	1668	36	14	65.5	125	24
4 adj shelves	BC 3672 •	1754	36	14	72.5	140	26
24" shelf - extra	ES 24-H	192	22	13	1	4	1
30" shelf - extra	ES 30-H	192	28	13	1	5	1
36" shelf - extra	ES 36-H	192	34	13	1	6	1

DESKTOP BOOKCASE




= fixed

- Use with lateral files and storage cabinets
- 12" clearance above desktop

1 adj shelf	XCB 3036 •	1256	30	16	36	75	11
2 adj shelves	XCB 3043 •	1330	30	16	43	85	12
1 adj shelves	XCB 3636 •	1330	36	16	36	85	12
2 adj shelves	XCB 3643 •	1448	36	16	43	95	13
30" shelf - extra	XES 30-H	182	28	13	1	5	1
36" shelf - extra	XES 36-H	182	34	13	1	6	1


QUARTER-ROUND BOOKCASE - LEFT and RIGHT



- Matches depth and height of overheads
- For desktop use
- No bottom shelf
- Matches depth and height of desk/credenza
- 2 fixed shelves
- 16" matches depth and height of overhead
- 20" and 24" match depth and height of towers
- 4 fixed shelves

QRB 1636 •	1043	16	16	36	70	5
QRB 1643 •	1127	16	16	43	75	6
QRB 2029 •	1010	20	20	29.5	70	5
QRB 2429 •	1154	24	24	29.5	75	6
QRB 1665 •	1305	16	16	65.5	95	8
QRB 1672 •	1374	16	16	72.5	100	9
QRB 2065 •	1526	20	20	65.5	105	20
QRB 2072 •	1655	20	20	72.5	115	22
QRB 2465 •	1783	24	24	65.5	110	22
QRB 2472 •	1913	24	24	72.5	120	24

CORNER-SQUARE BOOKCASE - LEFT and RIGHT



- Matches depth and height of desk/credenza
- 2 fixed shelves
- 20" and 24" match depth and height of towers
- 4 fixed shelves

CSB 2029 •	1109	20	20	29.5	65	9
CSB 2429 •	1271	24	24	29.5	70	10
CSB 2065 •	1584	20	20	65.5	115	20
CSB 2465 •	1822	20	20	72.5	125	22
CSB 2072 •	1964	24	24	65.5	120	22
CSB 2472 •	2104	24	24	72.5	130	24

Select (L) or (R) to match grain direction of adjacent units

Select edge code: -F, -P3, -P4

Compete

Compete Plus

Accessories

Conference
Tables

Tables -
Aluminum Legs

Conference
Room

Desk Top Panels and Connector Tops
Features:

- 1/4" thick frosted acrylic panels
- 1 1/2" thick connector tops with choice of 3 edge details
- Simple surface-mounted attachment secures panel supports to desktop.
- Quick, easy field installation
- Desktop panel supports ordered separately; available in Charcoal, Aluminum and Black finish.
- Post leg and X-base standard in black. For optional silver finish add suffix (/SL) to product code.



Flat Edge



Profiled Edge



Profiled Edge



Product Code
List Price
Dimensions

W

D



H

Wt
lbs

Cube
ft³
DESKTOP PANEL - 12" HIGH

 - 2 desktop panel supports required
(order separately - see below)

 - 3 desktop panel supports required
(order separately - see below)

DTP 2412	195	21	0.25	12	2	1
DTP 3012	232	27	0.25	12	3	1
DTP 3612	263	33	0.25	12	4	1
DTP 4212	334	39	0.25	12	5	1
DTP 4812	334	45	0.25	12	6	1
DTP 5412	430	51	0.25	12	7	1

DTP 6012	430	57	0.25	12	8	1
DTP 6612	430	63	0.25	12	9	1
DTP 7212	489	69	0.25	12	10	1

DESKTOP PANEL - 17" HIGH

 - 2 desktop panel supports required
(order separately - see below)

 - 3 desktop panel supports required
(order separately - see below)

DTP 2417	279	21	0.25	17	3	1
DTP 3017	390	27	0.25	17	5	1
DTP 3617	390	33	0.25	17	6	1
DTP 4217	507	39	0.25	17	8	1
DTP 4817	507	45	0.25	17	9	1
DTP 5417	619	51	0.25	17	11	1

DTP 6017	619	57	0.25	17	12	1
DTP 6617	728	63	0.25	17	14	1
DTP 7217	740	69	0.25	17	15	1

DESKTOP PANEL SUPPORTS




 Charcoal finish DTPSC
 Aluminum finish DTPSA
 Black finish DTPSB

79	1.5	1.5	6	1	0.5
79	1.5	1.5	6	1	0.5
79	1.5	1.5	6	1	0.5

*Used the same price as C & A

DESK EXTENSION TABLE

- 30" by 30" X-base standard in black






 woodgrain
direction

 ECT 2424 •
ECT 3030 •

1830	24	28	29.5	50	17
1917	30	35	29.5	58	17




HALF-ROUND CONNECTOR TOP

- 3" diameter post leg standard in black


 woodgrain
direction



 HRCT 2424 •
HRCT 2430 •
HRCT 3030 •

1067	48	24	29.5	50	2
1257	54	27	29.5	55	3
1461	60	30	29.5	60	3

QUARTER-ROUND CONNECTOR TOP

 woodgrain
direction

 QRCT 2424 •
QRCT 2430 •
QRCT 3024 •
QRCT 3030 •








679	24	24	29.5	30	1
885	24	30	29.5	35	1
885	30	24	29.5	35	1
1010	30	30	29.5	40	1

BRIDGE CONNECTOR TOP

 woodgrain
direction

 BCT 2424 •
BCT 3024 •
BCT 3624 •
BCT 4224 •
BCT 2430 •
BCT 3030 •
BCT 3630 •
BCT 4230 •

595	24	24	n/a	25	1
641	30	24	n/a	30	1
688	36	24	n/a	35	2
736	42	24	n/a	40	2
624	24	30	n/a	30	1
669	30	30	n/a	35	2
718	36	30	n/a	40	2
761	42	30	n/a	45	2

Select edge code: -F, -P3, -P4

	Product Code	List Price	Dimensions			Wt	Cube	
			W	D	H	lbs	ft³	
KEYBOARD SHELVES - STANDARD								
	- Matches lower case finish	AKS 22	279	22	12	3	5	1
	- Full extension ball bearing slides	AKS 27	289	27	12	3	7	1
	- Requires 3" extra width and 16" deep mounting clearance	AKS 30	392	30	12	3	8	1
DELUXE ARTICULATING KEYBOARD ARM WITH MOUSE TRAY								
	- Quick adjust feature - Positive/negative tilt, swivel & height adjustable - Universal tray for keyboard & mouse - Multiple mouse positions, left or right - Palm support - Black finish	DARK	962	28	12	5	18	1
ARTICULATING KEYBOARD ARM								
	- Positive/negative tilt and swivel - Universal tray for keyboard - Compatible with MT mouse tray - Palm support - Requires 19 1/2" deep mounting clearance - Black finish	ARK	786	21	10	6	15	1
MOUSE TRAY								
	- Attaches to ARK on left or right - Multi-position mounting	MT	192	7	12	1	3	1
PENCIL DRAWER								
	- Shallow profile - 3/4 extension ball bearing slides - 21" W x 16" D x 2" H - Requires 22 1/2" wide and 16 1/2" deep mounting clearance - Black finish	APD	213	21	16	2	5	1
DESK SHELF								
	- Will not interfere with hanging box/file pedestal	AS 24-H	205	22	12	1	10	1
	- Requires on-site installation	AS 30-H	215	28	12	1	12	1
	- AS 78, AS 84 and AS 96 shelves are 2-piece	AS 36-H	224	34	12	1	14	1
	- Does not fit under extended corner desk shells or corner units	AS 42-H	236	40	12	1	16	1
	- Shelves 1" thick and finished on four sides	AS 48-H	245	46	12	1	18	1
		AS 54-H	256	52	12	1	19	1
		AS 60-H	266	58	12	1	20	1
		AS 66-H	277	64	12	1	22	1
		AS 72-H	287	70	12	1	24	1
		AS 78-H	367	(2)37.5	12	1	26.1	
		AS 84-H	379	(2)40.5	12	1	28.1	
		AS 96-H	382	(2)46.5	12	1	32.1	
	GROMMET							
	- Field installed - Requires 2 3/4" diameter hole - Black finish	GR	17	2 3/4" dia	5/8	-	-	
WIRE MANAGEMENT CHANNEL								
	- Field installed - attached to back panel - 12" J-channel with mounting screws - Conceals wires beneath desktop	WMC	17	-	-	-	-	
HORIZONTAL WIRE MANAGEMENT								
	- Set of 5; screw-on cable ties for under-desk use - Field installed - attached to underside of top	HWM	62	-	-	-	0.5	0.5
TABLE GANGING MECHANISM								
	- Set of 2; field installed to connect two tables - Low profile; with quick release knob - Hide-away connector plate rotates under worksurface when not in use	TGM	98	4.5	2.5	0.25	1	0.5

Compete




Compete Plus

Accessories

Conference
Tables

Tables -
Aluminum Legs


Conference
Room




			Product Code	List Price	Dimensions			Wt	Cube
					W	D	H	lbs	ft³
TASK LIGHTS									
	Flourecent	-Use with 30" to 42" overhead	TL 24	539	24	6	2	2	0.5
		-Use with 42" to 78" overhead	TL 37	588	37	6	2	4	0.5
	LED		A-LEDTL-61024	58	24	1.25	.375	<1	
			A-LEDTL-61540	58	40	1.25	.375	<1	
KEYED-ALIKE KITS									
	- Provides single key workstation access - Field installed - Replaces random-keyed locks - Units can be quickly and easily re-keyed using a 'lock core removal' key (included with kit). - Determine correct number of keyed-alike locks required per office by referring to product illustrations. (Note: some units have multiple locks)		KAK-1	23	-	-	-	-	-
			KAK-2	45	-	-	-	-	-
			KAK-3	64	-	-	-	-	-
			KAK-4	86	-	-	-	-	-
			KAK-5	107	-	-	-	-	-
			KAK-6	127	-	-	-	-	-
HANDLE RETROFIT KITS									
H-WHB		- 3.75" Waterfall Handle - Black - Field installed - Drilling template included	H-WHB	16 each	-	-	-	-	-
H-OPB		- 3.75" Open Pull - Black - Field installed - Drilling template included	H-OPB	16 each	-	-	-	-	-
H-OPN		- 3.75" Open Pull - Nickel - Field installed - Drilling template included	H-OPN	16 each	-	-	-	-	-
H-BPA		- 3.75" Rail Pull - Aluminum - Field installed - Drilling template included	H-BPA	16 each	-	-	-	-	-
H-RPA		- 3.75" Rod Pull - Aluminum - Field installed - Drilling template included	H-RPA	16 each	-	-	-	-	-
H-ABP		- 5" Bar Pull - Field installed - Drilling template included	H-ABP	16 each	-	-	-	-	-
H-ALP		- 5" Loop Pull - Field installed - Drilling template included	H-ALP	16 each	-	-	-	-	-
POWER STATION									
	- For use with standard Conference Table Tops only - Compatible with all Table Base styles except Panel H-Base. - Factory installed in standard locations only (see below). - Three grounded outlets, RJ45 and Jacks - 10 ft power cord RJ11								
	- 1 Power Station centered on 1-piece top or centered on one half of 2-piece top. - Add suffix (/PS1) to Conference Table Top product code		/PS-1	400	4.25 dia	1.5	0.5	-	
	- 2 Power Stations centered on each half of 2-piece top - Add suffix (/PS2) to Conference Table Top product code		/PS-2	797	4.25 dia	(x2)1.5	0.5	-	

Conference Table and Meeting Table Tops

Features:

- Table tops available in 5 shapes with 3 edge details.
- Table tops longer than 96" are 2-piece and are not grain-matched.
- All tops have matching 2.5 mm edgebanding.
- Power station can be factory installed in standard locations on Conference Table Tops (see previous page)



	Top Features	Seating Capacity	Product Code	List Price	Dimensions L	Dimensions W	Wt lbs	Cube ft³
CONFERENCE TABLE TOPS - RECTANGULAR								
	1 - piece top 1½" thick	6	RC 6036 •	910	60	36	89	3
		6	RC 6636 •	944	66	36	98	4
		6	RC 7236 •	979	72	36	113	4
		8	RC 8436 •	1169	84	36	123	4
		8	RC 9636 •	1434	96	36	134	5
		8	RC 8442 •	1224	84	42	145	5
		8	RC 9642 •	1484	96	42	161	6
		8	RC 8448 •	1246	84	48	155	5
	2 - piece top 1½" thick	8	RC 9648 •	1507	96	48	171	6
		10	RC 12036 •	1710	120	36	185	7
		10	RC 14436 •	1763	144	36	220	8
		10	RC 12048 •	1783	120	48	242	8
		10	RC 14448 •	2020	144	48	285	9
		14	RC 16848 •	2750	168	48	310	10
14		RC 19248 •	3207	192	48	342	11	
CONFERENCE TABLE TOPS - RACETRACK								
	1 - piece top 1½" thick	6	RT 6036 •	1146	60	36	89	3
		6	RT 6636 •	1184	66	36	98	4
		6	RT 7236 •	1217	72	36	113	4
		8	RT 8436 •	1369	84	36	123	4
		8	RT 9636 •	1593	96	36	134	5
		8	RT 8442 •	1345	84	42	145	5
		8	RT 9642 •	1571	96	42	161	6
		8	RT 8448 •	1441	84	48	155	5
	2 - piece top 1½" thick	8	RT 9648 •	1664	96	48	171	6
		10	RT 12036 •	1913	120	36	185	7
		10	RT 14436 •	1966	144	36	220	8
		10	RT 12048 •	1989	120	48	242	8
		10	RT 14448 •	2226	144	48	285	9
		14	RT 16848 •	3118	168	48	310	10
14		RT 19248 •	3510	192	48	342	11	
CONFERENCE TABLE TOPS - BOAT SHAPE								
	1 - piece top 1½" thick	8	BS 8442 •	1379	84	42	145	5
		8	BS 9642 •	1644	96	42	161	6
		8	BS 8448 •	1441	84	48	155	5
		8	BS 9648 •	1664	96	48	171	6
	2 - piece top 1½" thick	10	BS 12048 •	1989	120	48	242	8
		10	BS 14448 •	2226	144	48	285	9
		14	BS 16848 •	3118	168	48	310	10
		14	BS 19248 •	3510	192	48	342	11
MEETING TABLE TOPS - ROUND								
	1" thick top	3	RD 30-H	560	30 dia		40	2
		3	RD 36-H	611	36 dia		50	2
		4	RD 42-H	784	42 dia		60	3
		5	RD 48-H	879	48 dia		70	4
		5	RD 54-H	982	54 dia		80	5
	1½" thick top	3	RD 30 •	746	30 dia		50	2
		3	RD 36 •	802	36 dia		65	2
		4	RD 42 •	992	42 dia		80	3
		5	RD 48 •	1098	48 dia		95	4
		5	RD 54 •	1263	54 dia		110	5
MEETING TABLE TOPS - SQUARE								
	1" thick top	4	SQ 30-H	491	30	30	50	2
		4	SQ 36-H	541	36	36	60	2
		4	SQ 42-H	720	42	42	70	3
		4	SQ 48-H	818	48	48	80	4
		8	SQ 54-H	920	54	54	90	5
	1½" thick top	4	SQ 30 •	676	30	30	60	2
		4	SQ 36 •	738	36	36	75	2
		4	SQ 42 •	922	42	42	90	3
		4	SQ 48 •	1024	48	48	105	4
		8	SQ 54 •	1165	54	54	120	5

Select edge code: -F, -P3, -P4

Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Conference Table Base & Wire Management Trough

• **Conference Table Bases** are made of 1" thick laminate surfaces in a rectangular configuration. Front door opens and closes on two hinges for easy access to the inside of the base. The horizontal base has three grommet holes to allow access to the floor for data and power. Table Bases also have rear slots to allow for base-to-base cable management via a Wire Management Trough (sold separately). Wire Management Troughs are metal (black only) and also used to give added support to conference tables.

Table Base Dimensions: 28h" x 10"w x 18", 24", 30" or 36"d

Wire Management Troughs: 24", 30", 36", 42", 48", 54", 60", 66", or 72"w.

Wire Management Troughs are required if the distance between two conference table bases is 48" or greater.

Product Code


List Price

Dimensions

W D H

INTERFACE CUT-OUTS

In-surface electrical can be specified for use with cabinet table base shown below. See page 104 for options.



- 1 Interface cut-out centered on 1-piece top
- Add suffix (/PS3) to Conference Table Top product code


/PS3

215

13.63

6

-



- 2 Interface cut-outs spaced evenly on 1 top or aligned with the bases of a 2-piece top.
- Add suffix (/PS4) to Conference Table Top product code

/PS4


430

13.63

6

-

CABINET TABLE BASE



WFS-LTB1018

589

10

18

28

WFS-LTB1024

624

10

24

28

WFS-LTB1030

658

10

30

28

WFS-LTB1036

693

10

36

28

WIRE MANAGEMENT TROUGH - PAIR



E-UNWSMT24

311

24

-

-

E-UNWSMT30

323

30

-

-

E-UNWSMT36

370

36

-

-

E-UNWSMT42

391

42

-

-

E-UNWSMT48

484

48

-

-

E-UNWSMT54

516

54

-

-

E-UNWSMT60

545

60

-

-

E-UNWSMT66

599

66

-

-

E-UNWSMT72

654


72

-

-


Cabinet Table Base Views

Front View



Allows space for floor cores and tombstones.

Top View



Horizontal base has (3) grommet holes allowing for floor access.




Table bases also have rear slots to allow for base-to-base cable management via a wire management trough (sold separately).




Table bases in conjunction with wire management troughs











Wire management trough side view

Conference Table Bases

Features:

- Table bases available in 6 styles: 3 laminate panel bases and 3 metal bases.
- Metal T-Base, X-Base and 6" Post Leg also available in optional silver finish - add suffix (/SL) to product code.

		Product Code	List Price	Dimensions			Wt	Cube	
				W	D	H	lbs	ft³	
PANEL H-BASE									
	- Base code matches table top length	HB 60	740	30	24	28	50	3	
	- End panels & center support 1" thick	HB 66	740	30	24	28	55	3	
		HB 72	809	43	24	28	55	3	
		HB 84	809	43	24	28	55	3	
		HB 96	809	43	24	28	55	3	
		HB 120	1246	84	24	28	90	4	
		HB 144	1246	84	24	28	90	4	
		HB 168	1335	120	24	28	110	5	
		HB 192	1426	140	24	28	120	5	
PANEL V-BASE									
	- 1-piece top requires 1 V-Base (pair)		VB	1048	15	15	28	30	2
	- V-base panels 1½" thick with steel corner post								
	- 2-piece top also requires 1 X-Base for center support								
PANEL X-BASE									
	- 1-piece top requires 2 X-Bases (use only on tops 72" or longer)		XB	829	27	27	28	40	2
	- 2-piece top requires 3 X-Bases								
	- X-base panels 1½" thick								
METAL T-BASE									
	- 1-piece top requires 2 T-Bases		TL-35 TL-20	668 659	35 20	3.5 3.5	28 28	25 20	4 4
	- 2-piece top requires 3 T-Bases								
	- 3" diameter post with 35" W or 20"W low-profile foot								
	- Black powder-coat finish standard								
	- *TL-20 is for use with 20" and 24" deep tops only								
METAL X-BASE									
	- 1-piece top larger than 48" wide requires 2 X-Bases		XL-35 XL-30	907 850	35 30	35 30	28 28	35 31	16 13
	- 2-piece top requires 3 X-Bases								
	- 3" diameter post with 35" x 35" or 30" X 30" low-profile foot								
	- Black powder-coat finish								
	- *XL-30 is for 30" round and 30" square meeting tables standard								
6" POST LEG									
	- 1-piece top requires 4 Post Legs		PL-6	384	6" dia	28	10	1	
	- 2-piece top requires 6 Post Legs								
	- 6" diameter with 2 levelers for added stability								
	- Black powder-coat finish standard								

Compete

Compete Plus


Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Interface Tabletop Unit

Features:


- Include four outlet plugs and may be ordered with four open telecom plate openings or in pre-configured telecom plate options.
- Unit comes with a 72" cord, is UL listed and CSA certified, and is designed to fit table thickness between 7/8" - 2".
- Telecom plates and jacks are specified separately.
- Interface unit is available in black, silver, or brushed aluminum finish.



Product Code


List Price

4 TELECOM OPENINGS (Kit 1)




Black	E-I4BBK	1562
Silver	E-I4BSV	1562
Aluminum	E-I4BBR	3427

(2) 3 CAT 5 PLATES, (2) BLANK PLATES TELECOM OPENINGS (Kit 2)




Black	E-I6C52BBK	2467
Silver	E-I6C52BSV	2467
Aluminum	E-I6C52BBR	4332

(2) 3 CAT 5 PLATES, (1) DATA/PHONE USB, (1) BLANK PLATE TELECOM OPENINGS (Kit 3)



Black	E-I6C51D1BBK	2806
Silver	E-I6C51D1BSV	2806
Aluminum	E-I6C51D1BBR	4670

(2) 3 CAT 5 PLATES, (1) DATA/PHONE USB, (1) A/V MIX KIT (Kit 4)




Black	E-I6C51D1AVBK	3235
Silver	E-I6C51D1AVSV	3235
Aluminum	E-I6C51D1AVBR	5100

Individual Jack and Plate Ordering



Blank Plate	E-IBLANK	17
Blank Plate with 3 Jack Holes	E-IBLANK3J	81
Plate with (3) RJ45 Cat 6	E-IRJ45CAT6	443
Plate with (3) RJ45 Cat 5E Inline	E-IRJ45CAT5E	443
Plate with (1) RJ45 Cat 5E, (1) RJ45 Cat 6, (1) USB Inline	E-IRJ11CAT3	363
Plate with (1) RJ45 Cat 6, (1) Mini Stereo Inline, and (1) 15-Pin HD VGA	E-IRJ45CAT6MSI	454




RJ45 Cat 5	E-ICAT5	143
RJ45 Cat 6	E-ICAT6	143

Tables with Aluminum Legs and Acrylic Panels

Features:

- All tops 1" or 1½" thick with 2.5mm edgebanding; 1½" thick tops have choice of 3 edge details.
- Aluminum legs with clear anodized finish; integrated wire management capabilities
- Tables available Mobile or Stationary. Table heights are standard at 29". (Mobile aluminum legs are shorter to accommodate caster height).
- Standard without grommet. Field-installed grommet options available.

Top Edge Detail




Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

RECTANGULAR TABLES WITH ALUMINUM LEGS




- Mobile Tables: for legs with casters, add suffix (/M) to product code (standard with 2 locking casters).
- Tables 60" and wider come with a metal reinforcement channel.

1" thick top

1½" thick top

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³
TALRC 4224-H	2299	42	24	29	41	6
TALRC 4824-H	2311	48	24	29	44	6
TALRC 5424-H	2386	54	24	29	48	6
TALRC 6024-H	2422	60	24	29	59	7
TALRC 6624-H	2473	66	24	29	63	7
TALRC 7224-H	2496	72	24	29	66	7
TALRC 4230-H	2461	42	30	29	47	7
TALRC 4830-H	2477	48	30	29	51	7
TALRC 5430-H	2492	54	30	29	55	7
TALRC 6030-H	2730	60	30	29	68	8
TALRC 6630-H	2772	66	30	29	72	8
TALRC 7230-H	2799	72	30	29	77	8
TALRC 4224 •	2506	42	24	29.5	53	6
TALRC 4824 •	2531	48	24	29.5	58	6
TALRC 5424 •	2645	54	24	29.5	63	6
TALRC 6024 •	2690	60	24	29.5	69	7
TALRC 6624 •	2767	66	24	29.5	74	7
TALRC 7224 •	2805	72	24	29.5	79	7
TALRC 4230 •	2752	42	30	29.5	62	7
TALRC 4830 •	2777	48	30	29.5	69	7
TALRC 5430 •	2799	54	30	29.5	75	7
TALRC 6030 •	3055	60	30	29.5	82	8
TALRC 6630 •	3121	66	30	29.5	88	8
TALRC 7230 •	3159	72	30	29.5	95	8


ADD-ON ACRYLIC END PANEL



- Use one to create a single end panel on TALRC table.
- Use two to create a double end panel on TALRC table.

AEP 24	224	16	0.25	10	1	1
AEP 30	263	22	0.25	10	2	1

ADD-ON ACRYLIC MODESTY PANEL



- Use to create a single modesty on TALRC table.
- Cannot be used for double modesty application

AMP 42	305	34	0.25	10	3	1
AMP 48	341	40	0.25	10	4	1
AMP 54	381	46	0.25	10	4	1
AMP 60	419	52	0.25	10	5	1
AMP 66	458	58	0.25	10	5	1
AMP 72	496	64	0.25	10	6	1

ROUND TABLES WITH ALUMINUM LEGS



- Standard with leveling glides
- Mobile Tables: for legs with casters, add suffix (/M) to product code.
- Mobile table standard with 2 locking casters

1" thick top

1½" thick top

TALRD 30-H	2432	30" dia	29	56	6
TALRD 36-H	2484	36" dia	29	66	6
TALRD 42-H	2657	42" dia	29	76	7
TALRD 48-H	2752	48" dia	29	86	8
TALRD 54-H	2856	54" dia	29	96	9
TALRD 30 •	2620	30" dia	29.5	66	6
TALRD 36 •	2675	36" dia	29.5	81	6
TALRD 42 •	2867	42" dia	29.5	96	7
TALRD 48 •	2969	48" dia	29.5	111	8
TALRD 54 •	3138	54" dia	29.5	126	9
TALSQ 30-H	2365	30 30	29	66	6
TALSQ 36-H	2417	36 36	29	76	6
TALSQ 42-H	2595	42 42	29	86	7
TALSQ 48-H	2689	48 48	29	96	8
TALSQ 54-H	2792	54 54	29	106	9
TALSQ 30 •	2550	30 30	29.5	76	6
TALSQ 36 •	2610	36 36	29.5	91	6
TALSQ 42 •	2794	42 42	29.5	106	7
TALSQ 48 •	2900	48 48	29.5	121	8
TALSQ 54 •	3038	54 54	29.5	136	9

SQUARE TABLES WITH ALUMINUM LEGS



- Standard with leveling glides
- Mobile Tables: for legs with casters, add suffix (/M) to product code.
- Mobile table standard with 2 locking casters

1" thick top

1½" thick top


Select edge code: -F, -P3, -P4

Conference Room and Miscellaneous Furniture

Features:

- All tops 1" or 1½" thick with 2.5mm edgebanding
- 1½" thick tops have choice of 3 edge details
- Furniture with 1½" tops have handles standard. See specifying instructions below.
- Furniture with 1" thick tops have black integral pull standard. For optional silver, add suffix (/FPS)
- Furniture with 1" thick tops have black integral pull standard. For optional silver, add suffix (/FPS) to product code.
- Optional surface-mounted handles available for furniture with 1" thick tops

Top Edge Detail



Compete

Compete Plus

Accessories

Conference
TablesTables -
Aluminum LegsConference
Room

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		

LECTERN



- 2 interior shelves
- 1 grommet
- Locking casters
- Shipped assembled

1" thick top	LT 1818-H
1½" thick top	LT 1818 *

1312	18	18	44	85	8
1466	18	18	44.5	90	8

END TABLE



- Full width center support
- 18" / 18.5" high

1" thick top	ET 2424-H
	ET 3030-H
1½" thick top	ET 2424 *
	ET 3030 *

653	24	24	18	40	2
715	30	30	18	50	3
703	24	24	18.5	45	2
821	30	30	18.5	55	3

COFFEE TABLE



- Full width center support
- 16" / 16.5" high

	CT 4220-H
1" thick top	CT 4824-H
1½" thick top	CT 4220 *
	CT 4824 *

718	42	20	16	50	3
780	48	24	16	55	3
854	42	20	16.5	60	3
907	48	24	16.5	65	3

PRINTER TABLE



- 3 (8 ½" w x 2¼" h) paper sorter cubbies
- 1 pullout shelf with paper access (height clearance 12 ½" above; 8" below)
- Cable management grommets in back
- Shipped assembled

	PT 3024-H
1" thick top	PT 3624-H
1½" thick top	PT 3024 *
	PT 3624 *

1195	30	24	29	100	13
1301	36	24	29	120	16
1312	30	24	29.5	110	13
1409	36	24	29.5	130	16

SINGLE SERVICE CART - MOBILE




- 3 (8 ½" w x 2¼" h) paper sorter cubbies
- 1 pullout shelf with paper access (height clearance 12 ½" above; 8" below)
- Cable management grommets in back
- Shipped assembled

1" thick top	SS 1921-H
1½" thick top	SS 1921 *

1668	19	21	36	85	12
1856	19	21	36.5	90	12

DOUBLE SERVICE CART - MOBILE




- Upper pull-out shelf
- 2 box drawers
- Double storage with adjustable shelves
- Non-locking
- Shipped assembled

1" thick top	SS 3221-H
1½" thick top	SS 3221 *

2788	32	21	36	120	20
3121	32	21	36.5	130	20

AUDIOVISUAL CABINET




- Upper doors retract inside cabinet
- Pull-out turntable for TV - 29" high
- Upper media shelf - 5" high
- Lower box drawer for media storage
- Lower right section with 2 adjustable shelves
- Cable management grommets in back
- Non-locking
- Shipped assembled

1" thick top	AV 3625-H
1½" thick top	AV 3625 *

5042	36	25	65	260	40
5416	36	25	65.5	270	40

MARKER BOARD



- Whiteboard for dry-erase markers
- Ledge for eraser & marker storage
- Left door - tackable corkboard
- Right door - flipchart pegs (mounting holes on 17½" center)
- 2-piece cleat wall-mount system
- Shipped assembled

1" thick top	MB 5040-H
1½" thick top	MB 5040 *

2304	50	5	40	140	10
2444	50	5	40.5	145	10

COMPETE PLUS - Select edge code: -F, -P3, -P4

COMPETE PLUS - Select handle code: /WHB, /OPB, /OPN, /BPA, /RPA, /ABP, /ALP

MOBILE WHITEBOARD/DIVIDER



- 36" x 36" whiteboard
- Marker tray
- Shipped ready-to-assemble

MWD 4872-H

2100	48	28	72	120	10
------	----	----	----	-----	----

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Index

	Compete	Compete Plus	Other Items
Accessories	101, 102	101, 102	103, 104
Aluminum Leg Returns & Tables	25	71	107
Bookcases	53	99	-
Bow Front Desks	16, 17, 18	62, 63, 64	-
Bridges	25, 32-34, 54	71, 78-80, 100	-
Conference Room Furniture	-	-	103-108
Conference Table Bases	-	-	104, 105
Conference and Aluminum Leg Tables	-	-	107
Connector Tops	54	100	-
Corner Desk Shells - Extended Left or Right	36, 37	82, 83	-
Corner Overheads	43	89	-
Corner Reception Galleries	46	92	-
Corner Units	30	76	-
Credenzas	26, 27, 28	72, 73, 74	-
Desks - Pedestal & Bow Front	16, 17, 18	62, 63, 64	-
Desk Shells	32, 33, 34, 35	78, 79, 80, 81	-
Desk Top Panels	54	100	-
D-Tops	38	85	-
Executive Corner Desks	19	65	-
Executive D-Top Corner Desks	21, 22	67, 68	-
Executive P-Top Corner Desks	20	66	-
Extended Corner Desk Shells	36, 37	82, 83	-
Extension Tables	54	100	-
Features Overview	11	59	-
Fundamentals Workstations	14, 15	-	-
Hutches	40, 41, 42	86, 87, 88	-
Instant Offices	12, 13	60, 61	-
Keyboards	101	101	101
Lateral Files	49	95	-
Lower Storage Units	50	96	-
Meeting Tables	103	103	-
Notches - Desk Shells	31, 35	77, 81	-
Overheads	40, 41, 42	86, 87, 88	-
Paper Management Options	44	90	-
Pedestals	48	94	-
Pedestal Desks	16, 17, 18	62, 63, 64	-
Pedestal Returns	23, 24	69, 70	-
P-Tops	39	84	-
Reception Galleries	45, 46, 47	91, 92, 93	-
Reception Workstations	29	75	-
Returns	23, 24, 25	69, 70, 71	-
Specifying Guide - Keyboards/Corners/Notches	31	77	-
Specifying Hints	9, 10	9, 10	9, 10
Storage Towers & Wardrobe Towers	51, 52	97, 98	-
Storage Units	50	96	108
Tables	-	-	103-107
Tackboards	44	90	-
Wire Management	101, 104	101, 104	101, 104

National Showrooms:

Boston

AIS Headquarters
4 Bonazzoli Avenue
Hudson, Massachusetts 01749

Chicago

The Merchandise Mart
Suite 1086
Chicago, Illinois 60654

New York

AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.

AIS Washington, D.C.
1400 Eye St, NW
Suite 750
Washington, D.C. 20005

GSA Sales
GSA Contract GS-29F-0006K
FSC Group 71, Part 1 Office Furniture

For additional information on AIS:

Dealer Showrooms
Representative Directory
Project Case Studies
Online Catalog & Product Showcase
Visit: www.ais-inc.com



800.434.7400 978.562.7500 Fax 978.562.0811
www.ais-inc.com